

1969

CRAMER
EDENS

SUMMER
1969

BOOK #1

ORANGE CO.

BOOK #1

CRAMER
EDENS


1969

ORANGE COUNTY
INDEX ON PAGE 78

DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING

Roadway of any Width. Side Slopes $1\frac{1}{2}$ to 1.

In the figure below: opposite 7 under "Cut or Fill" and under .3 read 11.0, the distance out from the side stake at left. Also, opposite 11 under "Cut or Fill" and under .1 read 16.7, the distance out from the side stake at right.



Cut or Fill	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	Cut or Fill
	Distance out from Side or Shoulder Stake										
0	0.0	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	0
1	1.5	1.7	1.8	2.0	2.1	2.3	2.4	2.6	2.7	2.9	1
2	3.0	3.2	3.3	3.5	3.6	3.8	3.9	4.1	4.2	4.4	2
3	4.5	4.7	4.8	5.0	5.1	5.3	5.4	5.6	5.7	5.9	3
4	6.0	6.2	6.3	6.5	6.6	6.8	6.9	7.1	7.2	7.4	4
5	7.5	7.7	7.8	8.0	8.1	8.3	8.4	8.6	8.7	8.9	5
6	9.0	9.2	9.3	9.5	9.6	9.8	9.9	10.1	10.2	10.4	6
7	10.5	10.7	10.8	11.0	11.1	11.3	11.4	11.6	11.7	11.9	7
8	12.0	12.2	12.3	12.5	12.6	12.8	12.9	13.1	13.2	13.4	8
9	13.5	13.7	13.8	14.0	14.1	14.3	14.4	14.6	14.7	14.9	9
10	15.0	15.2	15.3	15.5	15.6	15.8	15.9	16.1	16.2	16.4	10
11	16.5	16.7	16.8	17.0	17.1	17.3	17.4	17.6	17.7	17.9	11
12	18.0	18.2	18.3	18.5	18.6	18.8	18.9	19.1	19.2	19.4	12
13	19.5	19.7	19.8	20.0	20.1	20.3	20.4	20.6	20.7	20.9	13
14	21.0	21.2	21.3	21.5	21.6	21.8	21.9	22.1	22.2	22.4	14
15	22.5	22.7	22.8	23.0	23.1	23.3	23.4	23.6	23.7	23.9	15
16	24.0	24.2	24.3	24.5	24.6	24.8	24.9	25.1	25.2	25.4	16
17	25.5	25.7	25.8	26.0	26.1	26.3	26.4	26.6	26.7	26.9	17
18	27.0	27.2	27.3	27.5	27.6	27.8	27.9	28.1	28.2	28.4	18
19	28.5	28.7	28.8	29.0	29.1	29.3	29.4	29.6	29.7	29.9	19
20	30.0	30.2	30.3	30.5	30.6	30.8	30.9	31.1	31.2	31.4	20
21	31.5	31.7	31.8	32.0	32.1	32.3	32.4	32.6	32.7	32.9	21
22	33.0	33.2	33.3	33.5	33.6	33.8	33.9	34.1	34.2	34.4	22
23	34.5	34.7	34.8	35.0	35.1	35.3	35.4	35.6	35.7	35.9	23
24	36.0	36.2	36.3	36.5	36.6	36.8	36.9	37.1	37.2	37.4	24
25	37.5	37.7	37.8	38.0	38.1	38.3	38.4	38.6	38.7	38.9	25
26	39.0	39.2	39.3	39.5	39.6	39.8	39.9	40.1	40.2	40.4	26
27	40.5	40.7	40.8	41.0	41.1	41.3	41.4	41.6	41.7	41.9	27
28	42.0	42.2	42.3	42.5	42.6	42.8	42.9	43.1	43.2	43.4	28
29	43.5	43.7	43.8	44.0	44.1	44.3	44.4	44.6	44.7	44.9	29
30	45.0	45.2	45.3	45.5	45.6	45.8	45.9	46.1	46.2	46.4	30
31	46.5	46.7	46.8	47.0	47.1	47.3	47.4	47.6	47.7	47.9	31
32	48.0	48.2	48.3	48.5	48.6	48.8	48.9	49.1	49.2	49.4	32
33	49.5	49.7	49.8	50.0	50.1	50.3	50.4	50.6	50.7	50.9	33
34	51.0	51.2	51.3	51.5	51.6	51.8	51.9	52.1	52.2	52.4	34
35	52.5	52.7	52.8	53.0	53.1	53.3	53.4	53.6	53.7	53.9	35
36	54.0	54.2	54.3	54.5	54.6	54.8	54.9	55.1	55.2	55.4	36
37	55.5	55.7	55.8	56.0	56.1	56.3	56.4	56.6	56.7	56.9	37
38	57.0	57.2	57.3	57.5	57.6	57.8	57.9	58.1	58.2	58.4	38
39	58.5	58.7	58.8	59.0	59.1	59.3	59.4	59.6	59.7	59.9	39
40	60.0	60.2	60.3	60.5	60.6	60.8	60.9	61.1	61.2	61.4	40



The paper in this book is made of 50% high grade rag stock with a WATER RESISTING surface sizing.

KEUFFEL & ESSER CO.

W-6476

BS

LEVEL

FS

ELEV

BM

BM

88'

TP₁

3.86

91.86

4.33

87.53

TP₂

4.51

92.04

4.39

87.65

TP₃

4.23

91.88

4.24

87.64

TP₄

4.42

92.06

4.40

87.66

TP₅

4.56

92.22

6.09

86.13

GROUND

21.58

2.77

89.45

CASING

ORANGE CO.

JUNE 17, 1969

OWNER - USGS


BM - ROAD CENTERLINE FROM TOPO 88'

WARM + CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 34, T24S, R29E, NW 1/4 of NW 1/4



W-6458	BS	LEVEL	FS	ELEV	
BM				82	BM
TP ₁	5.17	87.17	3.39	83.78	
TP ₂	5.42	89.20	4.10	85.10	
TP ₃	4.80	89.90	5.71	84.19	
TP ₄	3.13	87.32	6.02	81.30	
TP ₅	4.13	85.43	4.06	81.37	
TP ₆	6.60	87.97	3.72	84.25	
TP ₇	5.90	90.15	6.66	83.49	
TP ₈	2.03	85.52	4.97	80.55	
TP ₉	4.51	85.06	2.65	82.41	
TP ₁₀	4.59	87.00	6.59	80.41	GROUND
	46.23		3.66	83.34	CASING
			47.87		

1.59

ORANGE CO.

JUNE 17, 1969

OWNER - USGS


BM - Rd. CL ELEV FROM TOPO 82'

WARM + CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 8, T24S, R29E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-6892	BS	LEVEL	FS	ELEV	
BM				98.438	BM
TP ₁	4.73	103.17	5.09	98.08	
TP ₂	4.41	102.49	4.32	98.17	
TP ₃	3.27	101.44	4.45	96.99	
TP ₄	5.15	102.14	4.28	97.86	CASING
TP ₅	17.56		18.14		
TP ₆					
TP ₇					

ORANGE CO.

JUNE 17, 1969

OWNER - CITY OF TAFT

BM - VSC+GS TAFT AZIMUTH 1936

ELEVATION 98.438


WARM PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 1, T24S, R30E, NW $\frac{1}{4}$ of NE $\frac{1}{4}$

ELEVATION TAKEN ON
CONCRETE BASE



W-6146

FS

LEVEL

BS

ELEV

97.86

TP₁ 5.15 103.01 4.46 98.55TP₂ 5.64 104.09 5.85 98.24TP₃ 4.50 102.74 4.87 97.87TP₄ 4.85 102.72 4.76 97.96TP₅ 4.29 102.25 6.40 95.85TP₆ 4.98 100.83 4.58 96.25TP₇ 4.64 100.89 4.56 96.33

33.96

354.8

1.53

ORANGE

JUNE 17, 1969

OWNER ORANGE COUNTY SCHOOL BOARD

BM - W-6892 FROM USCGS TAFT

AZIMUTH 1936

ELEV 98.438

WARM, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 6, T24S, R30E, SW $\frac{1}{4}$ of SW $\frac{1}{4}$

WELL LOCATED IN

LOCKED PUMP HOUSE

ELEVATION AT GROUND LEVEL

W-6839

BS

LEVEL

FS

ELEV

BM

83

TP₁

4.49

87.49

4.92

82.57

TP₂

4.42

86.99

5.95

81.04

TP₃

4.00

85.04

7.18

77.86

TP₄

4.13

81.99

6.54

75.45

TP₅

1.43

76.88

4.74

72.14

GROUND

18.47

3.94

72.94

CASING

29.33

ORANGE CO.


JUNE 18, 1969

OWNER - CENTRAL BAPTIST CHAPEL

BM - ROAD C.L. ELEV FROM TAPD 83

JEFF - LEVEL CLEAR, WARM MORNING

MARK - ROD

LOCATION - SEC 24, T22S, R30E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-8569

W-8571

BS

LEVEL

FS

ELEV

BM

72.94

TP₁

4.29

77.23

2.93

74.30

TP₂

3.75

78.05

5.24

72.81

TP₃

5.68

78.49

4.71

73.78

TP₄

4.10

77.88

7.05

70.83

TP₅

2.58

73.41

7.42

65.99

TP₆

3.99

69.98

6.55

63.43

GROUND

24 39

33.90

ORANGE CO.

JUNE 18, 1969

OWNER - MR. L. PETERSON

ARNOLD PALMER DRIVING RANGE

BM - W-6839

FROM TOPO Rd ELEV 72.94

PARTLY CLOUDY + WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 24, T22S, R30E, NW $\frac{1}{4}$ of NW $\frac{1}{4}$

BOTH WELLS LOCATED
IN LOCKED PUMP HOUSE.
ELEVATION TAKEN AT
GROUND LEVEL

W-6456

BS

LEVEL

FS

ELEV

BM

77

TP₁ 3.62 80.62 4.81 75.81TP₂ 5.24 81.05 3.35 77.70TP₃ 6.80 84.50 1.61 82.89TP₄ 4.06 86.95 5.37 81.58TP₅ 4.35 85.93 4.99 80.94

4.63 85.57 4.77 80.80 GROUND

28.70 1.97 83.60 CASING

24.90

ORANGE CO.

JUNE 18, 1969


OWNER - USGS

BM - BRIDGE ELEVATION FROM TOPO

WARM PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 5, T23S, R31E, NE $\frac{1}{4}$ of SW $\frac{1}{4}$ 

W-6459	BS	LEVEL	FS	ELEV	
BM				60.315	
TP ₁	8.14	68.46	4.36	64.10	
TP ₂	4.57	68.67	4.59	64.08	
TP ₃	3.09	67.17	9.12	58.05	GROUND
TP ₄	15.80		6.04	61.13	CASING
			18.07		

ORANGE CO.

JUNE 18, 1969

OWNER - USGS

BM - SRD RR SPIKE IN TELEPHONE POLE


ELEV - 60.315

WARM PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 16, T22S, R31E, SW $\frac{1}{4}$ of SW $\frac{1}{4}$



W-6457

BS

LEVEL

FS

ELEV.

BM

62

TP

3.23

65.23

5.06

60.17

GROUND

1.68

63.55

CASING

ORANGE CO.

JUNE 18, 1969


OWNER - USGS

BM - TOPO Rd. ELEVATION 62'

WARM PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 21, T23S, R33E, NW $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-8113

BS

LEVEL

FS

ELEV

BM

64.74

TP₁

5.02

69.76

2.21

67.55

TP₂

6.42

73.97

3.18

70.79

11.44

5.39

ORANGE CO.

JUNE 19, 1968

OWNER - FLORIDA TECH. UNIV. WELL #1

BM - SRD MONUMENT AT F.T.U.

100 - 300N, 8500E


MON 4

EL 64.74

COOL PARTLY CLOUDY MORNING

JCEFF - LEVEL

MARK - ROD

LOCATION - SEC 11, T22S, R31E, NW $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-8114

BS

LEVEL

FS

ELEV

BM

64.74

TP,

5.02

69.76

2.21

67.55

ORANGE CO.

JUNE 19, 1969

OWNER "FLORIDA TECHNICAL UNIV. WELL #2

BM SRD MONUMENT AT FTU


300N, R500E

MON-4 EL 64.74

COOL PARTLY CLOUDY MORNING

JEFF-LEVEL

MARK-ROD

LOCATION - SEC 11, T22S, R31E, NW $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-8557	BS	LEVEL	FS	ELEV	
BM				64.74	
TP	5.02	69.76	2.21	67.55	
	6.42	73.97	6.58	67.39	GROUND
	11.44		8.79		

ORANGE CO.

JUNE 19, 1969

OWNER - FLORIDA TECHNICAL UNIVERSITY
WELL #3

BM - SRD CONCRETE MONUMENT AT FTU


STAMPED MON-4 EL 64.74

COOL PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 11, T22S, R31E, NW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8524	BS	LEVEL	FS	ELEV.	
BM				64.74	
TP ₁	5.67	70.41	1.33	69.08	
TP ₂	7.07	76.15	0.87	75.28	
TP ₃	8.28	83.56	1.72	81.84	
TP ₄	4.63	86.47	2.87	83.60	
TP ₅	4.12	87.72	3.79	83.93	
TP ₆	5.00	88.93	6.52	82.41	
TP ₇	5.96	88.37	10.09	78.28	
TP ₈	4.36	82.64	9.15	73.49	
TP ₉	0.91	74.40	9.61	64.79	
TP ₁₀	5.45	70.24	4.16	66.08	CASING
	51.45		4.70	65.54	GROUND

50.11

1.34

ORANGE CO.

JUNE 19, 1969

OWNER - C. A. BLANEY

BM - STD MONUMENT AT FTU
MON-4 EL. 64.74

WARM PARTLY CLOUDY MORNING

JEFF-LEVEL

MARK - ROD

LOCATION - SEC 10, T22S, R31E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8526	BS	LEVEL	FS	ELEV	
BM		70.24		66.08 66.08	
TP	4.16	69.24	4.12	65.12 65.12	CASING
			5.20	64.04 64.04	GROUND

ORANGE CO.

JUNE 19, 1969

OWNER - CARRIGAN APTS. WELL #1

BM W-8524 from SRD monument at FTU


MON - 4 EL 64.74

WARM - PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 10, T22S, R31E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-6331

BS

LEVEL

FS

ELEV

BM

~~100~~ ASSUMEDTP₁

5.38

105.38

3.61

101.77

TP₂

4.16

105.93

4.76

~~121.17~~

CONCRETE

TP₃

4.68

105.85

5.29

~~102.56~~

GROUND

TP₄

14.22

13.66

BM ELEVATION 75.462

CORRECTED WELL ELEVATIONS

76.02 GROUND

76.63 CONCRETE

ORANGE CO.

JUNE 19, 1969

OWNER - ORANGE CITY SCHOOLS
(COUNTY?)

BM - USC+SS 578 RESET 1961 75.462

WARM CLOUDY, RAINY MORNING

STAFF - LEVEL

MARK - ROD

LOCATION - SEC 19, T22S, R31E, NE $\frac{1}{4}$ OF NE $\frac{1}{4}$ WELL LOCATED IN
LOCKED PUMP HOUSE.
ELEVATIONS TAKEN
AT LEVEL OF CONCRETE
FLOOR AND GROUND.

W-8261	BS	LEVEL	FS	ELEV	
BM				100	ASSUM.
TP ₁	4.17	104.17	7.49	96.68	
TP ₂	4.75	101.43	6.38	95.05	
TP ₃	3.01	98.06	4.52	93.54	
TP ₄	2.60	96.14	7.64	88.50	
TP ₅	3.36	91.86	5.24	86.62	concrete
	17.79		5.74	86.12	GROUND

BM ELEVATION 75.462

CORRECTED WELL ELEVATION



61.58 GROUND

62.08 CONCRETE

ORANGE CO.

JUNE 19, 1969

OWNER - ORANGE CO. BOARD OF PUBLIC INSTRUCTION
UNION PARK JUNIOR HIGH SCHOOL


BM - USC+GS 578 RESET 1961 75.462

CLOUDY, HOT MORNING

SEFF - LEVEL

MARK - ROD

LOCATION - SEC 18, T22S, R31E, SE $\frac{1}{4}$ OF SE $\frac{1}{4}$



W-1636	BS	LEVEL	FS	ELEV
BM				104.39
TP ₁	5.86	110.25	4.22	106.03
TP ₂	4.46	110.49	4.89	105.60
	10.32		9.11	

ORANGE CO.

JUNE 19, 1969

OWNER - CITY OF ORLANDO WELL #2

BM - USC + GS CROSS IN MANHOLE COVER
INTERSECTION OF ROBINSON AND MAGNOLIA
ELEVATION 104.387
MARKS QUARTER SECTION SEC 25, T22S, R29E

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 26, T22S, R29E, NW $\frac{1}{4}$ of SE $\frac{1}{4}$

DRAINAGE WELL LOCATED
UNDER THE STREET.
ELEVATION TAKEN ON TOP
OF MANHOLE COVER AT
STREET LEVEL.

W-1635	BS	LEVEL	FS	ELEV
BM				105.60
TP ₁	4.89	110.49	4.65	105.84
TP ₂	5.69	111.53	5.32	106.21
TP ₃	5.41	111.62	5.30	106.32
	15.99		15.27	

ORANGE CO.

JUNE 19, 1969

OWNER - CITY OF ORLANDO #1

BM - W-1635

FOR DESCRIPTION OF BM SEE PAGE 17
IN THIS FIELD BOOK

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 26, T22S, R29E, NW $\frac{1}{4}$ of SE $\frac{1}{4}$

DRAINAGE WELL LOCATED

UNDER THE STREET.

ELEVATION TAKEN ON

THE TOP OF A MANHOLE

COVER AT STREET LEVEL

W-6109

BS

LEVEL

FS

ELEV

BM

78.01

TP₁

3.26

81.27

7.95

73.32

TP₂

7.68

80.90

4.00

76.90

TP₃

4.46

81.36

8.52

72.84

TP₄

10.79

83.63

4.67

78.96

TP₅

5.15

84.11

3.31

80.80

TP₆

6.87

87.67

1.15

86.52

TP₇

4.41

90.93

4.76

86.17

TP₈

5.17

91.34

3.86

87.48

TP₉

5.14

92.62

3.99

88.63

CONCRETE

52.91

5.48

87.14

GROUND

42 21

10.62

ORANGE CO.

JUNE 20, 1969

OWNER - SUNNYLAND OF ORLANDO


BM USC&GS - OF STATE GEODETIC SURVEY - AL 25

ELEVATION 78.01

CLEAR, COOL MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 10, T22S, R30E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$ 

W-4961	BS	LEVEL	FS	ELEV	
BM				101.100	
TP ₁	2.46	103.56	5.55	98.01	
TP ₂	5.60	103.61	6.21	97.40	
TP ₃	3.48	100.88	5.32	95.56	
TP ₄	3.77	99.33	3.93	95.40	CONCRETE
	15.31		5.12	94.21	GROUND

21.01

5.70

ORANGE CO.

JUNE 23, 1969

OWNER - CENTRAL SUBURBAN UTILITIES


BM - USC+GS + STATE SURVEY AN12 EL-101.100

CLEAR, COOL MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 13, T23S, R29E, SE $\frac{1}{4}$ of SW $\frac{1}{4}$



W-5991	BS	LEVEL	FS	ELEV	
BM				111.067	
TP ₁	3.35	114.42	2.37	112.05	
TP ₂	3.39	115.44	8.97	106.47	
TP ₃	4.80	111.27	6.61	104.66	
TP ₄	4.76	109.42	5.04	104.38	
TP ₅	3.61	107.99	2.91	105.08	
TP ₆	6.13	111.21	5.32	105.89	
TP ₇	8.27	114.16	5.81	108.35	
TP ₈	4.57	112.92	6.54	106.38	
TP ₉	5.24	111.62	3.54	108.08	
TP ₁₀	1.01	109.09	2.61	106.48	
TP ₁₁	5.30	111.78	5.80	105.98	
TP ₁₂	4.52	110.50	4.31	106.19	
TP ₁₃	5.56	111.75	4.28	107.47	
TP ₁₄	5.42	112.89	5.14	107.75	GROUND
	55.93		3.97	108.92	CONCRETE FLOOR
			69.25		

ORANGE CO.

JUNE 23, 1969

OWNER - SOUTHERN FRUIT DISTRIBUTORS INC.
 BM - USCGS - UF STATE GEODETIC SURVEY
 WELL #3

ANY H(1) IRON SPIKE AT SEC COR.
 PARTLY CLOUDY MORNING
 EL 111.067

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 11, T23S, R29E, NE $\frac{1}{4}$ of NE $\frac{1}{4}$

WELL LOCATED IN
 LOCKED PUMP HOUSE.
 ELEVATIONS TAKEN
 AT GROUND LEVEL
 AND AT THE LEVEL
 OF THE CONCRETE
 FLOOR OF THE BUILDING.

W-8388	BS	LEVEL	FS	ELEV
BM				135
TP ₁	2.70	137.70	5.55	132.15
TP ₂	1.18	133.33	7.40	125.93
TP ₃	4.27	130.20	3.81	126.39
TP ₄	5.88	132.27	5.66	126.61
TP ₅	3.80	130.41	3.76	126.65
TP ₆	6.21	132.86	4.97	127.89 GROUND
	24.04		4.55	128.31 CASING
			31.15	

BM ABOVE TIED TO ORLANDO CITY ENGINEERS

MONUMENT TO OBTAIN EXACT ELEVATION

BM - MONUMENT @ END OF GRASS

MEDIAN 300' W of C.L. I-4

EL - 128.393

BM				128.39
TP ₁	3.16	131.55	3.55	128.00

CORRECTED WELL ELEVATIONS	120.89	GROUND
	121.31	CASING

ORANGE CO.

JUNE 23, 1969

OWNER - SAND LAKE MOBILE HOMES


BM - SRD INTERSECTION OF SR 528 AND SR 5439

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 35, T23S, R28E, NE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-5801	BS	LEVEL	FS	ELEV	
BM				100	ASSUMED
TP,	4.84	104.84	4.18	100.66	CASING
			4.51	100.33	CONCRETE
			4.73	100.11	GROUND

CORRECTED ELEVATIONS FROM

BM - 97.333

97.44 GROUND
 97.66 CONCRETE
 97.99 CASING

ORANGE CO.

JUNE 23, 1969

OWNER - CITY OF ORLANDO


BM - ORANGE CO. ENGINEERS EL 97.333

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 7, T23S, R28E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8268

BS

LEVEL

FS

ELEV

BM

132.01

TP₁

5.80

137.81

4.39

133.42

TP₂

5.06

138.48

4.39

134.09

FLOOR

10.76

4.93

133.55

GROUND

7.78

ORANGE CO.

JUNE 24, 1969


OWNER - SUNLAND HOSPITAL (NEAR WATER TOWER)

BM - SE CORNER OF PLANTER BOX IN FRONT OF
MAIN BUILDING. ESTABLISHED BY CONSTRUCTION
ENGINEERS. ELEV. 132.01

CLEAR, COOL MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 14, T22S, R28E, NE $\frac{1}{4}$ of SW $\frac{1}{4}$ 

W-5971

BS

LEVEL

FS

ELEV

BM

132.01

TP₁

0.25

132.26

10.17

122.09

TP₂

4.79

126.88

4.28

122.60

TP₃

4.59

127.19

4.72

122.47

GROUND

9.63

3.97

123.22

CONCRETE

19.17

9.54

ORANGE CO.


JUNE 24, 1969

OWNER - STATE OF FLORIDA
SUNLAND HOSPITAL (LAUNDRY WELL)BM - SAME AS FOR W-8268, SEE P. 24 IN
THIS LOG BOOK

COOL, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 14, T22S, R28E, NE $\frac{1}{4}$ OF SW $\frac{1}{4}$ 

W-7698

BS

LEVEL

FS

ELEV

BM

132.01

TP₁

6.20

138.21

3.80

134.41

TP₂

4.43

138.84

6.25

132.59

TP₃

2.81

135.40

5.52

129.88

TP₄

3.95

133.83

4.74

129.09

TP₅

3.05

132.14

9.27

122.87

TP₆

0.49

123.36

12.59

110.77

TP₇

10.49

121.26

0.03

121.23

TP₈

9.39

130.62

2.25

128.37

TP₉

3.89

132.26

4.46

127.80

CONCRETE

44.70

4.90

127.36

GROUND

4.21

4691

ORANGE CO.

JUNE 24, 1969

OWNER - JAMES PHIPPS

SILVER STAR MOBILE HOMES

2530 HIAWASSA RD.

BM - SAME AS FOR W-8268, SEE P. 24 OF THIS
LOG BOOK

CLEAR, WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 14, T22S, R28E, SE 1/4 NE 1/4

WELL LOCATED IN LOCKED
PUMP HOUSE, ELEVATION
TAKEN AT LEVEL OF
CONCRETE FLOOR AND
AT GROUND LEVEL.

W-8270	BS	LEVEL	FS	ELEV	
BM				127.80 128.00	
TP ₁	4.15	132.15	5.15	127.00	
TP ₂	3.98	130.98	4.24	126.54 126.74	TBM
TP ₃	4.93	131.67	5.23	126.44	
TP ₄	3.87	130.31	11.15	119.16	
TP ₅	1.07	120.23	11.65	108.58	
TP ₆	3.25	111.83	7.28	104.55	
TP ₇	2.77	107.32	2.38	104.94	
TP ₈	11.40	116.34	0.34	116.00	
TP ₉	12.04	128.04	0.31	127.73	
TP ₁₀	2.14	129.87	12.76	117.11	
TP ₁₁	7.62	124.73	2.25	122.48	
TP ₁₂	6.87	129.35	5.73	123.42 123.62	GROUND
	64.09		5.34	124.01	CASING
			68.47	123.81	

ORANGE CO.

JUNE 24, 1969

OWNER - HIAWASSA HILLS CHAPEL


BM - W-7698 (SEE P. 24, W-8268 FOR ORIGINAL BM)

CLEAR, WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 23, T22S, R28E, NE $\frac{1}{4}$ of NE $\frac{1}{4}$



W-6954	BS	LEVEL	FS	ELEV
BM				133
TP ₁	4.73	137.73	5.09	132.64
TP ₂	1.44	134.08	2.57	131.51
TP ₃	3.63	135.14	3.52	131.62
	9.80		4.10	131.04

Concrete - 131.62

Ground - 131.04

LINE RUN FROM WELL TO BM TO CHECK
ACCURACY

JEFF - LEVEL

MARK - ROD

WELL				131.62
TP ₁	5.42	137.04	5.40	131.64
TP ₂	5.50	137.14	4.12	133.02
TP ₃				

Orange Co.

June 25, 1969

OWNER - CHARLES HAWTHORNE


BM - 1/4 SECTION POST TOP SEC 11

CLEAR, HOT MORNING

MARK - LEVEL

JEFF - ROD

LOCATION - SEC 2, T22S, R28E, SW 1/4 of sec 4



W-7083	BS	LEVEL	FS	ELEV	
BM				104	Assumed
TP ₁	1.69	105.69	12.39	93.30	
TP ₂	2.22	95.52	10.24	85.28	
TP ₃	3.53	88.81	0.32	88.49	
TP ₄	9.23	97.72	0.26	97.46	
TP ₅	11.60	109.06	0.33	108.73	
TP ₆	11.38	120.11	2.53	117.58	
TP ₇	6.11	123.69	2.72	120.97	
TP ₈	4.99	125.96	0.78	125.18	TBM
TP ₉	7.25	132.43	0.79	131.64	GROUND
	58.00		0.30	132.13	PIPE
			30.36		

ORANGE CO.

JUNE 25, 1969

OWNER - WYNGLO CORP.


BM - USGS TT 19 WM 1955 ~ EL 104

CLEAR, WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 1, T22S, R28E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-6649	BS	LEVEL	FS	ELEV	
BM				91	
TP ₁	9.66	100.66	4.50	96.16	GROUND
TP ₂					
TP ₃					

ORANGE CO.

JUNE 25, 1969

OWNER - HELEN M. HUMPHREY

BM - TOPO RD ELEVATION 91'

HOT PARTLY CLOUDY AFTERNOON

SOFF - LEVEL

MARK - ROD

LOCATION SEC 27, T22S, R28E, NW $\frac{1}{4}$ of SW $\frac{1}{4}$

WELL LOCATED UNDERGROUND
ELEVATION TAKEN AT
GROUND LEVEL OVER WELL

W-4373	BS	LEVEL	FS	ELEV	
BM				92.907	
TP ₁	6.89	99.80	0.03	99.77	
TP ₂	11.22	110.99	5.23	105.76	
TP ₃	0.65	106.41	5.07	101.34	
TP ₄	4.17	105.51	6.85	98.66	
TP ₅	3.17	101.83	3.77	98.06	GROUND
	26.10		26.95		

ORANGE CO.

JUNE 26, 1969

OWNER - CENTRAL FLORIDA UTILITIES

BM - ORLANDO CITY ENGINEERS

CORNER ANDERSON Rd AND CONWAY GARDENS Rd.
EL. 92.907

HOT, CLOUDY (PARTLY) AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 7, T23S, R30E, SE $\frac{1}{4}$ OF NE $\frac{1}{4}$

WELL HAS BEEN ABANDONED.

ELEVATION TAKEN AT

GROUND LEVEL AT SITE OF
WELL.

W-6124

BS

LEVEL

FS

ELEV

BM

100 ASSUMED

TP₁ 4.06 104.06 3.55 100.51TP₂ 5.08 105.59 6.06 99.53TP₃ 4.24 103.77 5.46 98.31TP₄ 3.53 101.84 5.16 96.68TP₅ 4.39 101.07 4.95 96.12

21.30

ORANGE CO.

JUNE 27, 1969

OWNER - STATE ROAD DEPT.

BM - USC+GS J 130 1952 UNDER WATER TOWER

CLEAR, COOL MORNING

JEFF - LEVEL

MARK - ROD

LOCATION SEC 12, T23S, R29E, NE $\frac{1}{4}$ OF NW $\frac{1}{4}$

WELL LOCATED UNDER
GROUND. ELEVATION
TAKEN ON TOP OF
MANHOLE COVER OVER
WELL.

W-4797	BS	LEVEL	FS	ELEV	
BM				108.36	
TP ₁	3.88	112.24	6.43	105.81	
TP ₂	5.68	111.49	4.00	107.49	
TP ₃	5.35	112.84	4.87	107.97	
TP ₄	4.75	112.72	5.13	107.59	GROUND
	19.66		26.43		

ORANGE CO.

JUNE 27, 1969

OWNER - CENTRAL FLORIDA UTILITIES

BM - USCGS + STATE SURVEY AL 34 EL. 108.355

CLEAR, WARM MORNING

JEFF - LEVEL

MARK - ROD

WELL INSIDE LOCKED
PUMP HOUSE ELEVATION
TAKEN AT GROUND
LEVEL BESIDE BUILDING.

W-6000	BS	LEVEL	FS	ELEV	
BM				106.34	
TP ₁	7.60	113.94	3.26	110.68	
TP ₂	3.93	114.61	5.97	108.64	
TP ₃	4.53	113.17	5.55	107.62	
TP ₄	5.71	113.33	3.02	110.31	
TP ₅	5.17	115.48	4.86	110.62	GROUND
	26.94		4.59	110.89	CONCRETE FLOOR
			22.66		

ORANGE CO.

JUNE 27, 1969

OWNER - CENTRAL FLORIDA UTILITIES

BM - USCGS + STATE SURVEY AL 36
EL - 106.639

CLEAR, WARM MORNING

SEFF - LEVEL

MARK - ROD

LOCATION - SEC 16, T23S, R30E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$

WELL LOCATED IN LOCKED
BUILDING. ELEVATIONS
TAKEN AT GROUND LEVEL
BESIDE BUILDING AND
AT LEVEL OF THE
CONCRETE FLOOR.

W-6572	BS	LEVEL	FS	ELEV.	
BM				97.59	
TP ₁	4.34	101.93	5.01	96.92	
TP ₂	5.56	102.48	4.40	98.08	FLOOR
	9.90		3.97	98.51	CASING
			4.99	97.49	GROUND
			9.41		

ORANGE CO.

JUNE 27, 1969

OWNER - CITY OF ORLANDO


BM - CITY OF ORLANDO ENGINEERS MONUMENT
IN FRONT OF CITY INCINERATOR
EL - 97.588

PARTLY CLOUDY MORNING, WARM (HOT)

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 10, T23S R30E, NE $\frac{1}{4}$ OF SW $\frac{1}{4}$



W-2868	BS	LEVEL	FS	ELEV	
BM				96	
TP ₁	3.94	99.94	5.48	94.46	
TP ₂	3.91	98.37	5.21	93.16	
TP ₃	4.85	98.01	4.78	93.23	TBM
TP ₄	4.37	97.60	5.25	92.35	GROUND
T	17.07		5.28	92.32	CONCRETE FLOOR
			4.59	93.01	CASING
			20.72		

ORANGE CO.

JUNE 27, 1969

OWNER - L. F. LLOYD, VENETIAN VILLA

BM - TOPO CL ELEVATION 96'


PARTLY CLOUDY, HOT MORNING

SCFF - LEVEL

MARK - ROD

LOCATION - SEC 29, T23S, R30E, NW¹/₄ of NW¹/₄

WELL ABANDONED



W-6368	BS	LEVEL	FS	ELEV	
BM				93.23	
TP ₁	3.63	96.86	5.47	91.39	
TP ₂	4.50	95.89	4.70	91.19	
TP ₃	6.98	98.17	5.05	93.12	
TP ₄	5.53	98.65	4.66	93.99	GROUND
	20.64		4.59	94.06	CONCRETE FLOOR

19.38

ORANGE CO.

JUNE 27, 1969

OWNER - CENTRAL FLA. UTILITIES

BM - W-2868 TBM

PARTLY CLOUDY, HOT MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 29, T23S, R30E, NW $\frac{1}{4}$ of NW $\frac{1}{4}$

WELL LOCATED IN LOCKED
BUILDING. ELEVATIONS
TAKEN AT GROUND
LEVEL AND AT LEVEL
OF CONCRETE FLOOR OF
BUILDING.

W-6477	BS	LEVEL	FS	ELEV	
BM				90	
TP ₁	3.85	93.85	6.61	87.24	GROUND
			5.34	88.51	CASING

JULY 17, 1969

AFTER BRIEF DISCUSSION WITH USGS SURVEYORS
THERE DEVELOPED SOME DOUBT ABOUT THE
ACCURACY OF THE BM USED ABOVE. TO
CHECK THIS ELEVATION A MORE CERTAIN ROAD
ELEVATION WAS USED TO OBTAIN THE
FOLLOWING DATA.

Bm				91	
TP ₁	4.10	95.10	6.72	88.38	
TP ₂	11.71	100.09	0.42	99.67	
TP ₃	13.23	112.90	0.16	112.74	
TP ₄	11.15	123.89	5.46	118.43	
TP ₅	1.04	119.47	10.10	109.37	
TP ₆	2.74	112.21	5.01	107.20	
TP ₇	6.01	113.21	10.97	102.24	
TP ₈	1.55	103.79	7.74	96.05	
	5.97	102.02	8.43	93.59 93.49	GROUND
			6.98	95.64	
				94.94	CASING

THIS ELEVATION IS MORE ACCEPTABLE

ORANGE CO.

JUNE 30, 1969

OWNER - USGS


BM - TOPO Rd EL 90'

PARTLY CLOUDY, WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 21, T22S, R28E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-8184	BS	LEVEL	FS	ELEV	
BM				115	
TP ₁	0.49	115.49	8.57	106.92	
TP ₂	0.76	107.68	8.76	98.92	
TP ₃	1.62	100.54	9.48	91.06	
TP ₄	0.66	91.72	7.14	84.58	
TP ₅	4.96	89.54	4.71	84.83	
TP ₆	6.92	91.75	0.45	91.30	
TP ₇	11.25	102.55	4.02	98.53	GROUND
	26.66		43.13		

ORANGE CO

JUNE 30, 1969

OWNER - APOKA FOLIAGE LAB
(RIDGE HORTICULTURAL LAB, V of F)

BM - TOPO RD. CL EL 115'

CLOUDY, HOT AFTERNOON

STIFF - LEVEL

MARK - ROD

LOCATION - SEC 30, T21S, R28E, NW $\frac{1}{4}$ of NE $\frac{1}{4}$

WELL AND PUMP

LOCATED BELOW

SURFACE OF GROUND.

ELEVATION TAKEN AT

GROUND LEVEL.

W-1403

BS

LEVEL

FS

ELEV

BM

75

TP,

4.87

79.87

9.03

70.84

GROUND

8.21

71.66

CASING

ORANGE CO.

JUNE 30, 1969


OWNER E. D. Mac Manus (deceased)

BM - TOPD RL Elevation 75'

CLOUDY, RAINY, HOT, HUMID, AFTERNOON

JIFFY-LEVEL

MARK- ROD

LOCATION - SEC 31, T21S, R28E, NW $\frac{1}{4}$ of NE $\frac{1}{4}$ 

W-6398	BS	LEVEL	FS	ELEV.	
Bm				133	
TP ₁	2.06	135.06	6.67	128.39	
TP ₂	9.41	137.80	1.58	136.22	
TP ₃	7.20	143.42	8.25	135.17	
TP ₄	5.37	140.54	4.68	135.86	
TP ₅	4.42	140.28	5.74	134.54	GROUND
28.46			5.43	134.85	CONCRETE
			4.65	135.63	FLOOR CASING
			26.92		

ORANGE CO.

JUNE 30, 1969


OWNER - HAMPTON DUBOSE ACADEMY

BYM - SEC CORNER, SPIKE UNDER MANHOLE COVER
EL 133

CLOUDY, RAINY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 22, T20S, R27E, NW $\frac{1}{4}$ of NE $\frac{1}{4}$ 

W-7627	BS	LEVEL	FS	ELEV	
BM				89.49	
TP ₁	6.47	95.96	5.27	90.69	
TP ₂	4.88	95.57	5.11	90.46	MANHOLE COVER
	11.35		5.39	90.18	GROUND
			16.38		

ORANGE CO.

JULY 1, 1969

OWNER - CITY OF WINTER PARK

BM - W. P. CITY ENGINEERS
N. RIM OF SAN. M. H. COVER AT WARD AND
FAIRBANKS. EL - 89.49

PARTLY CLOUDY WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 12, T22S, R29E, SE $\frac{1}{4}$ OF NE $\frac{1}{4}$

WELL LOCATED UNDER

MANHOLE COVER IN CONCRETE

SLAB BESIDE LAKE. ELEVATIONS

TAKEN ON M. H. COVER AND

AT GROUND LEVEL.

W-3893

BS

LEVEL

FS

ELEV

BM

91.03

TP

5.37

96.40

6.15

90.25

CONCRETE

6.26

90.14

GROUND

ORANGE CO.

JULY 1, 1969

OWNER - ORANGE CO.

BM - CITY W. P. ENGINEERS

MANHOLE COVER OPPOSITE DRIVE-IN THEATER
EL - 91.03

PARTLY CLOUDY WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 12, T22S, R29E, SW $\frac{1}{4}$ of NE $\frac{1}{4}$

WELL LOCATED UNDER

MANHOLE COVER SET IN

CONCRETE SLAB. ELEVATION

TAKEN ON TOP OF COVER

AND AT GROUND LEVEL.

W-6117	BS	LEVEL	FS	ELEV.	
BM				102.27	
TP ₁	4.17	106.44	6.24	100.20	
TP ₂	4.20	104.40	7.03	97.37	
TP ₃	2.98	100.35	8.07	92.28	
TP ₄	6.20	98.48	6.40	92.08	
TP ₅	4.52	96.60	5.39	91.21	
TP ₆	4.41	95.62	3.19	92.43	
	4.25	96.68	5.13	91.55	GROUND
	30.73		4.28	92.40	CASING
			41.49		

ORANGE CO.

JULY 1, 1969

OWNER - CITY OF WINTER PARK

BM - CITY OF W.P. ENGINEERS

N. RIM SAN. SEWER AT LAKE MONT AND CAROLLEE


EL - 102.27

PARTLY CLOUDY HOT MORNING

JEFF - LEVEL

MARK - ROD

LOCATION.



W-4369

BS

LEVEL

FS

ELEV

BM

95.47

TP₁

5.51

100.98

8.42

92.56

TP₂

5.65

98.21

3.66

94.55

TP₃

5.66

100.21

4.08

96.13

TP₄

6.14

102.27

3.40

~~78.67~~ GROUND

22.96

19.56

98.87 →

ORANGE CO.

JULY 8, 1969

OWNER - CITY OF ORLANDO
DRAINAGE WELL #2

BM - USC + GS T16 1933 EL - 95.466

COOL, CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 13, T22S, R29E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$ WELL LOCATED UNDER-
GROUND. ELEVATION
TAKEN AT TOP OF
MANHOLE COVER OVER
WELL.

W-7013	BS	LEVEL	FS	ELEV	
BM				97	
TP ₁	4.91	101.91	3.03	97.88	
TP ₂	1.80	99.68	5.87	93.81	
TP ₃	9.22	103.03	1.56	101.47	GROUND
			1.21	101.82	CONCRETE FLOOR

ORANGE CO.

JULY 8, 1969

OWNER - SOUTHERN GULF UTILITIES

BM - SEC $\frac{1}{4}$ SPIKE IN $\angle$ EQ 97

HAZEY, COOL MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 29-T2/S, R29E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$

WELL LOCATED IN LOCKED
PUMP HOUSE. ELEVATIONS
TAKEN AT GROUND LEVEL
AND AT LEVEL OF CONCRETE
FLOOR OF BUILDING

W-7869

BS

LEVEL

FS

ELEV

126.54

~~126.74~~

BM

TP₁ 4.29 131.03 6.23 124.80TP₂ 0.67 125.47 12.79 112.68TP₃ 0.98 113.66 11.57 102.09TP₄ 3.60 105.69 6.37 99.32TP₅ 1.04 100.36 9.65 90.71TP₆ 5.56 96.27 3.40 92.87TP₇ 1.05 93.92 4.21 89.71TP₈ 9.44 99.15 0.22 98.93 96.61TP₉ 4.32 ~~103.25~~ 6.44 ~~97.81~~ 96.81 GROUNDTP₁₀ 5.90 98.35 97.35 CONCRETE

97.15

ORANGE CO

JULY 8, 1969

OWNER - SOUTHERN GOLF UTILITIES


BM - TP₂ FROM LINE ON W-8270 EL 126.74
(SEE P. 24 FOR DESCRIPTION OF
ORIGINAL BM)

WARM, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 12, T22S, R28E, SE 1/4 SW 1/4



W-5851	BS	LEVEL	FS	ELEV	
BM				147	
TP ₁	3.82	150.82	8.44	142.38	
TP ₂	7.59	149.97	3.05	146.92	
	6.57	153.49	3.12	150.37	CASING
			4.53	148.98	148.96 CONCRETE FLOOR
			4.89	148.60	GROUND

ORANGE CO

JULY 8, 1969

OWNER - HOUSTON GAS CORP
FLORIDA GAS CORP


BM - SEC CORNER AT CL of Rd
CR 147

CLEAR, HOT MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 2; T23S, R28E, NW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-6310	BS	LEVEL	FS	ELEV	
BM				91	
TP ₁	4.84	95.84	5.34	90.50	
TP ₂	3.45	93.95	3.94	90.01	
TP ₃	2.20	92.21	5.37	86.84	
TP ₄	6.32	93.16	2.36	90.80	
TP ₅	4.58	95.38	4.04	91.34	
TP ₆	3.11	94.45	6.35	88.10	
TP ₇	5.34	93.44	4.45	88.99	
TP ₈	5.97	94.96	4.46	90.50	CONCRETE
			4.72	90.24	GROUND

ORANGE CO.

JULY 9, 1969

OWNER - FLORIDA UTILITIES
PLANT WELL #5


BM - RR SPUR INTERSECTION FROM TOPO
Elev. 91'

CLEAR, COOL MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 10, T22S, R30E, NE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-2183

BS

LEVEL

FS

ELEV.

Bm

98.54

TP₁

3.63

102.17

10.64

91.53

TP₂

3.86

95.39

3.66

91.73

CASING

4.55

90.84

GROUND

ORANGE CO.

JULY 9, 1969


OWNER - CITY OF MATLAND

BM - RR SPIKE IN 12" PINE EQ 98.54
ESTABLISHED BY MATLAND CITY ENG.

HOT, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 35, T21S, R29E, NW $\frac{1}{4}$ of NE $\frac{1}{4}$ 

W-5531	BS	LEVEL	FS	ELEV	
BM				91.73	
TP ₁	2.12	93.85	10.45	83.40	
TP ₂	11.15	94.55	0.83	93.72	
TP ₃	7.63	101.35	7.50	93.85	
TP ₄	6.74	100.59	9.97	90.62	
TP ₅	3.14	93.76	7.66	86.10	
TP ₆	3.59	89.69	8.93	80.76	
TP ₇	3.17	83.93	13.06	70.87	GROUND MANHOLE COVER
			10.53	73.40	

ORANGE CO

JULY 9, 1969

OWNER - CITY OF MAITLAND


→ FROM W-8183
BM - RR SPIKE IN 12" PINE CITY OF MAITLAND

HOT, PARTLY CLOUDY AFTERNOON

SELF-LEVEL

MARK - ROD

LOCATION - SEC 36, T21S, R29E, NW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-7569	BS	LEVEL	FS	ELEV.	
Bm				95.47	
TP ₁	0.81	96.28	7.25	89.03	
TP ₂	1.00	90.03	8.54	81.49	
TP ₃	5.32	86.81	3.00	83.81	
TP ₄	4.48	88.29	4.32	83.97	
TP ₅	9.71	93.68	2.85	90.83	
TP ₆	5.57	96.40	3.75	92.65	GROUND

ORANGE CO

JULY 9, 1969

OWNER - ROBERT J CANNON

BM - USC+GS T16 1933 EL 95.466

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 13, T22S, R29E, NE $\frac{1}{4}$ of NE $\frac{1}{4}$

WELL LOCATED UNDERGROUND

ELEVATION TAKEN AT

GROUND LEVEL OVER WELL

W-5364	BS	LEVEL	FS	ELEV	
Bm				107	
TP ₁	4.66	111.66	6.18	105.48	
TP ₂	4.17	109.65	6.18	103.47	
TP ₃	6.15	109.62	5.09	104.53	GROUND

ORANGE CO.

JULY 9, 1969

OWNER - CITY OF ORLANDO

Bm - TOPD RD. ELEVATION 107'

CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 25 T22S, R29E, NE $\frac{1}{4}$ & NE $\frac{1}{4}$

WELL LOCATED UNDER
STREET, ELEVATION
TAKEN AT STREET
LEVEL ON TOP OF
MANHOLE COVER

w-6867

BS

LEVEL

FS

ELEV.

APPROX

BM

78'

TP₁

2.53

80.53

6.90

73.63

TP₂

3.34

76.97

5.77

71.20

TP₃

4.26

75.46

5.38

70.08

TP₄

4.62

74.70

3.48

71.22

TP₅

4.29

75.51

5.32

70.19

TP₆

3.67

73.86

5.05

68.81

TP₇

4.67

73.48

4.71

69.77

TP₈

4.00

73.77

4.66

69.11

TP₉

4.46

73.57

4.33

69.24 ←

TP₁₀

8.12

77.36

4.98

72.38

TP₁₁

5.80

78.18

4.81

73.37

TP₁₂

4.98

78.35

5.10

73.25

72.25

CONCRETE

5.36

72.99

GROUND

71.99

69.24

5.13

74.37

0.94

73.43

TBM

TOP OF
FENCE POST

ORANGE CO

JULY 10, 1969


OWNER - MAGNOLIA RANCH, INC.

BM - US CORPS OF ENGINEERS TRAVERSE STA.
JACKSONVILLE DIST. KR 334 1950 ~ EL - 78'
CLEAR WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 8, T24S, R32E, NW 1/4 of NW 1/4



W-6040	BS	LEVEL	FS	ELEV	
BM				66	APPROX
TP ₁	4.98	70.98	3.66	67.32	GROUND
TP ₂	5.07	72.39	4.02	68.37	CASING

ORANGE CO.

JULY 10, 1969

OWNER - CITY OF COCOA WELL 7A


BM - US CORPS OF ENGINEERS TRAVERSE STA.
KR 335 1950 JACKSONVILLE DIST.
NCL 66'

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 4, T24S, R32E, SW $\frac{1}{4}$ of SE $\frac{1}{4}$



W-8727	BS	LEVEL	FS	ELEV	
Bm				66	
TP ₁	5.21	71.21	4.54	66.67	
TP ₂	4.93	71.60	3.97	67.63	
TP ₃	5.38	73.01	4.76	68.25	
TP ₄	5.29	73.54	4.60	68.94	
TP ₅	4.60	73.54	4.95	68.59	
TP ₆	5.02	73.61	5.19	68.42	
TP ₇	4.66	72.98	4.69	68.29	
TP ₈	4.66	72.95	4.17	68.78	
TP ₉	5.30	74.08	5.01	69.07	
TP ₁₀	6.27	75.34	5.07	70.27	7BM
TP ₁₁	5.19	75.46	5.17	70.29	
TP ₁₂	4.63	74.92	4.31	70.61	GROUND
			1.06	73.86	CASING

ORANGE CO

JULY 10, 1969

OWNER CITY OF COCOA WELL TH-6


BM - US CORPS OF ENGINEERS TRAVERSE STA.
KR 335, 1950 JACKSONVILLE DIST
~EL 66'

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 10, T 24S, R 32E, NE 1/4 of NE 1/4



W-8726

BS

LEVEL

FS

ELEV

BM

70.27

TP₁

5.03

75.30

5.25

70.05

TP₂

4.80

74.85

4.91

69.94

TP₃

5.21

75.15

4.97

70.18

5.56

75.74

4.31

71.43

GROUND

0.99

74.75

CASING

ORANGE CO

July 10, 1969

OWNER - CITY OF COCOA WELL TH-7


BM - FROM TBM - W-8727

SEE P. 56 THIS LOG BOOK

PARTLY CLOUDY, HOT AFTERNOON

SEFF-LEVEL

MARK-ROP

LOCATION - SEC 2, T24S, R32E, SW $\frac{1}{4}$ of SW $\frac{1}{4}$ 

W-6095	BS	LEVEL	FS	ELEV	
BM				73.43	
TP ₁	0.72	74.15	5.57	68.58	
TP ₂	4.28	72.86	5.27	67.59	
TP ₃	4.66	72.25	4.44	67.81	
TP ₄	4.72	72.53	5.33	67.20	TBM
TP ₅	5.49	72.69	4.71	67.98	GROUND
			3.78	68.91	CONCRETE FLOOR

ORANGE CO.

JULY 10, 1966

OWNER CITY OF COCOA WELL #14

BM - TBM FROM W-6867
SEE P54 FOR DESCRIPTION ORIG. BM

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 5, T24S, R32E, SE $\frac{1}{4}$ of SW $\frac{1}{4}$

WELL LOCATED IN
LOCKED PUMP HOUSE.
ELEVATIONS TAKEN
AT GROUND LEVEL
AND ON CONCRETE
FLOOR OF BUILDING.

W-6007	BS	LEVEL	FS	ELEV
BM				67.20
TP ₁	5.38	72.58	4.93	67.65
TP ₂	5.67	73.32	5.89	67.43
TP ₃	4.77	73.20	5.40	67.80
TP ₄	4.99	72.79	3.44	69.35 ^{68.35} GROUND
			2.73	70.06 CONCRETE FLOOR

ORANGE CO.

JULY 10, 1969

OWNER - CITY OF COCOA - WELL #13

BM - TBM FROM W-6075
SEE PSY FOR ORIGINAL BM

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 5, T24S, R32E, SW $\frac{1}{4}$ of SW $\frac{1}{4}$

WELL LOCATED IN
LOCKED PUMP HOUSE.
ELEVATIONS TAKEN
AT GROUND LEVEL
AND AT LEVEL OF
CONCRETE FLOOR OF
BUILDING.

W-7471	BS	LEVEL	FS	ELEV.
BM				81.82
TP ₁	4.05	85.87	5.55	80.32
TP ₂	4.25	84.57	5.71	80.28
TP ₃	3.32	83.60	7.04	76.56
TP ₄	3.56	80.12	6.59	73.53
TP ₅	5.11	78.64	4.38	74.26
TP ₆	4.64	78.90	5.20	73.70
TP ₇	5.36	79.06	5.61	73.45
TP ₈	5.53	78.98	4.43	74.55
TP ₉	4.61	79.16	4.90	74.26
TP ₁₀	5.13	79.39	2.39	77.00
TP ₁₁	7.65	84.65	4.96	79.69
TP ₁₂	5.40	85.09	4.52	80.57 79.15 CASING
			5.03	80.06 GROUND 78.64

ORANGE CO.

JULY 14, 1969

OWAXE - ZELWIN FARMS #2


BM - USC+GS + STATE SURVEY K79 1934
EL 81.821

WARM, HAZY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 21, T20S, R27E, NE 1/4 of Sec 4



W-7574	BS	LEVEL	FS	ELEV	
BM				129.00	
TP ₁	4.24	133.24	3.77	129.47	
TP ₂	2.51	131.98	5.27	126.71	
TP ₃	4.95	131.66	5.10	126.56	
TP ₄	3.91	130.47	5.24	125.23	
TP ₅	10.05	135.28	1.62	133.66	
TP ₆	5.15	138.81	4.95	133.86	GROUND
			4.33	134.48	CONCRETE FLOOR
			3.74	135.07	CASING

ORANGE CO

JULY 14, 1969

OWNER - CITY OF APOKA

BM - USGS 6 GAF 1954


~~56~~ ^{TT} 129 128.997

PARTLY CLOUDY, HOT MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 4, T21S, R28E, SE $\frac{1}{4}$ of NE $\frac{1}{4}$



W-3555	BS	LEVEL	FS	ELEV	
BM				144.82	
TP ₁	7.76	152.58	4.49	148.09	
TP ₂	5.77	153.86	4.55	149.31	
TP ₃	5.35	154.66	5.01	149.65	GROUND
			4.70	149.96	FLOOR
			4.05	150.61	CASING

ORANGE CO.

JULY 14, 1969

OWNER - CITY OF APOKA

BM - USCGS E 79 1934


ELEVATION 144.816

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION SEC 9, T21S, R28E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-8007	BS	LEVEL	FS	ELEV	
BM				144.82	
TP ₁	3.69	148.51	8.71	139.80	
TP ₂	5.16	144.96	6.88	138.08	
TP ₃	2.89	140.97	6.20	134.77	GROUND

ORANGE CO.

JULY 14, 1969

OWNER - CITY OF APOPKA

BM - USC&GS E 79 1934

Elevation 144.816

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 10, T21S, R28E, SW $\frac{1}{4}$ of SW $\frac{1}{4}$

NOTE: THIS WELL WAS NOT
LOCATED EXACTLY.
THE CITY HAD ONLY VAGUE
KNOWLEDGE OF ITS
LOCATION. IT WAS
SAID TO BE LOCATED
UNDERGROUND INSIDE THE
POLICE STATION BUILDING
AND USED FOR A/C
DRAINAGE. ELEVATION WAS
TAKEN AT FLOOR LEVEL
OF POLICE-FIRE BUILDING

W-6909	BS	LEVEL	FS	ELEV	OK ASSUMT.
BM				129.00	
TP ₁	3.46	132.46	1.30	131.16	
TP ₂	6.96	138.12	4.61	133.51	GROUND
			4.03	134.09	CASING

ORANGE CO.

JULY 14, 1969

OWNER - J. M. PRUITT


BM - USGS 6 GAF 1954 TT ~ Elevation ~~129~~
128.997

CLOUDY (PARTLY), HOT (VERY) AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 33, T20S, R28E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-5368

BS

LEVEL

FS

ELEV

BM

89

TP₁

3.06

92.06

7.94

84.12

TP₂

3.12

87.24

4.97

82.27

TP₃

5.25

87.52

~~4.68~~~~82.84~~

CASING

5.67

81.85

GROUND

ORANGE CO.

JULY 15, 1969

OWNER - JOHN H. PARTIN (NOT ACTUAL OWNER)

BM - TOPO RD. ELEVATION 89'


CLOUDY, COOL MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 12, T21S, R28E, $36\frac{1}{4}$ of SW $\frac{1}{4}$

W-5368 WAS A TEST
WELL DRILLED BEFORE THE
12" WELL SHOWN BELOW.
GROUND ELEVATIONS ARE
IDENTICAL HOWEVER.



W-6565	BS	LEVEL	FS	ELEV	
BM				129.00	
TP ₁	2.34	131.34	8.51	122.83	
TP ₂	4.45	127.28	5.56	121.72	
TP ₃	6.14	127.86	4.25	123.61	
TP ₄	9.02	132.63	0.55	132.08	
TP ₅	8.17	140.25	3.67	136.58	
TP ₆	6.04	142.62	5.37	137.25	GROUND
			4.20	138.42	PIPE

ORANGE CO.

JULY 15, 1969

OWNER - W. T. CHAMPNEYS + SON


BM - USGS 6 GAF 1954 TT ~~~EL. 129'~~
128.997

CLOUDY, HUMID, WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 33, T20S, R28E, NE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-5836	BS	LEVEL	FS	ELEV	
BM				72.99	
TP ₁	3.57	76.56	4.94	71.62	
TP ₂	5.63	77.25	6.03	71.22	
TP ₃	8.94	80.16	4.22	75.94	GROUND
			3.39	76.77	CASING

ORANGE CO

JULY 15, 1969

OWNER - ORANGE CO. ENG.


BM - NAIL IN 10" PINE W SIDE MARDEN Rd.
EL. 72.99 BY O.C. ENG.

CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 21, T21S, R28E, NW $\frac{1}{4}$ of SW $\frac{1}{4}$



W-6460 BS LEVEL FS ELEV

BM

84

TP₁ 4.67 88.67 3.44 85.23

TP₂ 8.97 94.20 0.03 94.17

TP₃ 10.67 104.84 9.42 95.42

TP₄ 0.15 95.57 12.94 82.63

TP₅ 5.75 88.38 7.36 81.02

TP₆ 0.25 81.27 12.36 78.91

TP₇ 1.49 80.40 6.80 73.60

TP₈ 0.90 74.50 4.83 69.67

TP₉ 12.57 82.24 2.62 79.62

TP₁₀ 7.88 87.50 5.02 ~~82.48~~

1.91 ~~85.59~~

5.02 ~~82.48~~

2.05 ~~85.45~~

72.48
GROUND
75.59
CASING
72.48
GROUND
75.45
CASING

ORANGE CO.

JULY 16, 1969

OWNER - USGS 845-130-1

BM - USGS 8GAF 1954 ~ ELEVATION 84'
TT 83.625

CLOUDY, WARM MORNING

JEFF - LEVEL

MARK - ROD


LOCATION - SEC 10, T20S, R28E, SE 1/4 of SW 1/4

SOUTH 72.11

75.22

NORTH 72.11

75.18



W-6520	BS	LEVEL	FS	ELEV	
BM				125.54	
TP ₁	2.98	128.52	5.46	123.06	
TP ₂	5.94	129.00	5.05	123.95	GROUND

ORANGE CO

JULY 16, 1969

OWNER - POUND MOTOR CO.

BM - WINTER GARDEN ENG
N FLANGE FIRE HYDRANT COR SMITH + LAKEVIEW
ER 125.54

HOT, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 23, T22S, R27E, NE $\frac{1}{4}$ of NW $\frac{1}{4}$

PUMP SUBMERGED. ELEVATION
TAKEN ON CONCRETE
OVER LOCATION OF WELL.
CONCRETE WAS LEVEL
WITH GROUND

W-8248	BS	LEVEL	FS	ELEV	
BM				126.34	
TP ₁	1.14	127.48	5.88	121.60	
TP ₂	5.53	127.13	3.90	123.23	GROUND
			3.17	123.96	CONCRETE FLOOR

ORANGE CO.

JULY 16, 1969

OWNER - WINTER GARDEN CITRUS PRODUCE CO.

BM - WINTER GARDEN BNG.

"X" CUT ON N.E. COR TOP CONCRETE
SLAB OF LIFT STATION ON NW COR
MAPLE & WILSON EL 126.34

HOT, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION SEC 23, T22S, R27E, NE $\frac{1}{4}$ of NE $\frac{1}{4}$

WELL LOCATED IN LOCKED
PUMP HOUSE, ELEVATIONS
TAKEN AT GROUND LEVEL
AND AT LEVEL OF CONCRETE
FLOOR

W-6466

BS

LEVEL

FS

ELEV

BM

123

TP₁

5.46

128.46

4.21

124.25

TP₂

6.00

130.25

4.44

125.81

TP₃

4.92

130.73

4.42

126.31

TP₄

4.64

130.95

3.74

127.21 CONCRETE

ORANGE CO

JULY 17, 1969

OWNER- WINTER GARDEN SEVENTH-DAY ADVENTIST
CHURCH

BM- TOPD Rd ELEVATION 123'

WARM, CLEAR MORNING

SEFF- LEVEL

MARK- ROD

LOCATION- SEC 24, T22S, R27E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$

UNCERTAIN OF EXACT LOCATION
OF THIS WELL. ASSUMED
TO BE A/C DRAINAGE
ELEVATION TAKEN ON
CONCRETE SLAB SUPPORTING
A/C UNIT. APPROX. GROUND
LEVEL.

W-7985	BS	LEVEL	FS	ELEV	
Bm				117	
TP ₁	4.12	121.12	10.44	110.68	
TP ₂	0.46	111.14	6.40	104.74	
TP ₃	7.77	112.51	4.88	107.63	
TP ₄	2.62	110.25	4.88	105.37	
TP ₅	5.06	110.43	5.14	105.29	
TP ₆	4.97	110.26	4.19	106.07	
TP ₇	6.26	112.33	7.10	105.23	
TP ₈	6.16	111.39	5.65	105.74	
TP ₉	5.69	111.43	5.63	105.80	
TP ₁₀	5.92	111.72	4.65	107.07	CASING
			5.04	106.68	GROUND

ORANGE CO.

JULY 17, 1969

OWNER - WEST ORANGE COUNTRY CLUB


B.M. - SEC CORNER AT $\odot$ TILDEN ROAD
FROM TOPO MAP, EL. 117'

PARTLY CLOUDY, WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 10, T23S, R27E, NE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-1116	BS	LEVEL	FS	ELEV	
BM				75	
TP ₁	7.43	82.43	1.35	81.08	
TP ₂	10.53	91.61	0.03	91.58	
TP ₃	4.87	96.45	7.00	89.45	CASING
			7.61	88.84	GROUND

ORANGE CO.

JULY 17, 1969

OWNER - ORANGE FISHING LODGE


BM - TOPD RD ELEVATION 75'

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 31, T21S, R28E, NW $\frac{1}{4}$ of NE $\frac{1}{4}$



W-8216

BS

LEVEL

FS

ELEV

BM

106

TP₁ 6.67 112.67 3.51 109.16TP₂ 5.57 114.73 12.06 102.67TP₃ 7.17 109.84 10.29 99.55TP₄ 2.64 102.19 0.02 102.17TP₅ 10.60 112.77 1.58 111.19TP₆ 7.15 118.34 7.25 111.09TP₇ 0.32 111.41 6.97 104.44TP₈ 2.94 107.38 6.60 100.78TP₉ 7.54 108.32 4.41 103.91 CASING

5.37 102.95 GROUND

ORANGE CO.

JULY 18, 1969


OWNER - ROGERS NURSERY

BM - TOPO RD ELEVATION 106'

PARTLY CLOUDY WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 19, T20S, R28E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-1460	BS	LEVEL	FS	ELEV	
BM				93	
TP ₁	0.81	93.81	12.98	80.83	
TP ₂	2.44	83.27	1.75	81.52	
TP ₃	10.89	92.41	12.76	79.65	
TP ₄	4.71	84.36	9.43	74.93	GROUND

ORANGE CO.

JULY 18, 1969

OWNER - JAMES A. HARRISON
(FORMERLY MARY POOLE)

BM - TOPD SEC CORNER EL. 93'

PARTLY CLOUDY, WARM MORNING

JEFF - LEVEL

MARK - ROD

LOCATION SEC 24, T20S, R27E, SW $\frac{1}{4}$ of SW $\frac{1}{4}$

WELL LOCATED IN LOCKED

PUMP HOUSE ELEVATION

AT GROUND LEVEL.

W-8362	BS	LEVEL	FS	ELEV	
Bm				121.9	
TP ₁	4.50	126.40	4.65	121.75	
TP ₂	3.51	125.26	4.74	120.52	
TP ₃	4.06	124.58	4.46	120.12	CONCRETE FLOOR
			4.82	119.76	GROUND

ORANGE CO.

JULY 18, 1969

OWNER - PLYMOUTH CITRUS COOP HOMES

BM TOP OF RAIL OPPOSITE SALRR STATION

AT PLYMOUTH ELEVATION → 121.9 (USCGS)

PARTLY CLOUDY, HOT MORNING

JEFF - LEVEL

MARK - ROD

LOCATION SEC 6, T21S, R28E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$

WELL LOCATED IN LOCKED
PUMP HOUSE. ELEVATIONS
TAKEN AT GROUND LEVEL
BESIDE BUILDING AND
ON CONCRETE FLOOR OF
BUILDING.

W-5556	BS	LEVEL	FS	ELEV	
BM				87.74	
TP ₁	6.30	94.04	5.45	88.59	
TP ₂	6.58	95.17	4.73	90.44	
TP ₃	5.36	95.80	4.72	91.08	
TP ₄	2.88	93.96	5.21	88.75	
TP ₅	5.26	93.91	4.83	89.08	GROUND
TP ₆				89.18	
TP ₇					

ORANGE CO

JULY 18, 1969

OWNER - ORANGE CO.

BM - NAIL IN POWER POLE R10CC-3833
S SIDE RIBBLING LANE & LAKE DR.
ORANGE CO ENGINEERS
EL. 87.74

PARTLY CLOUDY, HOT MORNING

JEFF - LEVEL

MARK - ROD

LOCATION SEC 1, T22S, R29E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$

WELL LOCATED UNDER
LEE RD. ELEVATION
TAKEN ON TOP OF
MANHOLE COVER OVER
WELL.

page well #

1 6476

2 6458

3 6892

4 6146

5 6839

6 8569 8571

7 6456

8 6459

9 6457

10 8113

11 8114

12 8557

13 8524

14 8525

15 6331

16 8261

17 1636

18 1635

19 6109

20 4961

21 5991

22 8388

23 5801

24 8268

page well #

25 5971

26 7698

27 8270

28 6954

29 7083

30 6649

31 4373

32 6124

33 4797

34 6000

35 6572

36 2868

37 6368

38 6477

39 8184

40 1403

41 6398

42 7627

43 3893

44 6117

45 4369

46 7013

47 7869

48 5851

Page	Well #	Page	Well #
49	6310	73	1116
50	8183	74	8216
51	5531	75	1460
52	7569	76	8362
53	5364	77	5556
54	6867		
55	6040		
56	8727		
57	8726		
58	6075		
59	6007		
60	7471		
61	7574		
62	5555		
63	8007		
64	6909		
65	5368		
66	6565		
67	5836		
68	6460		
69	6520		
70	8248		
71	6466		
72	7985		