

1969

CRAMER
EDENS

1969

MINING TRANSIT BOOK

620030

BOOK #2

ORANGE CO.

SARASOTA CO.


LAKE CO.

Seminole Co.

DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING

Roadway of any Width. Side Slopes $1\frac{1}{2}$ to 1.

In the figure below: opposite 7 under "Cut or Fill" and under .3 read 11.0, the distance out from the side stake at left. Also, opposite 11 under "Cut or Fill" and under .1 read 16.7, the distance out from the side stake at right.



Cut or Fill	Distance out from Side or Shoulder Stake										Cut or Fill
	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	
0	0.0	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	0
1	1.5	1.7	1.8	2.0	2.1	2.3	2.4	2.6	2.7	2.9	1
2	3.0	3.2	3.3	3.5	3.6	3.8	3.9	4.1	4.2	4.4	2
3	4.5	4.7	4.8	5.0	5.1	5.3	5.4	5.6	5.7	5.9	3
4	6.0	6.2	6.3	6.5	6.6	6.8	6.9	7.1	7.2	7.4	4
5	7.5	7.7	7.8	8.0	8.1	8.3	8.4	8.6	8.7	8.9	5
6	9.0	9.2	9.3	9.5	9.6	9.8	9.9	10.1	10.2	10.4	6
7	10.5	10.7	10.8	11.0	11.1	11.3	11.4	11.6	11.7	11.9	7
8	12.0	12.2	12.3	12.5	12.6	12.8	12.9	13.1	13.2	13.4	8
9	13.5	13.7	13.8	14.0	14.1	14.3	14.4	14.6	14.7	14.9	9
10	15.0	15.2	15.3	15.5	15.6	15.8	15.9	16.1	16.2	16.4	10
11	16.5	16.7	16.8	17.0	17.1	17.3	17.4	17.6	17.7	17.9	11
12	18.0	18.2	18.3	18.5	18.6	18.8	18.9	19.1	19.2	19.4	12
13	19.5	19.7	19.8	20.0	20.1	20.3	20.4	20.6	20.7	20.9	13
14	21.0	21.2	21.3	21.5	21.6	21.8	21.9	22.1	22.2	22.4	14
15	22.5	22.7	22.8	23.0	23.1	23.3	23.4	23.6	23.7	23.9	15
16	24.0	24.2	24.3	24.5	24.6	24.8	24.9	25.1	25.2	25.4	16
17	25.5	25.7	25.8	26.0	26.1	26.3	26.4	26.6	26.7	26.9	17
18	27.0	27.2	27.3	27.5	27.6	27.8	27.9	28.1	28.2	28.4	18
19	28.5	28.7	28.8	29.0	29.1	29.3	29.4	29.6	29.7	29.9	19
20	30.0	30.2	30.3	30.5	30.6	30.8	30.9	31.1	31.2	31.4	20
21	31.5	31.7	31.8	32.0	32.1	32.3	32.4	32.6	32.7	32.9	21
22	33.0	33.2	33.3	33.5	33.6	33.8	33.9	34.1	34.2	34.4	22
23	34.5	34.7	34.8	35.0	35.1	35.3	35.4	35.6	35.7	35.9	23
24	36.0	36.2	36.3	36.5	36.6	36.8	36.9	37.1	37.2	37.4	24
25	37.5	37.7	37.8	38.0	38.1	38.3	38.4	38.6	38.7	38.9	25
26	39.0	39.2	39.3	39.5	39.6	39.8	39.9	40.1	40.2	40.4	26
27	40.5	40.7	40.8	41.0	41.1	41.3	41.4	41.6	41.7	41.9	27
28	42.0	42.2	42.3	42.5	42.6	42.8	42.9	43.1	43.2	43.4	28
29	43.5	43.7	43.8	44.0	44.1	44.3	44.4	44.6	44.7	44.9	29
30	45.0	45.2	45.3	45.5	45.6	45.8	45.9	46.1	46.2	46.4	30
31	46.5	46.7	46.8	47.0	47.1	47.3	47.4	47.6	47.7	47.9	31
32	48.0	48.2	48.3	48.5	48.6	48.8	48.9	49.1	49.2	49.4	32
33	49.5	49.7	49.8	50.0	50.1	50.3	50.4	50.6	50.7	50.9	33
34	51.0	51.2	51.3	51.5	51.6	51.8	51.9	52.1	52.2	52.4	34
35	52.5	52.7	52.8	53.0	53.1	53.3	53.4	53.6	53.7	53.9	35
36	54.0	54.2	54.3	54.5	54.6	54.8	54.9	55.1	55.2	55.4	36
37	55.5	55.7	55.8	56.0	56.1	56.3	56.4	56.6	56.7	56.9	37
38	57.0	57.2	57.3	57.5	57.6	57.8	57.9	58.1	58.2	58.4	38
39	58.5	58.7	58.8	59.0	59.1	59.3	59.4	59.6	59.7	59.9	39
40	60.0	60.2	60.3	60.5	60.6	60.8	60.9	61.1	61.2	61.4	40



The paper in this book is made of 50% high grade rag stock with a WATER RESISTING surface sizing.

W-6052

BS

LEVEL

FS

ELEV

✓

BM

96

TP₁

4.77

100.77

2.20

98.57

TP₂

5.60

104.17

6.94

97.23

TP₃

3.15

100.38

6.97

93.41

TP₄

4.23

97.64

7.20

90.44

TP₅

3.40

93.84

2.34

91.50

TP₆

3.26

94.76

5.12

89.64

GROUND

4.04

90.72

PIPE

24.41

3077

6.36

6.76

ORANGE CO.

JULY 22, 1969

OWNER - CHURCH OF CHRIST AT LOCKHART


BM - TOP OF RAIL CROSSING ROSE AVE
EL. 96' FROM TOPO

HOT, PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 29, T 21 S, R 29 E, SW 1/4 of SW 1/4



W-6063	BS	LEVEL	FS	ELEV	✓
BM				96	
TP ₁	2.92	98.92	8.88	90.04	
TP ₂	0.40	90.44	4.73	85.71	
TP ₃	9.04	94.75	3.55	91.20	
TP ₄	4.37	95.57	8.04	87.53	TBM
TP ₅	7.14	94.67	2.97	91.70	GROUND CONCRETE FLOOR
			2.75	92.92	
	23.87		27.17		
		4.30		4.30	

ORANGE CO

JULY 22, 1969

OWNER - MR. J. A. BROWN (LIL GENERAL FOOD STORES)

BM - TOP OF RAIL AT ROSE AVE
EL 96' FROM TOPO

HOT - PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 32, T21S, R29E, NE $\frac{1}{4}$ of SW $\frac{1}{4}$

WELL LOCATED INSIDE
LOCKED PUMPHOUSE.
ELEVATIONS TAKEN AT
GROUND LEVEL BESIDE
THE BUILDING AND AT
THE LEVEL OF THE
CONCRETE FLOOR OF
THE BUILDING.

W-6054	BS	LEVEL	FS	ELEV	
BM				87.53	
TP ₁	7.14	94.67	7.08	87.59	CASING
			5.38	89.29	GROUND
		.06		.06	

ORANGE CO

JULY 22, 1969

OWNER - OIL SYNDICATE INC
AMOCO STATION LOCKHART


BM - TBM FROM TOP OF RAIL AT ROSE AVE
CROSSING EL 96' FROM TOPO

PARTLY CLOUDY, HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 32, T21S, R29E, NE 1/4 of SW 1/4



W-8213	BS	LEVEL	FS	ELEV.	✓
Bm				98.75	
TP ₁	3.99	102.74	5.57	97.17	GROUND
			4.17	98.57	CASING
			4.75	97.99	TBM
		1.58		1.58	

ORANGE CO.

OWNER - SOUTHERN STATES UTILITIES
SOLD TO LEHIGH CEMENT PLANT


BM - TOP OF FLOOR OF CEMENT STORAGE
WAREHOUSE - EL 98.75

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 32, T21S, R29E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-4810	BS	LEVEL	FS	ELEV	✓
BM				97.99	
TP ₁	6.34	104.33	7.05	97.28	
TP ₂	5.92	103.20	3.65	99.55	
TP ₃	10.75	110.30	4.12	106.18	GROUND
TP ₄	5.43	111.61	5.42	106.19	
	5.30	111.49	4.81	106.68	CASING
	33.74		25.05		
		8.69		8.69	

ORANGE CO

JULY 22, 1969

OWNER - STANLEY HOLEMAN

SOLD TO SOUTHERN STATES UTILITIES


BM - TOP FROM FLOOR OF CEMENT STORAGE
WAREHOUSE LEHIGH PLANT
EL 98.75

HOT PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 32, T21S, R29E, NE $\frac{1}{4}$ of SEC



W-4938

BS

LEVEL

FS

ELEV

✓

BM

90

TP₁

4.58

94.58

3.33

91.25

TP₂

5.12

96.37

4.05

92.32

TP₃

6.08

98.40

4.51

93.89

TP₄

5.63

99.52

5.21

94.31

GROUND

TP₅

4.80

94.72

CASING

21.41

17.10

4.31

4.31

ORANGE CO.

JULY 22, 1969

OWNER - JOSEPH ABRAMSON


BM - TOPO RD ELEV.

HOT (VERY) PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 4, T22S, R29E, NE 1/4 of NE 1/4



W-7205	BS	LEVEL	FS	Elev	✓
BM				97.251	
TP ₁	4.49	101.74	5.65	96.09	
TP ₂	5.47	101.56	4.46	97.10	
TP ₃	5.63	102.73	5.84	96.89	
TP ₄	4.06	100.95	4.75	96.20	
TP ₅	6.85	103.05	4.66	98.39	
TP ₆	5.19	103.58	5.00	98.58	Ground.
			4.41	99.17	Concrete Floor

31.69

30.36

1.33

1.33

Orange Co

July 23, 1969

Dwight-Pubsdread Country Club
 (Formosa & Pan)
 BM-RR spike in Phone Pole

WARM, Clear, Morning

Jeff-Rod

Mark-Level

SEC 11, T22S, R29E, SW $\frac{1}{4}$ of SE $\frac{1}{4}$

WELL LOCATED IN LOCKED DUMP
 HOUSE. ELEV. TAKEN AT FLOOR +
 GROUND LEVEL.

W-5799

BS

LEVEL

FS

ELEV

✓

BM

196

TP₁

10.88

206.88

2.19

204.69

TP₂

8.70

213.39

1.07

212.32

TP₃

7.57

219.89

12.45

207.44

TP₄

0.63

208.07

0.43

207.64

TP₅

12.50

220.14

0.58

219.56

10.58

230.14

5.98

224.16 CASING

6.11

224.03 GROUND

50.56

27.70

28.16

28.16

LAKE CO.

JULY 24, 1969

OWNER - MR. DAN MCKINNON


BM-TOPO RD ELEVATION AT COUNTY LINE

HOT, PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 1, T23S, R26E, SE 1/4 SEC 1



W-6523

BS

LEVEL

FS

ELEV.

✓

BM

119

TP₁

5.98

124.98

3.85

121.13

TP₂

5.90

127.03

4.55

122.98

TP₃

6.24

128.82

5.59

123.23

TP₄

4.03

127.26

5.29

121.87

CASING

TP₅

5.35

121.81

GROUND

121.82

5.34

121.92

TBM

22.15

19.28

2.87

2.97

ORANGE CO.

JULY 24, 1969


OWNER - BRITT GROVE INC.

BM - CHISELED SQUARE IN CONCRETE CULVERT
EL 119' FROM TOP

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 13, T22S, R27S, NW $\frac{1}{4}$ of NE $\frac{1}{4}$ 

✓

W-1613	BS	LEVEL	FS	ELEV	
BM				121.82 121.92	
TP ₁	4.83	126.75	5.62	121.13	
TP ₂	5.80	126.93	4.39	121.54	
TP ₃	5.02	126.56	5.69	120.87 121.27	
TP ₄	4.96	125.83	4.36	121.47	CASING
			5.11	120.52 120.72	GROUND

20.61

20.06

0.55

0.45

ORANGE CO.

JULY 24, 1969


OWNER - BRITT, M. C. WINTER GARDEN

BM - W-6523, FROM CHISELED SQUARE
EL 119 FROM TOPO.

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 13, T22S, R27E, SE $\frac{1}{4}$ of NE $\frac{1}{4}$ 

W-6868	BS	LEVEL	FS	ELEV	✓
BM				127.21	
TP ₁	5.06	132.27	6.10	126.17	
TP ₂	5.93	132.10	5.69	126.41	
TP ₃	2.96	129.37	4.25	125.12	
TP ₄	2.94	128.06	6.04	122.02	CASING
			6.47	121.59	GROUND
	16.89		22.08		
		5.19		5.19	

ORANGE CO.

JULY 25, 1969

OWNER - BOB MACCHI


BM - W-6466 - FROM TOPO RD ELEV - 123'

HOT, CLOUDY AFTERNOON

LEFF - LEVEL

MARK - ROD

LOCATION SEC 25, T22S, R22E, NE $\frac{1}{4}$ of NE $\frac{1}{4}$



W-1705	BS	LEVEL	FS	ELEV	✓
BM				124	
TP ₁	2.31	126.31	5.66	120.65	
TP ₂	4.68	125.33	6.38	118.95	GROUND
TP ₃			5.13	120.20	CASING

6.99

12.04

5.05

5.05

ORANGE CO

JULY 25, 1969

OWNER - MARK BRITT WELL #2


BM - TOPO RD ELEVATION AT 1/4 SEC CORNER
ELEV - 124'

PARTLY CLOUDY, WARM-HOT AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 31, T22S, R28E, SW 1/4 NW 1/4



W-7079	BS	LEVEL	FS	ELEV	✓
BM				100	ASSUMED
TP ₁	4.52 (10) 5.30 (9)	104.52	6.40	98.12	
TP ₂	6.04	104.16	7.87	96.29	
TP ₃	5.09	101.38	3.60	97.78	
TP ₄	4.52	102.30	7.54	94.76	
TP ₅	1.21	95.97	9.45	86.52	
TP ₆	2.25	88.78	6.85	81.93	
TP ₇	5.79	87.72	6.79	80.93	
TP ₈	8.55	89.48	3.70	85.78	
	37.98		52.20		
		14.22		14.22	

THIS WELL WAS RUN BACKWARDS
(i.e., FROM WELL TO BM.) TO BREAK THE
MONOTONY OF THIS JOB. ACTUAL WELL
ELEVATION IS AS FOLLOWS.

$$88.00 - 85.78 = 2.22 \text{ DIF BM ELS.}$$

$$100 + 2.22 = 102.22 \text{ ACTUAL CASING EL.}$$

$$5.30 - 4.52 = 0.78$$

$$102.22 - 0.78 = 101.44 \text{ ACTUAL GROUND EL.}$$

JULY 31 THIS WAS NOT THE WELL. THE
REAL WELL WAS LOCATED AND THE
ELEVATION RUN FROM CASING EL.

13

OF THIS WINDMILL. SEE PAGE 26
FOR THE FINAL EL

ORANGE CO.

JULY 25, 1969

OWNER - BATTAGLIA FRUIT CO.

BM - TOP OF RAIL AT LAKEVILLE RD CROSSING,
EL 88' FROM TOPO


WARM, PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 26, T21S, R28E, NE $\frac{1}{4}$ of NW $\frac{1}{4}$

SEE PAGE 26 FOR ACTUAL FINAL
ACCURATE, PRECISE, EXACT, ELEVATION



W-6869	BS	LEVEL	FS	ELEV	✓
BM				165.95	
TP ₁	4.79	170.74	5.69	165.05	
TP ₂	5.54	170.59	4.24	166.35	
TP ₃	3.29	169.64	7.62	162.02	
TP ₄	0.30	162.32	6.20	156.12	
TP ₅	0.85	156.97	12.34	144.63	
TP ₆	0.92	145.55	13.19	132.36	
TP ₇	0.36	132.72	13.03	119.69	
TP ₈	1.78	121.47	0.04	121.43	
TP ₉	5.97	127.40	4.87	122.53	
TP ₁₀	0.78	123.31	6.08	117.23	CASING
			6.68	116.63	GROUND
	24.58		73.30		
		48.72		48.72	

LAKE CO

JULY 2 1969

OWNER - BOB MACCHI


BM W-6521 FROM TOPO SEC CORNER
RD. ELEVATION 173'

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 13, T23S, R26E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-6521	BS	LEVEL	FS	ELEV	
BM				173	
TP ₁	10.12	183.12	11.74	171.38	
TP ₂	3.23	174.61	4.81	169.80	
TP ₃	3.45	173.25	12.81	160.44	
TP ₄	0.58	161.02	5.70	155.32	
TP ₅	12.24	167.56	2.62	164.94	
TP ₆	5.80	170.74	4.41	166.33	CASING
			4.79	165.95	GROUND
	35.42		42.09		
		6.67		6.67	

LAKE CO

JULY 2, 1969

OWNER - DOUGLAS SADLER


BM - TOPO - SEC CORNER AT RD INTERSECTION

EL. 173

HOT CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 13, T23S, R26E, NW $\frac{1}{4}$ of SW $\frac{1}{4}$ 

W-6147

BS

LEVEL

FS

ELEV



BM

107

TP₁

10.24

117.24

0.95

116.29

TP₂

6.20

122.49

7.94

114.55

TP₃

1.03

115.58

10.32

105.26

TP₄

9.20

114.46

1.53

112.93

TP₅

6.18

119.11

0.04

119.07

TP₆

4.70

123.77

5.76

118.01

TP₇

2.83

120.84

6.10

114.74

CONCRETE
FLOOR

6.00

114.84

GROUND

40.38

32.64

7.74

7.74

ORANGE CO.

JULY 28, 1969

OWNER - ORANGE CO. SCHOOL BOARD
AVALON SCHOOL

BM - TOP OF RD ELEVATION 107'

HOT, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 27, T22S, R27E, NE $\frac{1}{4}$ of SW $\frac{1}{4}$ WELL LOCATED IN
LOCKED WELL HOUSE.
ELEVATION AT GROUND
LEVEL AND ON
CONCRETE FLOOR.

W-5939	BS	LEVEL	FS	ELEV	✓
Bm				124.4	
TP ₁	2.81	127.21	8.70	118.51	
TP ₂	9.41	127.92	0.08	127.84	
TP ₃	11.20	139.04	0.30	138.74	
TP ₄	2.52	141.26	0.81	140.45	
TP ₅	10.79	151.24	5.85	145.39	
TP ₆	0.63	146.02	5.23	140.79	GROUND
				141.39	CASING

37.36

20.97

6.39

16.39

ORANGE CO.

JULY 28, 1969

OWNER - MR. GEORGE REAVES


Bm - FSGS TRAVERSE NO. 46 TOP OF RAIL
ACLR CROSSING OLD STATE HWY 50

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 30, T22S, R27E, NW 1/4 of NW 1/4



W-7203

BS

LEVEL

FS

ELEV

BM

91

TP₁

10.64

101.64

0.05

101.59

TP₂

6.49

108.08

6.45

101.63

TP₃

4.77

106.50

0.15

106.35

TP₄

12.61

118.96

4.20

114.76

TP₅

3.98

118.74

2.72

~~115.92~~
~~116.02~~

CASING

3.94

~~114.70~~
~~114.80~~

GROUND

38.49

13.57

24.92

25.02

ORANGE CO.

JULY 29, 1969


OWNER - LOWRIE BROWN, INC.

BM - TOPO RD ELEV 91

COOL, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 27, T22S, R28E, NE $\frac{1}{4}$ of SW $\frac{1}{4}$ 

W-6512	BS	LEVEL	FS	ELEV	✓
BM				173	
TP ₁	1.53	174.53	4.32	170.21	
TP ₂	2.60	172.81	5.05	167.76	
TP ₃	4.75	172.51	10.16	162.35	
TP ₄	0.44	162.79	13.21	149.58	
TP ₅	2.38	151.96	7.00	144.96	
TP ₆	6.11	151.07	5.10	145.97 GROUND	
			4.48	146.59 CASING	
	17.81		44.84		
		27.03		27.03	

ORANGE CO.

JULY 29, 1969

OWNCE - IREGANG GROVE #2
FLAT LAKE


BM - SEC CORNER EL. 173' FROM TOPO

HOT, PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 23, T23S, R26E, NE $\frac{1}{4}$ of NE $\frac{1}{4}$



W-2170	BS	LEVEL	FS	ELEV	✓
Bm				105.6	
TP ₁	8.19	113.79	3.71	110.08	
TP ₂	19.01	123.09	0.78	122.31	
TP ₃	8.63	130.94	0.51	130.43	
TP ₄	13.02	143.45	0.48	142.97	
TP ₅	12.95	155.92	0.15	155.77	
TP ₆	9.58	165.35	6.76	158.59	
TP ₇	4.99	163.58	4.55	159.03	METAL BOT.
			4.72	158.86	FLOOR
			5.47	158.11	GROUND
	7037		16.94		
		53.43		53.43	

LAKE CO

JULY 29, 1969


OWNER - P.C. AND R.Z. MORRELL

Bm - F895 TRAVERSE #46
 TOP OF RAIL OPPOSITE MILE POST 38
 EL 105.6

HOT, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 25, T22S, R26E, NE $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-5769	BS	LEVEL	FS	ELEV	✓
Bm				153	
TP ₁	4.23	157.23	4.58	152.65	
TP ₂	2.12	154.77	9.08	145.69	
TP ₃	2.11	147.80	9.21	138.59	
TP ₄	5.10	143.69	11.51	132.18	
TP ₅	8.47	140.65	8.44	132.21	
TP ₆	10.25	142.46	8.85	133.61	
TP ₇	6.58	140.19	3.59	136.60	
TP ₈	6.21	142.81	9.62	133.19	
TP ₉	5.36	138.55	5.00	133.55	
TP ₁₀	0.01	133.56	5.89	127.67	GROUND
			5.38	128.18	CASING
	50.44		75.77		
				25.33	

ORANGE CO.

JULY 30, 1969

OWNER- KAZAROS BROS.


BIM- USGS '67 FEB TT 1953
EL 153'

WARM, CLEAR MORNING

JEFF-LEVEL

MARK- ROD

LOCATION SEC 8, T23S, R27E, NE $\frac{1}{4}$ of NE $\frac{1}{4}$



W-2040

BS

LEVEL

FS

ELEV

✓

BM

153

TP₁

3.70

156.70

1.79

154.91

TP₂

8.73

163.64

6.99

156.65

TP₃

6.33

162.98

2.85

160.13

TP₄

12.63

172.76

12.14

160.62

TP₅

1.07

161.69

7.15

154.54

TP₆

6.95

161.49

4.43

157.06

CASING

4.45

157.04

GROUND

39.41

35.35

4.06

4.06

ORANGE CO.

JULY 30, 1969

OWNER - SAMUEL ECKELMAN (DECEASED)


BM - USGS 67 EEB TT 1953 ~ EL 153'

HOT, CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 7, T23S, R27E, NE 1/4 of SE 1/4



W-7081

BS

LEVEL

FS

ELEV

✓

BM

123

TP₁

3.25

126.25

4.43

121.82

TP₂

3.83

125.65

5.42

120.23

TP₃

5.44

125.67

5.88

119.79

TP₄

4.12

123.91

5.50

118.41

TP₅

5.65

124.06

4.66

119.40

5.43

124.83

5.25

119.58

GROUND

4.72

120.11

CASING

2772

3.10

3.42

3.42

ORANGE CO.

JULY 30, 1969


OWNER - JOINER ESTATE (NORMAN GROVE)

BM - TOPO RD 64. 123'

HOT, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 26, T22S, R27E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-5775

BS

LEVEL

FS

ELEV



BM

121

TP₁

6.18

127.18

3.67

123.51

TP₂

3.98

127.49

8.84

118.65

TP₃

5.59

124.24

3.42

120.82

TP₄

4.53

125.35

4.85

120.50

GROUND

TP₅

3.60

121.75

CASING

20.28

20.78

0.50

ORANGE CO

JULY 30, 1969


OWNER- RAYMOND REEVES

BM- TOPD RD EL. 121' AT SEC CORNER

HOT CLOUDY AFTERNOON

JEFF- LEVEL

MARK- ROD

LOCATION- SEC 25, T22S, R27E, NE $\frac{1}{4}$ of SE $\frac{1}{4}$ 

~~W-5279~~

BS

LEVEL

FS

ELEV

BM

108

TP₁

2.09

110.09

4.74

105.35

TP₂

2.15

107.50

11.10

96.40

TP₃

12.14

108.64

2.52

106.12

TP₄

4.72

110.84

5.14

105.70

TP₅

7.07

112.77

8.39

104.38

TP₆

4.50

108.88

5.16

103.72

WRONG WELL

BM

TP₁TP₂TP₃TP₄

ORANGE CO.

JULY 31, 1969

OWNER - W.C. DAVIS

BM - USGS PIPE IN GROUND (US TT STA)
~~WELL 108'~~

HOT, PARTLY CLOUDY MORNING

JGFF - LEVEL

MARK - ROD

LOCATION - SEC , T24S, R27E,

(A CONTINUATION)

W-7079	BS	LEVEL	FS	ELEV.	✓
BM				102.22	
TP ₉	4.63	106.85	5.90	100.95	
TP ₁₀	5.59	106.54	0.15	106.39	
TP ₁₁	10.62	117.01	0.28	116.73	
TP ₁₂	11.99	128.72	0.65	128.07	
TP ₁₃	4.41	132.48	4.12	128.36	
TP ₁₄	4.46	132.82	4.04	128.78	
TP ₁₅	5.52	134.30	3.14	131.16	CASING
			3.53	130.77	GROUND
	47.22		18.28		
		28.94		28.94	

CONTINUATION


JULY 31, 1969

OF LINE RUN ON
W-7079
SEE PAGE 13 FOR EARLIER WORK DONE
ON THIS WELL AND DESCRIPTION.

HOT, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD



W-5777

BS

LEVEL

FS

ELEV

✓

BM

144

TP₁

12.88

156.88

0.02

156.86

TP₂

2.35

159.21

5.37

153.84

TP₃

1.69

155.53

13.10

142.43

TP₄

0.25

142.68

5.91

136.77

TP₅

8.96

145.73

1.76

143.97

TP₆

3.65

147.62

5.78

141.84

GROUND

4.87

142.75

CASING

29.78

31.94

2.16

2.16

ORANGE CO.

JULY 31, 1961


OWNER - W. C. DAVIS

BM - TOPO RD ELEVATION 144 $\frac{1}{4}$ SEC MARKER

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK-ROD

LOCATION - SEC 9, T23S, R27E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-155	BS	LEVEL	FS	ELEV	
BM				104.24	
TP ₁	3.19	107.43	7.37	100.06	
TP ₂	2.41	102.47	6.62	95.85	GROUND
TP ₃			4.97	97.50	TOP OF MANHOLE COVER

ORANGE CO.

AUGUST 4, 1969

OWNER - ORANGE CO.

BM - CITY ENGINEERS (ORLANDO)
MON. AT FERNCREEK AND MICHIGAN
ELEV 104.236

COOL, CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 1, T23S, R29E, NE 1/4 OF SEC 1



W- 339	BS	LEVEL	FS	ELEV	
BM				105.41	
TP ₁	4.54	109.95	5.91	104.04	
TP ₂	4.83	108.87	4.84	104.03	
TP ₃	5.44	109.47	5.52	103.95	GROUND

ORANGE CO.

AUGUST 4, 1969

OWNER - TROPICAL LINEN SUPPLY CO.

(OUT OF BUSINESS. SITE OCCUPIED
BY FROSTIE ROOT BEE BUILDING,
ALSO OUT OF BUSINESS)

BM - ORLANDO CITY EAG DISC AT S ORAN. BLOS.
TR. AND ROBINSON. EL - 105.410

WARM, CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 27, T 22S, R 29E, SW $\frac{1}{4}$ of SE $\frac{1}{4}$

ELEVATION TAKEN AT
GROUND LEVEL AT
ASSUMED SITE OF LINEN
SUPPLY CO.

W-6210

BS

LEVEL

FS

ELEV

BM

85.50

TP₁

8.34

93.84

3.36

90.48

TP₂

5.91

96.39

5.99

90.40

TP₃

3.96

94.36

5.92

88.44

CASING

6.32

88.04

GROUND

ORANGE CO.

AUGUST 5, 1969


OWNER - FLORIDA TURNPIKE AUTHORITY

BM - DOUBLE 10' X 7' BOX CULVERT N. OF TOLL
PLAZA. F.L. ELEVATION 85.50

WARM, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 3, T24S, R29E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-6247	BS	LEVEL	FS	ELEV	
BM				151.20	ASSUMED LOCATION OF BM
TP ₁	11.88	163.08	0.77	162.31	
TP ₂	9.34	171.65	1.18	170.47	
TP ₃	10.55	181.02	1.18	179.84	
TP ₄	11.52	191.36	1.85	189.51	
TP ₅	9.01	198.52	4.49	194.03	
TP ₆	6.57	200.60	3.16	197.44	CASING
			4.05	196.55	GROUND

THE FOLLOWING LINE WAS RUN TO CHECK ELEV.
OF FSTA BM DESCRIBED, BM BELOW WAS TOPO
RD ELEV AT 147'. BM 121.809 WAS ENCOUNTERED
IN THE COURSE OF THE LINE AND WAS ULTIMATELY
USED AS THE STANDARD BM FOR THIS WELL.

BM				147	
TP ₁	1.44	148.44	13.06	135.38	
TP ₂	1.68	137.06	12.42	124.64	
TP ₃	2.36	127.00	4.06	122.94	BM 121.809
TP ₄	4.06	127.00	12.96	114.04	
TP ₅	6.22	120.26	1.22	119.04	
TP ₆	12.21	131.25	1.33	129.92	
TP ₇	10.36	140.28	2.22	138.06	136.93

CORRECTED ELEVATIONS
FOR W-6247

183.17 CASING
182.28 GROUND

ORANGE CO

AUGUST 5, 1969

OWNER - FLA TURNPIKE AUTHORITY
TURKEY LAKE WELL #1
BM - LAST INLET N OF SERVICE AREA BEFORE
REACHING BRIDGE OVER APOPKA VINELAND RD.
ON N BOUND LANE. F.L. ELEV (EAST END)
151.20

COOL, CLOUDY AFTERNOON


JEFF - LEVEL

MARK - ROD

LOCATION - SEC 3, T24S, R28E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$

7 BM - CHISELED SQUARE ON CONCRETE CULVERT
PAINTED "121.809" UNDER TURNPIKE
OVERPASS SPANNING APOPKA VINELAND RD.
BY FSTA

SAME POINT AS
ASSUMED BM
IN FIRST LINE
RUN ABOVE



W-6248	BS	LEVEL	FS	ELEV	
BM				197.44	
TP ₁	4.51	201.95	5.15	196.80	
TP ₂	6.39	203.19	4.87	198.32	CASING
			5.20	197.99	GROUND
CORRECTED ELEVATIONS				184.05	CASING
				183.72	GROUND

ORANGE CO

AUGUST 5 1969

OWNER - FLORIDA TURNPIKE AUTHORITY
TURKEY LAKE WELL #2


BM - W-6247 SEE P 31

COOL, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 3, T23S, R28E, NW $\frac{1}{4}$ of S8 $\frac{1}{2}$



W-7994	BS	LEVEL	FS	ELEV	
Bm				101.38	
TP ₁	5.05	106.43	6.27	100.16	GROUND
			4.29	101.54	CASING

ORANGE CO.

AUGUST 5, 1969

OWNER - FLORIDA TURNPIKE AUTHORITY


Bm - NW CORNER OF SIDEWALK ON N. SIDE
OF TOLL PLAZA BUILDING
ELEVATION - 101.38

WARM - CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 19, T23S, R29E, NW $\frac{1}{4}$ of NE $\frac{1}{4}$



W-5779	BS	LEVEL	FS	ELEV	
BM				116'	
TP ₁	4.46	120.46	5.18	115.28	
TP ₂	5.27	120.55	5.67	114.88	
TP ₃	9.29	124.17	9.40	114.71	
TP ₄	6.72	121.49	2.13	119.36	
TP ₅	1.94	121.30	2.61	118.69	
TP ₆	11.19	129.88	1.69	128.19	
TP ₇	2.77	130.96	4.23	126.73	CASING
			5.19	125.77	GROUND

ORANGE CO.

AUGUST 6, 1969

OWNER - BLOSSOM DAVIS (PRINCE GROVES)


BM - TOPO RD ELEV 116'

WARM, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 29, T24S, R27E, NE $\frac{1}{4}$ of SW $\frac{1}{4}$



W- 977	BS	LEVEL	FS	ELEV	
BM				115	
TP ₁	6.83	121.83	6.69	115.14	
TP ₂	4.74	119.88	2.14	117.74	
TP ₃	0.56	118.30	4.68	113.62	
TP ₄	6.35	119.97	1.72	118.25	
TP ₅	3.75	122.00	3.77	119.23	
TP ₆	4.79	124.02	5.49	118.53 GROUND	
			4.25	119.77 CASING	

Corrected
 117.53 Ground
 118.77 Casing

ORANGE CO.

AUGUST 6, 1969

OWNER - ~~FRANCIS M. CASE~~ CLAUDE L. WOLFE


BIM - SEC CORNER AT RD LEVEL
 EL. 115' FROM TOPO

WARM, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 30, T23S, R28E, NW 1/4 of NE 1/4



W-5780	BS	LEVEL	FS	ELEV	
BM				164	
TP ₁	6.36	170.36	5.71	164.65	
TP ₂	1.14	165.79	7.06	158.73	
TP ₃	4.64	163.37	4.93	158.44	
TP ₄	6.31	164.75	2.72	162.03	IBM
TP ₅	0.74	162.77	5.20	157.57	
TP ₆	8.52	166.09	9.21	156.88	
TP ₇	0.09	156.97	10.62	146.35	GROUND
			10.12	146.85	CASING

ORANGE CO.

AUGUST 6, 1969

OWNER - ROBERT R. TYKE - FRANCIS HEIDRICH


BM - SEC CORNER - EL 164' FROM TOPO

CLOUDY, THREATENING AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 10, T23S, R28E, NW $\frac{1}{4}$ of SE $\frac{1}{4}$



W-6093	BS	LEVEL	FS	ELEV	
BM				98.1	
TP ₁	3.91	102.01	4.43	97.58	
TP ₂	4.78	102.36	4.54	97.82	
TP ₃	4.90	102.72	5.18	97.54	
TP ₄	3.73	101.27	5.75	95.52	
TP ₅	5.06	100.58	5.92	94.66	GROUND

ORANGE CO.

AUGUST 7, 1969

OWNER - REFRIGERATED TRANSPORT CO.


RM - FSGS TRAVERSE #45 - TOP OF RAIL OPPOSITE
MILE POST 810 SALR

WARM, CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 4, T22S, R29E, NE 1/4 of SW 1/4



W-6060

BS

LEVEL

FS

ELEV

BM

105

TP₁ 2.47 107.47 13.03 94.44TP₂ 1.65 96.09 13.13 82.96TP₃ 1.13 84.09 10.43 73.66TP₄ 3.24 76.90 3.75 73.15TP₅ 5.25 78.40 1.56 76.84TP₆ 12.92 89.76 0.32 89.44TP₇ 7.93 97.37 5.09 92.28 GROUND

4.03 93.34 CASING

ORANGE CO.

AUGUST 7, 1969

OWNER - JOE WOFFORD


BM - 1/4 SEC CORNER EL 105' FROM TOPO

WARM, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 18, T21S, R28E, SE 1/4 of NW 1/4



W-6519	BS	LEVEL	FS	ELEV	
BM				115	
TP ₁	6.37	121.37	3.01	118.36	
TP ₂	9.34	127.70	1.35	126.35	
TP ₃	6.01	132.36	4.08	128.28	
TP ₄	4.68	132.96	5.07	127.89	GROUND
			4.31	128.65	CASING

ORANGE CO.

AUGUST 7, 1969

OWNER - JOEL PHILLIPS, JR.


BM - TOPD RD ELEV. 115'

WARM, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 23, T22S, R28E, NE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-5304	BS	LEVEL	FS	ELEV
BM				104
TP ₁	2.72	106.72	12.83	93.89
TP ₂	2.81	96.70	10.30	86.40
TP ₃	2.28	88.68	0.50	88.18
TP ₄	10.83	99.01	0.69	98.32
TP ₅	13.28	111.60	0.10	111.50
TP ₆	10.36	120.86	8.25	112.61
TP ₇	0.26	112.87	13.08	99.79
TP ₈	0.94	100.73	0.50	100.23
TP ₉	11.03	111.26	9.33	101.93
TP ₁₀	0.55	102.48	13.10	89.38
TP ₁₁	1.02	90.40	9.06	81.34
TP ₁₂	4.68	86.02	0.13	85.89
TP ₁₃	10.74	96.63	0.08	96.55
TP ₁₄	10.68	107.23	1.24	105.99
TP ₁₅	10.60	116.59	5.43	111.16 CASING
			5.98	110.61 GROUND
			5.55	111.04 FLOOR

Corrected

112.16 CASING

111.61 GROUND

112.04 FLOOR

ORANGE CO.

AUGUST 8, 1969

OWNER- CENTRAL FLORIDA UTILITIES


BM USGS-TT 19 W/M 1955 ~ELEV 104'

COOL, CLEAR MORNING

JEFF-LEVEL

MARK-ROD

LOCATION- SEC 35, T21S, R28E, SW $\frac{1}{4}$ of SE $\frac{1}{4}$



W-7823	BS	LEVEL	FS	ELEV	
BM				101.06	
TP ₁	6.42	107.48	5.05	102.43	
TP ₂	3.96	106.39	4.88	101.51	
TP ₃	5.22	106.73	4.82	101.91	CASING
			5.16	100.57	GROUND
				101.57	

ORANGE CO.

AUGUST 8, 1969

OWNER - MINUTE MAID CO.


BM - ORLANDO CITY ENGINEERS
MON AT PRINCETON + RIO GRANDE
ELEVATION - 101.06

WARM, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 15, T22S, R29E, NE_{1/4} of SW_{1/4}



W-5519	BS	LEVEL	FS	ELEV
BM				88.63
TP ₁	11.36	99.99	0.61	99.38
TP ₂	5.66	105.04	6.65	98.39
TP ₃	4.76	103.15	5.69	97.46
TP ₄	0.64	98.10	4.31	93.79
TP ₅	8.60	102.39	4.88	97.51
TP ₆	6.77	104.28	3.27	101.01
TP ₇	6.02	107.03	5.22	101.81 CASING
			5.59	101.44 GROUND

Connected
 101.80 Casing
 101.43 Ground

ORANGE CO.

AUGUST 8, 1969

OWNER - ORLANDO COUNTRY CLUB


BM - ORLANDO CITY ENGINEERS MON.
 CORNER COUNTRY CLUB DR + WESTMORELAND
 ELEVATION - 88.628

WARM - CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 22, T22S, R29E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-7545	BS	LEVEL	FS	ELEV	
BM				134.67	
TP ₁	5.61	140.28	1.72	138.56	
TP ₂	5.03	143.59	4.68	138.91	TBM
TP ₃	6.58	145.49	5.34	140.15	GROUND

ORANGE CO.

AUGUST 11, 1969

OWNER - STATE ROAD DEPT
N. SIDE I-4 REST AREA


BM - SRD RR SPIKE IN 8" PING
1.95' RIGHT OF STA 635+10
ELEVATION - 134.67

WARM, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 14, T24S, R28E, NW $\frac{1}{4}$ of SW $\frac{1}{4}$



W-7544	BS	LEVEL	FS	ELEV	
BM				138.91	
TP ₁	6.95	145.86	4.91	140.95	
TP ₂	5.58	146.53	6.17	140.36	TOP OF MANHOLE
			6.40	140.13	GROUND

ORANGE CO

AUGUST 11, 1969

OWNER - STATE ROAD DEPT
S. SIDE I-4 REST AREA


BM - W-7545 SEE P. 43

WARM - CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 14, T24S, R28E, SE $\frac{1}{4}$ of SW $\frac{1}{4}$



W-8723	BS	LEVEL	FS	ELEV	
BM				103.46	
TP ₁	4.60	108.06	4.61	103.45	
TP ₂	9.87	113.32	3.62	109.70	
TP ₃	5.77	115.47	4.49	110.98	
TP ₄	3.95	114.93	3.30	111.63	
TP ₅	4.27	115.90	3.69	112.21	CASING
			4.64	111.26	GROUND
				111.26	

ORANGE CO

AUGUST 11, 1969

OWNER - WALT DISNEY WORLD CO.


BM RR SPIKE IN 12" PINE
BM #20, LINE 209, EL. 103.46

COOL VERY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 17, T24S, R28E, NE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-8558	BS	LEVEL	FS	ELEV	
BM				92.28	
TP ₁	3.95	96.23	4.86	91.37	
TP ₂	5.25	96.62	5.25	91.37	GROUND
TP ₃			5.06	91.56	CASING

ORANGE CO.

AUGUST 12, 1969

OWNER HOUDAILLE-DUVAL-WRIGHT CO.


BM - TOP OF R/W MARKER FOR SUNSHINE PKWY
AT CENTRAL FLA. INDUSTRIAL PARK
EL. 92.28 BY VTN ENG. + SUR.

WARM, CLEAR MORNING

JEFF - LEVEL

MARK-ROD

LOCATION - SEC 14, T24S, R29E, NW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-7169

BS

LEVEL

FS

ELEV

BM

95.18

TP₁

5.66

100.84

5.33

95.51

TP₂

5.83

101.34

5.78

95.56

TP₃

5.19

100.75

4.95

95.80

TP₄

4.96

100.76

4.62

96.14

TP₅

4.91

101.05

4.82

96.23

CASING

5.62

95.43

GROUND

ORANGE CO.

AUGUST 12, 1969

OWNER- FIRST FLA. UTILITIES


BM- SRD RR SPIKE IN 12" PINE

STA 174+00 S.R. 436 UNDER CONSTRUCTION
ELEVATION 95.176

HOT, CLOUDY (PARTLY) MORNING

JEFF-LEVEL

MARK- ROD

LOCATION- SEC 15, T23S, R30E, NE $\frac{1}{4}$ of SW $\frac{1}{4}$ 

W-7837	BS	LEVEL	FS	ELEV
Bm				86
TP,	5.80	91.80	472	87.08 GROUND

ORANGE CO.

AUGUST 12, 1969

OWNER - PL YETCHWAIT CONSTRUCTION CO.
TOLL PLAZA OF BEE-LINE EXPRESSWAY

BIM - PARKING LOT ELEV FROM CONSTRUCTION
PLANS. EL. 86'

WARM, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK-ROD

LOCATION - SEC 31, T23S, R31E, NW $\frac{1}{4}$ of NE $\frac{1}{4}$

WELL LOCATED UNDER
MANHOLE COVER BEHIND
BUILDING. ELEVATION
TAKEN AT GROUND LEVEL
BESIDE MANHOLE.

W-1592	BS	LEVEL	FS	ELEV	
BM				107.92	
TP ₁	4.18	112.10	5.14	106.96	
TP ₂	6.08	113.04	3.87	109.17	
TP ₃	5.87	115.04	4.83	110.21	GROUND

ORANGE CO.

AUGUST 12, 1969

OWNER - LIBBY-FREEMAN BUILDING FOR RENT

BM - ORLANDO CITY ENGINEERS
MON AT CENTRAL AND WESTMORELAND NW
ELEVATION 107.92

HOT, CLOUDY AFTERNOON

JEFF - LEVEL

MARK-ROD

LOCATION - SEC 26, T22S, R29E, SW $\frac{1}{4}$ of SW $\frac{1}{4}$

WELL WAS NOT LOCATED
EXACTLY. BUILDING WAS
VACATED BY LIBBY-FREE-
MAN SEVERAL YEARS
AGO. ELEVATION TAKEN
AT GROUND LEVEL
BESIDE BUILDING.

W-4936

BS

LEVEL

FS

ELEV

BM

99.01

TP₁

3.97

102.98

5.27

97.71

TP₂

4.93

102.64

5.84

96.80

TP₃

4.44

101.24

4.72

96.52

TP₄

4.64

101.16

4.98

96.18

TP₅

4.60

100.78

5.98

94.80

TP₆

3.91

98.71

4.49

94.22

TP₇

5.54

99.76

4.27

95.49

CASING

5.04

94.72

GROUND

ORANGE CO.

AUGUST 13, 1969


OWNER- MASTER DEVELOPERS

BM- FBGS TRAVERSE NO. 45 AZIMUTH MARK
ELEV. 99.009

COOL, CLEAR MORNING

JEFF-LEVEL

MARK- ROD

LOCATION- SEC 16, T22S, R30E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$ 

W-8556	BS	LEVEL	FS	ELEV.
BM				66.12 65.12
TP ₁	2.66	67.78	10.56	57.22
TP ₂	2.00	59.22	8.47	50.75
TP ₃	5.63	56.38	5.49	50.89
	5.53	56.42	4.16	53.26 52.26 CASING
			4.67	52.75 51.75 GROUND

ORANGE CO.

AUGUST 13, 1969

OWNER - FIRST FLORIDA UTILITIES


BM - W-8525 FROM MONUMENT AT FLA.
TECH UNIV. MON-4 EL. 64.74

HOT, CLEAR MORNING

JEFF - LEVEL

MARK-ROD

LOCATION - SEC 10, T22S, R31E, NW $\frac{1}{4}$ of SW $\frac{1}{4}$



W-1952	BS	LEVEL	FS	ELEV	
BM				77	
TP ₁	4.00	81.00	5.04	75.96	
TP ₂	5.55	81.51	2.65	78.86	
TP ₃	6.50	85.36	3.24	82.12	
TP ₄	4.90	87.02	5.20	81.82	GROUND

ORANGE CO

AUGUST 13, 1969

OWNER - L. ROUSE

BM - TOPO RD ELEV AT BRIDGE EL. 77

HOT VERY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION SEC. 5, T23S R31E, SE $\frac{1}{4}$ of SW $\frac{1}{4}$



W-5773	BS	LEVEL	FS	ELEV	
BM				95	
TP ₁	4.83	99.83	4.58	95.25	
TP ₂	4.05	99.30	4.25	95.05	
TP ₃	5.34	100.39	5.08	95.31	
TP ₄	5.45	100.76	6.34	94.42	
TP ₅	5.84	100.26	5.29	94.97	GROUND
			4.58	95.68	CASING

ORANGE CO.

AUGUST 14, 1969

OWNER - BILL JUDGE


BM - TOPO RD ELEV 95'

HOT PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 20, T23S, R30E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-8360	BS	LEVEL	FS	ELEV	
BM				98.54	
TP ₁	4.37	102.91	1.91	101.00	
TP ₂	5.21	106.21	4.59	101.62	
TP ₃	6.13	107.75	5.59	102.16	
TP ₄	3.28	105.44	6.73	98.71	
TP ₅	3.84	102.55	4.83	97.72	
TP ₆	6.96	104.68	6.45	98.23	
TP ₇	5.31	103.54	5.32	98.22	GROUND
			4.25	99.29	CASING

ORANGE CO

AUGUST 14, 1969

OWNER - CITY OF EATONVILLE


BM - MAITLAND CITY ENGINEERS
RR SPIKE IN 12" PINE
ELEVATION - 98.54

HOT PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 35, T21S, R29E, NE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-4378	BS	LEVEL	FS	ELEV.	
BM				99	
TP ₁	3.99	102.99	6.75	96.24	
TP ₂	5.80	102.04	4.14	97.90	
TP ₃	5.74	103.64	4.80	98.84	
TP ₄	4.24	103.08	4.27	98.81	
TP ₅	4.77	103.58	5.03	98.55	
TP ₆	5.10	103.65	4.58	99.07	
TP ₇	5.48	104.55	5.07	99.48	
TP ₈	2.66	102.14	5.96	96.18	
TP ₉	0.67	96.85	10.56	86.29	
TP ₁₀	8.81	95.10	10.48	84.62	
TP ₁₁	3.61	88.23	6.90	81.33	CASING
			7.35	80.88	GROUND

SEMINOLE CO.

AUGUST 15, 1969

OWNER - FARM + HOME MARCH
OAKLAND SHORES S/D


RM - USC + GS 17 196 1960
VEL 99'

COOL, CLOUDY MORNING

JGFF - LEVEL

MARK - ROD

LOCATION - SEC 24, T21S, R29E, E1/4 of SW 1/4



W-6513

BS

LEVEL

FS

ELEV

ORANGE CO.

AUGUST 15, 1969

BM

155

OWNER - ROBERT PATTERSON

SOUTH APOKA CITRUS FRUIT CO., INC.

TP₁

6.88

161.88

10.36

151.52

BM - TOP OF RAIL AT ACLR CROSSING
ELEVATION 155' FROM TOPOTP₂

1.70

153.22

8.16

145.06

HOT, RELATIVELY CLEAR AFTERNOON

TP₃

1.72

146.78

9.31

137.47

JEFF - LEVEL

TP₄

0.24

137.71

9.56

128.15

MARK - ROD

TP₅

1.18

129.33

11.25

117.08

LOCATION - SEC 31, T21S, R28E, SE $\frac{1}{4}$ of SW $\frac{1}{4}$ TP₆

1.77

118.85

3.56

115.29

TP₇

6.56

121.85

5.14

116.71

TP₈

2.16

118.87

4.33

114.54

TP₉

2.52

117.06

6.86

110.20

TP₁₀

4.43

114.63

5.46

109.17

TP₁₁

2.52

111.69

8.45

103.24

TP₁₂

1.40

104.64

1.77

102.87

TP₁₃

3.19

106.06

10.52

97.54

TP₁₄

4.74

102.28

4.58

~~97.70~~ CASING


5.41

~~96.87~~ GROUND

CORRECTED ELEVATIONS

96.70 CASING

95.87 GROUND



W-5572

BS

LEVEL

FS

ELEV

BM

~~113~~ ASSUMEDTP₁ 5.83 118.83 5.64 113.19TP₂ 4.60 117.79 2.92 114.87TP₃ 7.35 122.22 3.42 118.80TP₄ 5.76 124.56 4.79 119.77TP₅ 5.44 125.21 5.85 119.36TP₆ 5.46 124.82 3.64 ~~121.18~~ CASING5.02 ~~119.80~~ GROUND

CORRECTED ELEVATIONS 122.13 CASING

120.75 GROUND

ORANGE CO.


AUGUST 18, 1969

OWNER- ORANGE UTILITY CO.
SOUTHGATE GOLF UTILITIESBM- CITY OF ORLANDO ENGINEERS
MON AT PORTER AND FREDRICK
ELEVATION- 113.953

WARM- CLEAR MORNING

JEFF- LEVEL

MARK- ROD

LOCATION- SEC 4- T23S- R30E, NW $\frac{1}{4}$ of NE $\frac{1}{4}$ 

W-1612	BS	LEVEL	FS	ELEV	
B.M.				150	
TP ₁	2.97	152.97	3.85	149.12	
TP ₂	11.80	160.92	0.19	159.73	
TP ₃	6.65	166.38	12.71	153.67	
TP ₄	1.39	155.06	12.90	142.16	
TP ₅	0.28	142.44	12.24	130.20	
TP ₆	1.12	131.32	12.46	118.86	
TP ₇	0.25	119.11	4.47	114.64	
TP ₈	12.90	127.54	0.02	127.52	
TP ₉	9.61	137.13	4.28	132.85	
TP ₁₀	0.10	132.95	5.41	127.54	
TP ₁₁	0.55	128.09	3.83	124.26	CASING
			4.70	123.39	GROUND

Corrected
 125.26 CASING
 124.39 GROUND

ORANGE CO.

AUGUST 18, 1969

OWNER - DR. P. PHILLIPS & SONS
 MINUTE MAID CORP


B.M. - TOP OF RD ELEV 150'

HOT, CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 11, T23S, R28E, NE $\frac{1}{4}$ of SE $\frac{1}{4}$



W-1611	BS	LEVEL	FS	ELEV
BM				90.91
TP ₁	4.73	94.64	4.78	89.86
TP ₂	1.70	91.56	4.32	87.24
TP ₃	9.45	96.69	5.80	90.89
TP ₄	4.15	95.04	5.33	89.71
TP ₅	5.09	94.80	4.82	89.98
TP ₆	4.67	94.65	4.34	90.31
TP ₇	7.27	97.58	5.22	92.36
TP ₈	5.90	98.26	8.00	90.26
TP ₉	8.87	99.13	5.37	93.76
TP ₁₀	6.09	99.85	5.36	94.49 GROUND
				95.49

ORANGE CO.

AUGUST 19, 1969

OWNER - DR. P. PHILLIPS CO
MINUTE MARD CO.


BM - USC+GS Q16 1933
ELEVATION 90.912

COOL, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 25, T21S, R29E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-7739	BS	LEVEL	FS	ELEV	
BM				121	
TP ₁	1.14	122.14	5.79	116.35	GROUND
TP ₂			5.07	117.07	CASING

ORANGE CO.

AUGUST 19, 1969

OWNER - R.T. SADLER


BM - TOPO RD. ELEVATION 121'

HOT PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 25, T22S, R27E, SE $\frac{1}{4}$ of NE $\frac{1}{4}$



W-5768	BS	LEVEL	FS	ELEV.	
Bm				126.54	
TP ₁	4.84	131.38	5.21	126.17	
TP ₂	7.43	133.60	5.81	127.79	
TP ₃	1.65	129.44	7.37	122.07	
TP ₄	4.15	126.22	4.68	121.54	GROUND
TP ₅			3.72	122.50	CASING

ORANGE CO.

AUGUST 20, 1969

OWNER - MT DORA CITRUS GROWERS


Bm - TP₂ FROM LINE RUN ON W-8270
SEE PAGE 27 BOOK #1 Chasman + Edens '69

COOL, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION SEC 13, T22S, R28E NW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-4955

BS

LEVEL

FS

ELEV.

ASSUMED
ELEVATION

BM

125.18

TP₁

1.70

126.88

3.63

123.25

TP₂

8.65

132.10

3.28

128.82

TP₃

3.22

132.04

10.96

121.08

TP₄

1.29

122.37

12.74

109.63

TP₅

0.12

109.75

13.10

96.65

TP₆

0.74

97.39

13.25

84.14

TP₇

2.13

86.27

6.38

79.89

TP₈

6.50

86.39

1.60

84.79

TP₉

11.03

95.81

1.21

94.60

TP₁₀

4.30

98.90

7.78

91.12

TP₁₁

3.40

94.52

8.45

86.07

TP₁₂

2.58

88.65

6.85

82.80

TP₁₃

4.72

87.52

3.16

~~94.36~~ GROUND2.68 ~~84.84~~ CASING

Corrected

83.17 GROUND

83.65 CASING

ORANGE CO.

AUGUST 20, 1969

OWNER - MEADOWBROOK WATERWORKS

BM TBM FROM LINE ON W-7083


BM - USGS TT 19 WAI 1955

NEL 104

WARM, CLEAR MORNING

SEFF - LEVEL

MARK - ROD

LOCATION - SEC 1, T22S, R28E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$ 

W-6910	BS	LEVEL	FS	ELEV	CORRECT ASSUMED ELEV
BM				128.61	
TP ₁	0.23	123.84	10.30	113.54	
TP ₂	1.25	114.79	8.08	106.71	
TP ₃	3.08	109.79	6.65	103.14	
TP ₄	4.46	107.60	5.34	102.26	
TP ₅	3.74	106.00	4.94	101.06	
TP ₆	4.27	105.33	3.51	101.82	
TP ₇	4.81	106.63	3.74	102.89	
TP ₈	5.61	108.50	5.20	103.30	GROUND
			4.51	103.99	CASING

ORANGE CO.

AUGUST 20, 1969


OWNER - C. W. BAILEY

BM TP₃ FROM LINE ON W-6365
FROM USGS 6 GAF TT 1954
HOT, PARTLY CLOUDY MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 34, T20S, R28E, SE $\frac{1}{4}$ of SW $\frac{1}{4}$



W-8253

BS

LEVEL

FS

ELEV

BM

6.14

TP₁ 2.57 8.71 6.97 1.74TP₂ 5.51 7.25 5.63 1.62TP₃ 5.57 7.19 5.27 1.92TP₄ 5.45 7.37 5.37 2.00TP₅ 5.60 7.60 4.68 2.92TP₆ 6.10 9.02 5.52 3.50TP₇ 5.64 9.14 5.14 4.00 GROUND

4.85 4.29 CASING

SARASOTA CO

AUGUST 26, 1969


OWNER - SARASOTA HARBOR APTS COPP.

BM - USC+GS X92 1942 ELEVATION 6.142

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 26, T36S, R17E, NE $\frac{1}{4}$ of SW $\frac{1}{4}$ 

W-4706	BS	LEVEL	FS	ELEV	
				128.702	
BM				130	ASSUMED
TP ₁	4.49	134.49	9.04	125.45	
TP ₂	1.55	127.00	4.08	122.92	
TP ₃	9.54	132.46	2.35	130.11	
TP ₄	7.46	137.57	3.64	133.95	GROUND
			3.57	134.00	CONCRETE FLOOR

CORRECTED ELEVATIONS 132.63 GROUND.
132.70 CONCRETE FLOOR

ORANGE CO.

AUGUST 21, 1969

OWNER - MEADOWBROOK WATERWORKS INC.
LAKE CANE S/D

BM - ORLANDO CITY ENGINEERS
MON AT ORLANDO-VINLAND RD AND SR 439
EL. 128.702

WARM, CLEAR MORNING

LEFF - LEVEL

MARK - ROD

LOCATION - SEC 14, T23S, R28E, SE $\frac{1}{4}$ of SE $\frac{1}{4}$

WELL LOCATED INSIDE

LOCKED PUMP HOUSE

ELEVATIONS TAKEN AT

LEVEL OF CONCRETE FLOOR

OF THE BUILDING AND

AT GROUND LEVEL BESIDE

THE BUILDING

W-8065	BS	LEVEL	FS	ELEV	
BM				8.3	
TP ₁	6.14	14.44	6.15	8.29	
TP ₂	3.90	12.19	5.54	6.65	GROUND
			5.32	6.87	CASING

SARASOTA CO.

AUGUST 26, 1969


OWNER - FAR HORIZON MOTEL (JACK KAHN)

BM - SITE OF USCT 65 U92 1942
 ORIG ELEV. 8.632
 HOT (VERY) PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK ROD

LOCATION - SEC 8, T36S, R17E, SE $\frac{1}{4}$ of SW $\frac{1}{4}$



W-8743	BS	LEVEL	FS	ELEV	
BM				36.25	
TP ₁	3.91	40.16	4.66	35.50	
TP ₂	4.55	40.05	5.72	34.33	
TP ₃	4.75	39.08	5.28	33.80	
TP ₄	5.06	38.86	4.96	33.90	GROUND
			3.68	35.18	CASING

SARASOTA CO.

AUGUST 27, 1969

OWNER - SOUTH GATE WATER & SEWER CO.


BM - SARASOTA CO. ENGINEERS
MON #70 ELEVATION 36.25

HOT CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 3, T39S, R18E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8251	BS	LEVEL	FS	ELEV	
BM				4	
TP ₁	4.49	8.49	7.93	0.56	
TP ₂	6.25	6.81	4.94	1.87	
TP ₃	5.21	7.08	3.62	3.46	
TP ₄	9.54	13.00	6.38	6.62	GROUND
			6.30	6.70	CONCRETE

SARASOTA CO.

AUGUST 27, 1969

OWNER - MRS. KONSTANTINUK


BM-TOPO RD ELEV 4'

HOT CLEAR AFTERNOON

JEFF-LEVEL

MARK- ROD

LOCATION - SEC 29, T37S, R18E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8121	BS	LEVEL	FS	ELEV	
BM				11.5	
TP	11.60	23.10	4.79	18.31	GROUND
			3.91	19.19	CASING

SARASOTA CO.

AUGUST 28, 1969

OWNER - VENICE GARDENS UTIL., INC. WELL #24


BM - LEVEL OF ORCHID LAKE
ELEVATION CONTROLLED BY V.G.U.
11.5'

COOL, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 21, T39S, R19E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8120	BS	LEVEL	FS	ELEV	
BM				19.19	
TP ₁	3.98	23.17	5.77	17.40	GROUND
			4.82	18.35	CASING

SARASOTA CO.

AUGUST 28, 1969


OWNER - VENICE GARDENS UTIL. INC.
WELL #23
BM - W-8121 SEE P 69

COOL, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 21, T39S, R19E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8119

BS

LEVEL

FS

ELEV

BM

18.35

TP,

3.78

22.13

6.23

15.90

GROUND

5.56

16.57

CASING

SARASOTA CO.

AUGUST 28, 1969


OWNER - VENICE GARDENS UTIL., INC. WELL #22

BM - W-8120 SEE P. 70

COOL, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 21, T39S, R19E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-8118	BS	LEVEL	FS	ELEV	
BM				16.57	
TP,	5.31	21.88	4.57	17.31	GROUND
			3.50	18.38	CASING

SARASOTA CO.

AUGUST 28, 1969

OWNER - VENICE GARDENS UTIL. INC.
WELL #21


BM - W-8119, SEE P. 71

COOL, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 21, T39S, R19E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8117	BS	LEVEL	FS	ELEV	
BM				18.38	
TP ₁	3.66	22.04	4.28	17.76	GROUND
			3.46	18.58	CASING

SARASOTA CO.

AUGUST 28, 1969


OWNER - VENICE GARDENS UTIL. INC.
WELL #20
BM - W-8118, SEE P. 72

COOL, CLEAR MORNING

JEFF - LEVEL

MARK ROD

LOCATION - SEC 21, T39S, R19E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8116	BS	LEVEL	FS	ELEV	
BM				18.58	
TP,	4.12	22.70	5.64	17.06	GROUND
			5.12	17.58	CASING

SARASOTA CO.

AUGUST 28, 1969

OWNER - VENICE GARDENS UTIL., INC. WELL #19


BM, W-8117, SEE P. 73

COOL, CLEAR MORNING

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 21, T 39 S, R 19 E, SW $\frac{1}{4}$ of NW $\frac{1}{4}$



W-8170

BS

LEVEL

FS

ELEV

WELL

~~40~~ ASSUMEDTP₁ 4.20 44.20 5.38 38.82TP₂ 5.03 43.85 5.54 38.31TP₃ 6.32 44.63 5.23 39.40TP₄ 5.39 44.79 5.35 39.44TP₅ 5.71 45.15 5.38 39.77 BM

THIS LINE WAS RUN FROM WELL TO
BM BECAUSE OF DIFFICULT TERRAIN

ACTUAL BM ELEV = 40.00

ASSUMED BM ELEV = 39.77

DIFF 0.23

ACTUAL WELL ELEV | 40.23 CASING
| 39.59 GROUND

4.20 CASING

~~4.84~~ GROUND

SARASOTA CO.

AUGUST 28, 1969


OWNER LATIMER TURNER

BM - RR GRADE FROM TOPO - ELEVATION 40'

HOT, PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 7, T 37S, R 20E, SE $\frac{1}{4}$ of NW $\frac{1}{4}$ 

W-6672	BS	LEVEL	FS	ELEV	
BM				7.76	
TP ₁	6.97	14.73	5.15	9.58	
TP ₂	4.48	14.06	4.62	9.44	
TP ₃	4.74	14.18	4.50	9.68	
TP ₄	5.49	15.17	4.98	10.19	TBM
TP ₅	4.63	14.82	5.98	8.84	
TP ₆	3.36	12.20	4.71	7.49	
TP ₇	5.02	12.51	3.84	8.67	
TP ₈	5.03	13.70	4.22	9.48	GROUND
	39.72		38.00 3.72	9.98	CONCRETE

1.72

9.48
7.76
7.72

SARASOTA CO.

AUGUST 29, 1969

CITY OF VENICE #33

BM - USC&GS X.38 1933 ELEV 7.756

COOL, HOT PARTLY CLOUDY AFTERNOON

JEFF - LEVEL

MARK - ROD

LOCATION - SEC 8, T39S, R19E, NE $\frac{1}{4}$ OF SW $\frac{1}{4}$

WELL LOCATED IN
LOCKED PUMP HOUSE.
ELEVATIONS TAKEN AT
GROUND LEVEL AND AT
LEVEL OF CONCRETE
FLOOR OF BUILDING.

W-6678	BS	LEVEL	FS	ELEV	
BM				9.98	
TP,	5.80	15.78	2.91	12.87	GROUND
			2.33	13.45	CONCRETE

SARASOTA CO.

AUGUST 29, 1969

CITY OF VENICE #34

BM-W-6672 SEE PAGE 76 THIS BOOK

COOL, HOT PARTLY CLOUDY AFTERNOON

JEFF-LEVEL

MARK-ROD

LOCATION- SEC 8, T39S, R19E, NE $\frac{1}{4}$ of SW $\frac{1}{4}$

WELL LOCATED IN
LOCATED LOCKED WELL
HOUSE, ELEVATIONS
TAKEN AT GROUND
LEVEL AND AT LEVEL
OF CONCRETE FLOOR
OF BUILDING.

W-6673	BS	LEVEL	FS	ELEV	
BM				13.45	
TP ₁	3.98	17.43	3.64	13.79	GROUND
			3.04	14.39	CONCRETE

SARASOTA CO.

AUGUST 29, 1969

CITY OF VENICE #35

BM- W-6678, SEE P. 77 THIS BOOK

COOL, HOT PARTLY CLOUDY AFTERNOON

JEFF-LEVEL

MARK- ROD

LOCATION- SEC 8, T39S, R19E, NW $\frac{1}{4}$ of SE $\frac{1}{4}$

WELL LOCATED IN LOCKED
PUMP HOUSE. ELEVATIONS
TAKEN AT GROUND LEVEL
AND AT LEVEL OF
CONCRETE FLOOR OF
BUILDING.

INDEX OF WELLS

PAGE	WELL #		PAGE	WELL #	
1	6052		26	7079	CONT.
2	6063		27	5777	
3	6054		28	155	
4	8213		29	339	
5	4810		30	6210	
6	4938		31	6247	
7	7205		32	6248	
8	5799	Lk.	33	7994	
9	6523		34	5779	
10	1613		35	977	
11	6868		36	5780	
12	1705		37	6093	
13	7079	CONT. ON P. 26	38	6060	
14	6869	Lk.	39	6519	
15	6521	Lk.	40	5304	
16	6147		41	7823	
17	5939		42	5519	
18	7203		43	7545	
19	6512		44	7544	
20	2170	Lk.	45	8723	
21	5769		46	8558	
22	2040		47	7169	
23	7081		48	7837	
24	5775		49	1592	
25	5779	(SEE P. 34)	50	4936	

PAGE	WELL #		PAGE	WELL #
51	8556		76	6672
52	1952		77	6678
53	5773		78	6673
54	8360		79	INDEX
55	4378	5cm.	80	INDEX
56	6513			
57	5572			
58	1612			
59	1611			
60	7739			
61	5768			
62	4955			
63	6910			
64	8253			
65	4706			
66	8065			
67	8743			
68	8251			
69	8121			
70	8120			
71	8119			
72	8118			
73	8117			
74	8116			
75	8170			

712 W. GORE

LARRY PRECORD