

BOOK

INDIAN RIVER CO
J. W. CO
MARTIN CO
LAKE CO

LEVEL BOOK

22-00-40

INDIAN RIVER
MARTIN CO
LAKE CO

INDEX

PAGE WELL

PAGE WELL

INDIAN RIVER CO

1 8047

16 6406

2 10698

17 3060

3 3106

18 6400

4 4552

19 3049

5 4553

20 6072

6 ST LUCIE

21 2556

7 3050

22 8341

8 3051

23 8343

9 6407

24 6072

10 6408

25 8176

11 6411

26 6120

12 6410

27 3608

13 6413

28 3609

14 6412

29 4168

15 6414

30 4143

PAGE	WELL
------	------

31	4142
----	------

32	1392
----	------

33	1052
----	------

34	1393
----	------

35	1394
----	------

36	6062
----	------

37	5143
----	------

38	7667
----	------

39	7677
----	------

40	10716
----	-------

41	1368
----	------

42	10342
----	-------

43	MARTIN CO 7880
----	-------------------

44	6453
----	------

45	6454
----	------

46	8475
----	------

47	3005
----	------

PAGE	WELL
------	------

48	3004
----	------

49	4407
----	------

50	4171
----	------

51	3070
----	------

52	4399
----	------

53	8756
----	------

54	4854
----	------

55	1737
----	------

56	4851
----	------

57	4852
----	------

58	6283
----	------

59	6147
----	------

60	4409
----	------

61	LAKE CO
----	---------

62	3400
----	------

63	5051
----	------

64	6180
----	------

PAGE	WELL
------	------

65	6616
----	------

66	3496
----	------

67	6200
----	------

68	3180
----	------

69	3798
----	------

70	3796
----	------

71	3795
----	------

72	6266
----	------

73	3898
----	------

74	3900
----	------

75	6268
----	------

76	4563
----	------

77	3012
----	------

78	3497
----	------

For wells with no elev. run - only
locations were sought.


W-8047

PAGE
1

INDIAN RIVER CO

9 JUN 71

BM	BSC(+)	HI	FSC(-)	ELEV
BMx	7.12	30.12		23.00
TP ₁	5.97	30.52	5.57	24.55
TP ₂	5.63	28.05	8.10	22.42
MP			7.51	20.54
GND				20.54
CASING			.42	20.96



5"

OWNER DR KELSO

BM INT US 1 & DIRT RD S
OF BRIDGE EL 23'

HOT MORNING

LEVEL - CARL


ROD - DAN

LOCATION: SEC 25 T30S R38E
NE 1/4 / NW 1/4

W- 10698

Page
2

BM	BS(+)	HI	FS(-)	ELEV
BM _x	5.08	9.08	/	4
TP ₁	5.79	7.25	7.62	1.46
TP ₂	5.61	6.32	6.54	.71
MP	/	/	5.01	1.31
GND	/	/	/	1.31



INDIAN RIVER CO

10 Jun 71

OWNER: SEBASTIAN INLET STATE PK.

BM- DESTROYED EL 4' TAKEN FROM

SITE OF IT.

HOT AFTERNOON

LEVEL-CAR

ROD- DAN

LOCATION SEC 20, T30S R39E

SW 1/4 / NE 1/4

W-3106

PAGE
3

INDIAN RIVER CO

11 Jun 71

OWNER: FLA. BOARD OF HEALTH

LOCATION: SEC 30, T33S, R40E, NW 1/4/NE 1/4

MP

6.90

ELEV. 6.90'

* THIS WELL DONE PREVIOUSLY, LOCATION
WAS MISSING. PUMP LOCKED IN
SHED.

W-
4552

PAGE
4

BM	BS(±)	HI	FS(-)	Elev.
BM _x	6.40	21.40		15.00
TP ₁	8.00	24.75	4.65	16.75
TP ₂	10.00	22.25	12.50	12.25
TP ₃	10.40	22.20	10.45	11.80
TP ₄	10.50	24.80	7.90	14.30
TP ₅	9.40	25.65	8.55	16.25
TP ₆	12.96	37.45	1.16	24.49
TP ₇	10.10	47.50	0.04	37.41
MP			4.26	43.25
GND				43.25

INDIAN RIVER CO

11 Jun 71

OWNER: MACKLE CO (well #1)


BM: USC&GS BM T33 EL 15'

HOT MORNING

Level CARI

Rod DAN

LOCATION - SEC 31, T 33S, R 40E, NW 1/4/SE 1/4



W - 4553

PAGE
5

BM	BS(+)	HI	FS(-)	ELEV
BM _x	8.74	51.99		43.25
TP ₁	3.98	42.95	13.02	38.97
MP			5.70	37.15
GND				

INDIAN RIVER CO 11 Jun 71

OWNER MACKLE CO (well #2)

BM - USED EL OF WELL ON PREVIOUS

PAGE 43.25'

HOT AFTERNOON

Level - CARL

Rod - DAN

Location - Sec 31, T33S, R40E, NW 1/4 SE

See well 4552
for diagram

ST. LUCIE

CO.

W
3050

PAGE
7

ST LUCIE CO

6/14/71

BM BS(+) HI FS(-) ELEV

BM₁ 4.69 27.57 22.88

MP 7.22 20.35

GND 20.35

OWNER OF Ft. Pierce

BM - USGS ELEV RUN IN TO SPIKE AT
TREE 25514 FLORIDA AVE, EL 22.88'

HOT MORNING

Level CARL

ROD DAN

LOCATION' SEC 8, T35S, R40E, SE 1/4/SE 1/4

Well IS SUBMERSIBLE

W-
305-1

PAGE
8

BM _x	BS(+)	HI	FS(-)	ELEV
BM	5.90	26.25	/	20.35
TP ₁	5.45	25.05	6.65	19.60
MP	/	/	8.73	16.32
GND				16.32

ST LUCIE CO

6/14/71

OWNER - City of FT Pierce

BM-Taken From well on P.7.

EL. 20.35

Hot CLOUDY MORNING

LEVEL - CARI

ROD - DAN

LOCATION: SEC 8, T35S, R40E, NE 1/4 / SE 1/4

SUBMERSIBLE WELL

W
6407

PAGE
9

BMx	BS(+)	HI	FS(-)	ELEV
BM	3.42	26.82	—	23.40
TP ₁	5.65	26.01	6.46	20.36
MP	—	—	5.40	20.61
GND				20.61

St LUCIE CO 14 Jun 71

OWNER CITY OF FT PIERCE

BM - SPIKE AT CORNER DELAWARE

+ 25 St ELEV 23.40' (USGS)

Hot CLOUDY AFTERNOON

Level - CARL

Rod - DAN

LOCATION: SEC 8, T 35 S, R 40 E, NE 1/4 / SE 1/4

Submersible Well

W
6408

PAGE

10

BM _x	BS(+)	HI	FS(-)	ELEV
BM	3.42	26.82	—	23.40
TP ₁	5.65	26.01	6.46	20.36
TP ₂	7.06	27.67	5.40	20.61
MP	—	—	6.48	21.19
GND				21.19

ST LUCIE CO

15 Jun 71

OWNER CITY OF FT PIERCE

BM-SPIKE COR DELAWARE & 25th

EL 23.40' (USGS)

WARM MORNING

Level - CARL

Rod - DAN

LOCATION

SPC 8, T35S, R40E, NE 1/4 SE 1/4

Submersible Well

W
6411

PAGE

11

BMx	BS(+)	HI	FS (-)	ELEV
BM	7.50	28.69	/	21.19
TP ₁	6.22	27.47	7.44	21.25
MP	/	/	5.36	22.11
GND				22.11

St Lucie Co

15 Jun 71

OWNER: CITY OF FT PIERCE

BM - ELEV AT W- 6408 EL 21.18'

HOT MORNING

Level CARI

ROD DAN

LOCATION Sec 8, T35S, R40E, SE 1/4 / NE 1/4

Submersible Well

W
6410

PAGE
12

BM BS HI FS(-) ELEV

BMx 7.45 29.56 / 22.11

MP / / 5.67 23.89

GND 23.89

ST Lucie Co

15 Jun 71

OWNER CITY FT Pierce

BM-ELEV AT W-6411 EL 22.11'

HOT AFTERNOON

LOCATION Sec 8 T35S, R40E, SE 1/4/NE 1/4

Submersible Well

W-
6413

PAGE
13

BM	BS(+)	HI	FS(-)	ELEV
Bm	6.20	28.20	—	22
MP	—	—	5.55	22.65
GND	—	—		22.65

ST LUCIE CO

6/15/71

OWNER CITY OF FT PIERCE

BM - Rd INT Ave D & 25th ST

EL 22'

HOT AFTN.

LEVEL CARL

ROD DAN

LOCATION SEC 8, T35S, R40E, NE 1/4/NE 1/4

Submersible Well

W-
6412

BM BS(+) HI FS(-) ELEV

BM_x 620 28.20 / 22

MP 6.66 21.54

GNP 21.54

PAGE
14

ST LUCIE CO

6/15/71

OWNER: CITY OF FT PIERCE

3M- RD INT AVE D E 25 ST EL 22

HOT DAY

LOCATION Sec 9, T35S, R40E, SW 1/4, NW 1/4

LEVEL - CARL

ROD - DAN

Submersible Well

W
6414

BM.	BS(+)	HI	FS(-)	ELEV
BMx	6.50	28.50	—	22
MP	—	—	5.70	22.80
GND				22.80

PAGE
15

ST LUCIE CO 6/15/71

OWNER CITY OF FT PIERCE

BM: COR Ave D & 25th.

Level CARL

Rod DAN

LOCATION SEC 8 T35S, R40E,
NE 1/4 / NE 1/4

Submersible Well

W
6406

PAGE
16

BM	BS(+)	HI	FS(-)	ELEV
BM _x	8.60	29.60	/	21
TP ₁	5.76	27.98	7.38	22.22
HP	/	/	5.86	22.12
GND				22.12

ST LUCIE CO

16 JUN 71

OWNER - CITY OF FT PIERCE

BM - INT OKEECHOBEE & GEORGIA

EL 21'

WARM MORNING

Level CAR

ROD DAN

LOCATION Sec 17, T35S, R40E, NE 1/4 NE

Submersible Well

IN STREET

W
3060

PAGE
17

BM	BS(+)	HI	FS(-)	ELEV
Bm _x	6.52	28.64	/	22.12
MP	/	/	4.92	23.72
GND				23.72

ST LUCIE CO 16 Jun 71

OWNER - CITY OF FT PIERCE

BM - ELEV AT W. 6406, EL 22.12'

WARM MORN.

Level - CARI

ROD - CAN

LOCATION SEC 17, T35S, R40E, NE $\frac{1}{4}$ /NE $\frac{1}{4}$

Submersible Well

IN STREET

W
6400

BM BS(+) HI FS(-) ELEV

BM_x 4.00 26.88 / 22.88

MP / / 5.62 21.26

GND 21.26

PAGE
18

ST LUCIE CO 16 Jun 71

OWNER - CITY OF FT PIERCE

BM - SAUCE IN TREE 255+ FLORIDA (USGS)

EL - 22.88

HOT MORN

Level - CARL

ROD - DAN

LOCATION Sec 8 T35S, R40E, SE 1/4, SE 4

Submersible well

W
3049

PAGE
19

BM BS(+) HI ES(-) ELEV

BMx 4.45 27.33 / 22.88

MP / / 5.40 21.93

GND 21.93

ST Lucie Co 16 JUN 71

OWNER - CITY OF FT. PIERCE

BM - see BM P. 18.

HOT MORNING

Level - CARL

Rod - DAN

LOCATION -

SUBMERSIBLE well

W
6072

PAGE
20

BM BS(+) HI FS(-) ELEV

BM_x 6.76 29.56 / 2280

MP 4.22 25.34

GND 25.34

ST LUCIE CO 16 JUN 71

OWNER - CITY OF FT. PIERCE

BM - ELEV TAKEN W-6414 - EL 22.80

HOT AFTERNOON

Level - CARI

Rod - DAN

LOCATION Sec 8, T35S, R40E, NE 1/4, NE 1/4

Submersible Well

* Well 35' OFF RD

W /
2556

PAGE
21

BM	BS(+)	HI	FS(-)	ELEV
BMx	5.00	30.34	—	25.34
MP	—	—	5.75	24.59
GNL				24.59

ST LUCIE CO

17 JUN 71

OWNER - CITY OF FT PIERCE

BM - ELEV. TAKEN AT W-6072 -

EL 25.34'

HOT AFTN

Level - CARL

Rod - DAN

LOCATION - Sec 5, T35S, R40E, SE $\frac{1}{4}$, SE $\frac{1}{4}$

Submersible well

W
8341

PAGE
22

BM	BS(+)	HI	FS(-)	ELEV
BM _x	5.74	30.33	/	24.59
MP	/	/	5.55	24.78
GND				24.78

ST LUCIE CO 16 JUN 71

OWNER - CITY OF FT. PIERCE

BM - EL. TAKEN AT W2556, EL. 24.59

HOT AFTN

Level - CARI

Rod - DAN

LOCATION - Sec 5 T33S, R40E, SE 1/4/SE 1/4

Submersible Well

W
9343

BM BS(+) EL FS(-) ELEV

BMx 3.93 28.71 — 24.78

MP — — 7.40 21.31

GND — — — 21.31

PAGE
23

ST LUCIE CO

16 JUN 71

OWNER - CITY FT PIERCE

RD - EL W-8341 EL 24.78

HOT AFTN

LEVER CARL

ROD DAN

LOCATION SEC 5, T35S, R40E, 1E1/4, 3E1/4

W
6072

PAGE
24

BM	BSA	HI	FS(-)	EL
BMx	7.00	28.00	—	21
TP ₁	8.90	28.68	8.22	19.78
TP ₂	6.60	27.95	7.33	21.35
MP	/	/	5.49	22.46

ST LUCIE CO 6/16/71

OWNER CITY FT PIERCE


BM-INT ANGLE 4 N 41 S EL 21'

HOT DAY

LEVEL CARL

ROD DAN

LOCATION SEC 6, T35S, R 40E, NE 1/4/NE 1/4



W-
8176

PAGE
25

BM	BS(+)	HI	FS(-)	EL
BMx	6.69	24.69	/	18
TP ₁	7.78	25.27	7.20	17.49
TP ₂	8.80	26.57	7.50	17.77
TP ₃	6.65	26.52	6.70	19.87
TP ₄	7.58	26.40	7.70	18.82
TP ₅	6.02	24.14	8.28	18.12
MP	/	/	5.31	18.83
GND				18.83
CRSING			.66	19.49

ST LUCIE CO 6/17/71

OWNER - HOLIDAY INN


BM - INT RT 70 E JENKINS RD, EL 18'

HOT MORNING

Level - CARI

ROD - DAN / LOCATION Sec 24, T 35S, R 39E

SW 1/4 / SW 1/4



W
6120

P26

ST LUCIE CO 6/17/71


OWNER - CITY FT PIERCE

BM - N/A

* WELL PREVIOUSLY Levelled

HOT AFTERNOON

LOCATION - SEC 22, T35S, R40E, NE 1/4/
SE 1/4



W
3608

27

BMx	BS(+)	HI	FS(-)	EL
BM	7.45	30.02	—	22.57
TP ₁	7.00	27.90	9.12	20.90
TP ₂	6.02	28.30	5.62	22.28
TP ₃	6.06	27.46	6.90	21.40
MP	—	—	6.92	20.54
GND				20.54
CASING			1.86	22.40

ST LUCIE Co

18 JUN 71

OWNER-FLA TWP AUTHORITY

BM- MARK ONE SIDE S.S. PKWY ON

CULVERT 1/2 SE OF REST STOP, EL


RUN IN FROM USGS BM BY ENGINEER

FROM PORT ST LUCIE DEVELOPMENT, EL 22.57

HOT MORNING

LEVEL-CARL-ROD-DAN

LOCATION - SEC 31, T36S, R40E, NW 1/4/SE 1/4



W-
3609PAGE
28BM_x BS(+) HI FS(-) ELEV

BM 6.06 28.46 / 22.40

TP₁ 9.24 32.32 5.38 23.08TP₂ 6.37 32.64 6.05 26.27TP₃ 6.34 32.71 6.27 26.37

MP / / 9.81 22.90

GND / 22.90

CASING 2.21 25.11

25.11
22.90
2.21

ST LUCIE CO

17 JUN 71

OWNER: FLA TWP. AUTHORITY


BM-EL FROM W-360 FUSED EL 22.40'

HOT AFTERNOON

LEVEL - CARL

ROD - DAN

LOCATION - 5° C 31, T36S, R40E, SW 1/4 / NE 1/4



W
4168

PAGE
29

BM	BS(+)	HI	FS(-)	ELEV
BMx	8.93	31.83	—	22.90
TP ₁	5.33	30.36	6.80	25.03
TP ₂	4.65	29.23	5.78	24.58
MP	—	—	4.82	24.41
GND				24.41
CASING			4.34	24.75

ST LUCIE CO

17 JUN 71

OWNER-FLA TWRK AUTH.


BM-EL FROM W-3609 USED EL 22.90'

HOT DAY

LEVEL CARI

ROD-DAN

SEC 31
LOCATION-T36S, R40E, SE 1/4 / NW 1/4



W-
4743P
30

BM	BS(+)	HI	FS(-)	ELEV
BMx	5.43	29.84	—	24.41
TP ₁	4.42	29.03	5.23	24.61
MP	—	—	4.98	24.05
GND				24.00
EASING			.16	24.21

ST LUCIE Co 6/17/71

OWNER FLA TWPX AUTH


BM - EL OF W-4168 EL 24.41

HOT DAY

Level CARI

ROO DAN

LOCATION - SEC 31, T36S, R40E, SE 1/4 NW 1/4



W
4142

P
31

BM	BS(+)	HI	FS(-)	ELEV
BMx	4.02	28.07	—	24.05
TP ₁	5.31	28.17	5.21	22.86
MP	/	/	5.05	23.12
GND				23.12
CASING			.21	23.33

ST LUCIE CO 6/17/71

OWNER-FLA TWP& AUTH

BM-W-4143 EL 24.05'

HOT

Level CARI

Rob DAN

LOCATION Sec 31, T36S, R46E, SE 1/4, NW 1/4

FIG See p30

W
1392

P32

ST LUCIE CO

6/21/71

OWNER - DI GIORGIO Fruit Co

ELEV - 13.80' HAS BEEN Leveled

HOT

LOCATION Sec 27, T35S, R39E, NE/SE 1/4

ARTESIAN well

W-
1052

P,
33

ST LUCIE CO

6/21/71

OWNER-DI GIORGIO FRUIT CO

ELEV - 18.75' BEEN LEVELED

HOT

LOCATION - SEC 27, T35S, R39E, NW 1/4, SE 1/4

ARTESIAN WELL

W-
1393

P34

ST LUCIE CO

6/21/71

OWNER - DI GIORGIO FRUIT CO

ELEV - 17.12' Well Levelled

HOT

LOCATION - SEC 27 T35S, R39E, 11W 1/4 / SE 1/4

Artesian Well

W-
1394

P
35

ST LUCIE CO

6/21/71

OWNER - D. GIORGIO FRUIT CO

EL-17.16' leveled before

HOT

LOCATION - SEC 27, T35S, R39E, N1/4/NE1/4

Artesian Well

W-
6662

P
36

BM	BS(+)	LI	FS(-)	ELEV
BM ₁	5.01	21.00		15.99
MP			5.97	15.03
GND				15.03
CASING			.25	15.28

ST LUCIE CO

6/21/71

OWNER


BM - SPIKE IN PALM S SIDE OF
UTILITIES Dept EL 15.99 RUN IN
FROM USC+GS BM.

HOT

Level - CARL

ROO - DAN

LOCATION - Sec 22, T37S, R40E, SW 1/4 NE



W-
5143

P
37

BM BS(+) HI FSC(-) ELEV

BM₂ 4.85 20.84 15.99

TP₁ 6.16 18.70 8.30 12.54

MP 4.93 13.77

GND 13.77

ST LUCIE CO

6/21/71

OWNER

BM-See P36

Level C&H

ROD DAW

Location-SEC 22, T37S, R40E

NW 1/4 / SE 1/4

FIG

SAME AS P 36

2-
7667

PAGE
38

BM	BS(+)	HI	FS(-)	ELEV
BM	6.40	28.37	—	21.97
MP	—	—	5.11	23.26
GND				23.26
CASING		1.52		24.78

ST LOUIS CO

6/22/71

OWNER - FLA GAS

BM - MEASUREMENT RUN IN FROM

W. S. BM BY ENGINEERS. 21.97

HOT

LEVEL CASH

ROCK LAM

LOCATION SEC 10, T35S, R39E,
NE 1/4 / SE 1/4

Concrete
casing

1.52

W.
7677PAGE
39

BM	BS(+)	HI	FS(-)	ELEV
BM _x	3.92	27.18	/	23.26
MP	/	/	5.15	22.03
GND				22.03

ST LUCIE CO

6/22/71

OWNER-FLA GAS

BM - ELEV FROM W-7667 P38 USED.

EL 23.26, SPOT ELEVATION

TAKEN WELL ABANDONED COVERED W/BLDG,

EL TAKEN ON FLOOR OF BUILDING

OVER FORMER LOCATION OF WELL.

HGT

LEVEL - CARL

ROD - DAN

LOCATION - SEC 10, T35S, R34E,

NE 1/4 / SE 1/4

W-
10716

P.46

BM	BS(+)	HI	FS(-)	ELEV
BM _x	3.62	26.63	—	23.01
MP	—	—	5.13	21.50
GND				21.50

ST LUCIE CO 6/22/71

OWNER - UOE EXP STA

BM - EL RUN INTO GROVE FROM

USGS BM. EL 23.01'

(HOT

LEVEL CARL

ROD DAN

LOCATION - SEC 14, T35S, R39E, SE 1/4 SE 1/4

* WELL NOT IN YET, elev. taken
AT SITE OF CORE HOLE. Well
will be in SAME AREA.

W-
1368

P-1

BM	BS(4)	HI	FS(3)	BLVD
BMx	3.65	14.65	—	11.00
TP ₁	4.10	11.91	6.84	7.81
MP	—	—	4.63	7.28
GND				7.28

ST LUCIE CO

6/22/71

OWNER - HM HORTON

BM - INT WETHERBEE RD & SUNRISE

BLVD. EL. 11'

HOT

Level - CARI

ROO - DAN

LOCATION - Sec 4, T36S, R40E

NW¹/₄ / NE¹/₄

to house



W. 10343				
BM	BS(+)	HI	FS(-)	ELEV
BM _x	5.97	21.97	—	16.00
TP ₁	5.70	19.49	8.18	13.79
TP ₂	4.84	12.55	5.78	13.71
MP	—	—	4.58	13.97
GND				13.97
CASING			.58	14.55

P.
42

ST LUCIE CO

6/22/71

OWNER - DORSEY

BM - Rd INT US 1 & Wetherbee EL. 16

880

LEVEL - CAR -

ROD - DAN

LOCATION

↓
0.58
↑

to pump house →

W-
7880

P
43

BM	BS(+)	HI	FS(-)	ELEV
BM _x	7.24	31.24		24.00
TP ₁	4.73	26.45	9.52	21.72
MP	—	—	6.11	20.34
GND				20.34

MARTIN CO

6/23/71

OWNER - HOBE SOUND CO

BM - INT VS 1 & BRIDGE RD

EL 24'


WTH CLOUDY/RAINY

LEVEL - CARL

ROD - DAN

LOCATION - SEC 27, T 39S, R 42E,

NE 1/4 / NW 1/4



W- 6453				P 44
BM	35.4	19.5	PSC-)	ELEV
BMx	8.10	28.44	—	20.34
TP ₁	8.00	33.10	3.34	25.10
TP ₂	13.36	39.10	7.36	25.74
TP ₃	13.05	50.72	1.43	37.67
TP ₄	1.70	48.42	4.00	46.72
TP ₅	1.47	37.81	12.08	36.34
MP	/	/	9.18	28.63
GND				28.63

MARTIN CO

6/23/71

OWNER - HOBE SOUND CO (#9)

BM- EL OF W-7880(p43) USED

EL 20.34'

HOT- RAINY

Level - CAR

ROD- DAN

LOCATION - SEC 27, T39S, R42E,

SW 1/4 / NE 1/4

WELL Locked IN Pump/House

W-
6454

BS(+)

HI

FS(-)

ELEV

BM, 12.70 41.33 — 28.63

TP, 3.75 34.48 10.60 30.73

MP — — 5.06 29.42

GND — — — 29.42

P
45.

MARTIN Co

6/23/71

OWNER - Hobe Sound

(#8)

BM - EL FROM W-6453

LEVEL CARI

ROD - DAN

LOCATION - Sec 27, T39S, R42E, SW 1/4,
NE 1/4

WELL IN HUT

W-
8475

P
46

BM B5(+) HI FS(-) ELEV

BM_y 6.04 35.46 29.42

TP₁ 5.48 39.90 1.04 34.42

TP₂ 0.08 3 4.40 5.58 34.32

TP₃ 1.43 29.45 6.38 28.02

MP 5.38 24.07

GND 24.07

MARTIN CO

6/23/71

OWNER- HOBBS SOUND CO

(#10)

BM-ELEV W-6454

HOT/RAIN

LEVEL COR

ROD DON

LOCATION - SEC 27, T 39S, R 42E, SW 1/4, NE 1/4

Locked up well

W-
3005P
47

BM	BS(+)	HI	FS(-)	ELEV
BMX	4.64	34.06		29.42
TP ₁	3.96	28.37	9.65	24.41
TP ₂	7.94	33.31	3.00	25.37
TP ₃	4.90	36.89	1.32	31.99
MP			5.00	31.89
GND				31.89

MARTIN Co

25 Jun 71

OWNER - HOBE SOUND CO

#5

BM ELEV AT 6454 used 29.42'

HOT

Level CARI

ROO DAN

LOCATION - Sec 27, T39S, R42E, SE 1/4 / NE 1/4

Well Locked UP

W-
3004

P.
48

BM	BS(+)	HI	FS(-)	ELEV
B.M.x	5.80	37.69	—	31.89
MP	—	—	7.31	30.35
GND				30.35

MARTIN CO

25 JUN 71

OWNER - Hobe Sound

H 6

BM - ELEV USED FROM W-3005,

EL. 31.89'

Level - CARI

ROB-DAN

LOCATION SEC 27, T39S, R42E, SE 1/4 NE 1/4

Wells in Houses

EL. TAKEN AT FLOOR Level.

W-
4467

P
49

BM BS(+) HI FS(-) ELEV

BMx 10.22 44 .22 34.00

MP 5.36 38.86

GND 38.86

MARTIN CO 6/25/71

OWNER WJ LEONARD

BM INT 3 Ave & 8 St EL. 34'

LEVEL CAR

ROD-DAN

LOCATION - SEC 9, T39S, R42E

NW 1/4 / NW 1/4

Well covered SPOT

EL. TAKEN.

W.
4171

P
50

BM	BS(+)	HI	FS(-)	ELEV
BM ₁	9.78	47.78	—	38.00
TP ₁	5.68	40.16	13.30	34.48
TP ₂	4.22	37.63	6.75	33.41
TP ₃	6.96	41.94	2.55	35.08
MP	—	—	4.92	37.02
GND				37.02
CASING			1.5	38.52

MARTIN CO

6/25/71

OWNER - J. DICKSON STATE PK

BM - INT OF ENTRANCE RD WITH
4 POINT IN, EL 38'

HOT

Level CARL

ROD DAN

LOCATION - SEC 2, T40S, R42E,
SE 1/4 / SE 1/4

well locked

W
3070

P
51

MARTIN CO

6/25/71

OWNER - L BISHOFF

PREVIOUSLY LEVELED. EL 12'

HOT

LOCATION - SEC 14, T38S, R41E
NW 1/4/NE 1/4

IN PUMP HOUSE

W -

4399

P
52

MARTIN CO


6/25/71

OWNER - STANLEY SMITH

BM - PREVIOUSLY LEVELED EL 12'

HOT

LOCATION - SEC 16, T38S, R41E,
NE 1/4 / SW 1/4



ARTESIAN

W-

8756

P-53

BM	BS(+)	HI	FS(-)	ELEV
BMx	6.18	26.18	—	20.00
TP ₁	8.10	25.76	8.52	17.66
TP ₂	8.90	24.01	10.65	15.11
TP ₃	10.58	24.19	10.40	13.61
TP ₄	6.55	17.44	13.30	10.89
TP ₅	11.00	19.89	8.55	8.89
TP ₆	4.85	14.56	10.18	9.71
MP	—	—	5.55	9.01
GND				9.01

MARTIN CO

6/26/71

OWNER - MARTIN, CHESTER (TRAILER PARK)


BM - INT INDIAN & US 1 EL 20'

HOT

Level - CARL

ROD - DAN

LOCATION - SEC 8, T38S, R41E, SE 1/4 SE 1/4



W-
4854

54

BM	BS(H)	HI	FS(-)	ELEV
BMX	13.36	29.46	—	16.10
TP ₁	9.50	33.00	05.96	23.50
TP ₂	12.75	38.17	7.58	25.42
TP ₃	7.60	42.49	3.28	34.89
MP	—	—	5.54	36.95
GND				36.95
CASINT			.3	37.25

MARTINCO 6/26/71

OWNER-INDIANTOWN WATER (#4)

BM-USCGS BM AT MARINA END

W. FARM RD. EL 16.10'

Level-CARI

ROD-DAN

LOCATION N-SEC 6, T40S, R39E, SE 1/4/
SE 1/4

W-
1737

55

BM BSG FSC-1 ELEV

BM_y 5.54 42.49 — 36.95

TP₁ 5.30 41.59 6.20 36.29

MP — — 5.63 35.96

GND 35.96

CASING .5 36.46

MARTIN CO 4/26/71

OWNER-INDIANTOWN WATER CO. (#3)

BM-EL FROM WELL ON P. 54

RAINY

LEVEL - CARI

ROD-DAN

LOCATION - SEC 6, T40S, R39E,

NE 1/4 / SE 1/4

W-
4851

56

BM x 5.63 41.59 — 35.96

MP — — 5.96 35.63

GND 35.63

CASING .3 35.93

MARTIN CO

6/25/71

OWNER-INDIANTOWN WATER (#1)

BM-EL AT Well 1737

HOT/RAINY

Level-CARI

ROO-DAN

LOCATION-sec 6, T40S, R39E

SW/SE 1/4

W-
4852

57

BM BS(+2) HI PS(+2) ELEV

BMx 5.62 41.25 — 35.63

TP₁ 5.38 40.98 5.65 35.60

MP 5.10 35.88

GND 35.88

CASING 0.3 36.18

MARTIN CO

6/26/71

OWNER - INDIANTOWN WATER (#2)

BM - EL FROM Well on P56

EL 35.63

Level - CARI

ROD - DAN

LOCATION - SEC 6, T40S, R39E

NW 1/4 / SE 1/4

W
6283

58

BM BS(+) HI FS(+) ELEV

BM_x 4.10 17.10 — 13.00TP₁ 5.43 13.83 8.70 8.40TP₂ 7.52 14.53 6.82 7.01TP₃ 5.50 12.51 7.52 7.01

MP — — 5.55 6.96

GND 6.96

MARTIN CO

6/25/71

OWNER - MARTIN CO HIGH School

BM - EL 12, FROM W 4399 P. 52.

Level - CARI.

ROD - DAN

LOCATION - SEC 16, T38S, R41E,

SW 1/4 / NW 1/4

Well IN HOUSE

W-
6147

P
59

BM BS(4) HI FS(-) ELEV

BMx 4.90 17.90 — 13.00

TP₁ 5.80 15.60 8.10 9.80

MP — — 6.28 9.32

GND 9.32

CASING .50 9.82

MARTIN CO

6/26/71

OWNER MARTIN CO. LANGFORD BAIL PARK

BM - INT 707 & AIA EL. 13'

HOT

LEVEL - CARI

ROD - DAN

LOCATION - Sec 27, T 37S, R 41E,
SW 1/4, SE 1/4

W-
4409

BM	BS(+)	HI	FS(-)	ELEV
BM _x	9.75	22.75	—	13.00
TP1	1.25	22.08	1.92	20.83
MP	—	—	11.12	10.96
GND				10.96

P.
60

MARTIN CO

6/26/71

OWNER - DR. PENICK

BM - INT 707 E AIA EL 13'

HOT

LEVEL - CARL

ROD - DAN

LOCATION - SEC 27, T37S, R 41E
SE 1/4/SE 1/4

LAKE

CO.

W
3400P
62

BM BS(+) HI FS(-) ELEV

BMx 6.30 83.79 — 77.49

TP1 6.50 78.34 11.95 71.84

TP2 6.61 78.43 6.52 71.82

MP — — 3.58 74.85

GND 74.85

CASING .55 75.50

LAKE CO

6/29/71

OWNER - CITY OF TAVARES

BM - USC+GS EL 77.49

HOT / RAIN /

LEVEL - CARL

ROD - DAN

LOCATION - SEC 29, T19S, R26E

SW 1/4 / SE 1/4

FIG SEE P 63

W-
5051P
63

BS(-) HI FS(-) ELEV

BMx 4.85 79.50 — 74.85

TP1 5.42 79.00 5.92 73.68

MP — — 4.92 74.08

GND — — — 74.08

CASING — — .88 75.06

LAKE CO

6/29/71

BM-EL. FROM W-3400 USED, P62

EL. 74.85


HOT

LEVEL - CARI

ROD - DAN

LOCATION - SEC 29, T19S, R 26E

SW 1/4/SE 1/4



W.
6180

P
64

BM	BS (+)	HI	FS (-)	ELEV
BM _x	8.40	84.40	—	76.00
TP ₁	8.60	84.00	9.00	75.40
TP ₂	9.55	89.44	4.11	79.89
TP ₂	5.00	82.29	12.15	77.29
TP ₃	6.05	79.14	9.20	73.09
MP	—	—	3.73	75.41
GNO				75.41
CNSING			.64	76.05

LAKE CO

6/29/71

OWNER - CITY OF TAVARES

BM - INT ST CLAIR & CAROLINE EL 76'

HOT RAINY

LEVEL - CARL

ROD - DAN

LOCATION - SEC 29, T19S, R26E

NE 1/4 SW 1/4

FIG SEE P63

W-
6616P
65

BM	BS(+)	HI	FS(-)	ELEV
BM _x	10.15	80.15	—	70.00
MP	/	/	6.07	74.08
GND				74.08

LAKE CO 6/30/71

OWNER - Hilltop NURSERY


BM - INT

2 GROVE RD EL. 70'

HOT/CLOUDY

LEVEL - CARI

ROO - DAN

LOCATION - sec 31, T14S, R25E
NW 1/4 / NW 1/4

W-
3496

P
66

BM	BS(+)	HI	FS(-)	ELEV
BMX	7.65	77.65	—	70
TP ₁	8.80	77.75	8.70	68.95
TP ₂	10.22	78.47	9.50	68.25
TP ₃	5.08	75.13	8.42	70.05
MP	—	—	5.00	70.13
GND				70.13

LAKE CO

6/30/71

OWNER-AL BUSE

BM - HAINES CREEK RD S. 441 EL 70'

HOT/CLOUDY

LEVEL-CARI

ROD-DAN

LOCATION-SEC 24, T19S, R 25E,
SW 1/4, SE 1/4

W-
6200P.
67

LAKE CO

6/30/71

BM BS(+) 14 I FS(-) ELEV

BM_x 6.85 76.98 70.13TP₁ 12.05 88.15 .88 76.10TP₂ 11.30 99.31 .14 88.01TP₃ .53 88.49 11.35 87.96TP₄ 3.95 80.39 12.05 76.44TP₅ 8.83 83.47 5.75 74.64TP₆ 8.30 83.67 8.10 75.37

MP 5.35 78.32

GND 78.31

CASING 1.80 79.12

OWNER - SQUIBB, CHARLIE

BM - SEC p 66. EL FROM W-3496

HOT

Le VOL - CARL

RUD - DAN

LOCATION - SEC 25, T19S, R25E,
SW 1/4 / NE 1/4

W-
3180

68

BM	BS(+)	HI	FS(-)	EL.
BMx	9.50	88.50	/	79.00
TP ₁	5.66	82.16	12.00	76.50
TP ₂	10.48	87.87	4.77	77.39
TP ₃	9.11	95.96	.92	86.85
MP	/	/	7.42	88.54
				-1.8
				86.74

LAKE CO

2 July 71


OWNER - CITY OF Leesburg

BM - INT RR & PALMETO Rd EL 79'

Level - CARL

Rob - DAN

LOCATION - Sec 26, T19S, R24E, NW/NE



sunken into hole.

W-
3798

69

BM	BS(+)	HI	FS(-)	EL.
BM _x	8.87	97.41	—	88.54
TP ₁	9.39	105.16	1.64	95.77
TP ₂	4.47	100.27	9.36	95.80
MP			5.21	95.06
CASING			.8	95.86

LAKE CO

2 JUL 71

OWNER - CITY OF LEESBURG

BM - EL FROM W-3180 EL. 88.54

LEVEL - CARI

ROD - DAN

LOCATION - Sec 26, T19S, R24E

SW 1/4 / NE 1/4

see preceding
page

WTH

3796

70

BM BSC(+1) HI FS(-1) EL

BMX 5.21 100.27 / 95.06

MP — — 7.52 92.75

CASING .4 93.15

LAKE CO

2 JUL 71

OWNER - CITY LEESBURG


BM - EL FROM W-3798 USED EL. 95.06

Level - CARI

ROD - DAN

HOT/CLOUDY

LOCATION SEC 26, T19S, R24E, SW 1/4 / NE 1/4



W-
3795

71

BM	BS(+)	HI	FS(-)	EL
BM _x	6.63	99.38	—	92.75
MP	—	—	4.26	95.12
CASING			.9	96.02

LAKE CO

2 JUL 71

OWNER - CITY LEESBURG

BM - FROM - W - 3796 EL 92.75'

Level - CARI

ROD - DAN

RAINY

LOCATION - SEC 26, T17S, R24E, SW 1/4, NE 1/4

W-
6266

72

BM	BS(+)	HI	FSG)	EL
BM _x	8.50	76.50	/	68.00
MP	/	/	6.15	70.35
CASING			.6	70.95

LAKE CO

7/5/71

OWNER - CITY LEES

BM - INT DOZIER CIRCLE & DIXIE AV.

EL 68.00

HUMID/CLOUDY

LEVEL - CARL

ROD - DAN

LOCATION Sec 26, T19S, R 24E

NE 1/4 / SE 1/4

PUMP NOT Yet INSTALLED

JUST SLAB IS THERE

W-
3898

73

BM	BS(+)	HI	FS(-)	ELEV
BM _x	7.85	75.85	/	68.00
MP	/	/	.36	75.49
GND				75.49
CASING			1.5	76.99

LAKE CO

7/5/71

OWNER - CITY OF LEESBURG

BM - INT DOBIE CIR & DIXIE AV - EL 68

HOT/RAINY

LEVEL - CAR

ROO - DAN

LOCATION SEC 26, T19S, R24E
SE 1/4 NE 1/4

Well IN PUMPHOUSE

SPOT TAKEN

W-
3900

74

BM	BS(+)	HI	FS(-)	ELEV
BMx	4.95	80.44		75.49
TP ₁	9.10	85.69	3.85	76.59
MP	/	/	5.61	80.08
CASING			1.1	81.18

LAKE CO 7/5/71

OWNER - CITY Leesburg

BM-EL FROM W-3898 USED EL
75.49'

LEVEL-CAR

ROD-DAN

HOT/RAINY

LOCATION - Sec 26, T₁₉S, R₂₄E
SW 1/4 / NE 1/4

W-
6268

75

BM	BS(+)	HI	FS(-)	ELEV
BMx	11.40	79.40		68.00
MP	—	—	.80	78.60

LAKE CO

7/5/71

OWNER - CITY LEESBURG

BM - INT DOZIER CIR + DIXIE AV EL 68'

RAINY

Level - CARL

ROD - DAN

LOCATION SEC 26, T19S, R24E

NW 1/4 / SE 1/4

SUBMERSIBLE well

W-
4563

76

BM	BS(+)	HI	FS(-)	ELEV
BMx	9.10	87.70	—	78.60
TP,	5.71	83.56	9.85	77.85
MP	—	—	7.74	75.82
END				75.82

LAKE CO

7/6/71

OWNER - CITY Leesburg

BM - EL FROM W-6268 USED EL
78.60'

Level - CARL

ROO - DAN

LOCATION - SEC 26, T19S, R24E
NW 1/4 / SE 1/4

W-
3012

77

BM	BS(+)	HI	FS(-)	ELEV
BMx	7.15	76.15		69.00
TP ₁	10.47	77.14	9.48	66.67
TP ₂	6.73	83.72	.15	76.99
MP			3.64	80.08
GND				80.08

LAKE CO

7/6/71

OWNER - AS HERLONG

BM - INT TALLY RD AND 27 EL 69'

CLOUDY

Level - CARL

ROD - DAN

LOCATION - Sec 15, T19S, R 24E

SE 1/4 / SE 1/4

Well CAPPED, MOTOR GONE

W-
3497

78

BM	BS(+)	HI	FS(-)	EL.
BM _x	12.98	80.98	/	68.00
TP ₁	12.37	93.34	0.01	80.97
TP ₂	8.70	96.34	5.70	87.64
MP	/	/	10.70	85.64
GND				85.64

LAKE CO 7/6/71

OWNER - HELEN ZIMMERMAN

BM - INT 441 E TOMATO HILL RD

EL 68'

Level - CARL

ROD - DAN

CLOUDY, HOT

LOCATION - Sec 19, T19S, R25E, SW 1/4 SW 1/4

