

WALTON

63

WALTON COUNTY

pages 1 thru 35

KIERNAN
and
SETLOW

SUMMER 1971

see back of Book
for Index.

W-8105

PAGE
1

T.P.	H.S.	LEVEL	F.S.	ELEV.
				159.00 B.M.

1	13.40	172.40	.48	171.92
---	-------	--------	-----	--------

2	13.10	185.02	1.60	183.42
---	-------	--------	------	--------

3	12.98	196.40	0.06	196.36
---	-------	--------	------	--------

4	10.38	206.74	0.21	206.53
---	-------	--------	------	--------

5	9.54	216.07	.56	215.51
---	------	--------	-----	--------

6	4.96	220.47	4.35	216.12
---	------	--------	------	--------

grd. elev: 216.12'

WALTON COUNTY

June 16th, 1971

OWNER: MATZEN FARM [drilled by
Hodges of DNR., Bureau of GEOLOGY.]

LOCATION: T3N, R10W, Sec 8.
(SW¹/₄ of NW¹/₄)

CONDITIONS - CLEAR HOT MORNING

Rod: LOREN

LEVEL: TOM

BM: Road intersection with first
dirt road on LEFTSIDE TRAVING NORTH
ON S.R. 183 FROM COREWELL SITE.

NO PICTURE OF
CASING

D.N.R.
CORE HOLE.

W-8012

PAGE
2

T.P.

H.S.

LEVEL

F.S.

ELEV.

132.00 ← B.M.

1.	9.90	141.90	.44	141.46
2.	2.65	144.11	.88	143.23
3.	1.33	144.56	13.05	131.51
4.	.10	131.61	7.18	124.43
5.	5.96	130.39	1.70	128.69
6.	9.99	138.68	.17	138.51
7.	12.84	151.35	.60	150.75
8.	12.45	163.20	.10	163.10
9.	11.98	175.08	.06	175.02
10.	11.77	186.79	.21	186.58
11.	11.85	198.43	.88	197.55
12.	13.26	210.81	.63	210.18
13.	13.09	223.27	.23	223.04
14.	11.70	234.74	.12	234.62
15.	9.35	243.97	4.59	239.38

Grd elev: 239.38'

WALTON County

June 16TH, 1971OWNER: WARD farm [drilled by Hodges
of D.N.R., BUREAU OF GEOLOGY]LOCATION: T 5 N, R 18 W, sec 4
(NW 1/4 of NE 1/4)

CONDITIONS: Hot, Humid Morning

Rod: LOREN

LEVEL: TOM

B.M. - 1/2 mile south of well site

at Road intersection of dirt road
with S.R. 2.

D.N.R. Core hole

W-8013

PAGE
3

T.P.	H.S.	LEVEL	F.S.	ELEV.
				132.00 ← B.M.

1	11.00	143.00	4.60	138.40
---	-------	--------	------	--------

2	6.42	144.82	13.08	131.74
---	------	--------	-------	--------

3	.25	131.99	1.40	130.59
---	-----	--------	------	--------

4	13.40	143.99	.52	143.47
---	-------	--------	-----	--------

5	5.16	148.63	10.00	138.63
---	------	--------	-------	--------

6	2.15	140.78	5.65	135.13
---	------	--------	------	--------

grd elev: 135.13'

WALTON County

June 16TH, 1971

owner: Smith Farms drilled by
Hodges of D.N.R. (Bureau of GEOLOGY)

LOCATION: T5 N, R18 W, sec 4
(NE 1/4 OF SW 1/4)

CONDITIONS - HUMID, HOT AFTERNOON.

Rod: LOREN.

LEVEL: TOM

B.M. - 1/2 mile SW of well site at

Road intersection of dirt road and
S.R. 2.

D.N.R.

core hole.

W-7973

PAGE
4.

T.P.	H.S.	LEVEL	F.S.	ELEV.
				315.00 ← B.M.

0

grd. elev: 315.00'

WALTON COUNTY JUNE 16TH, 1971

OWNER: Miller farm [drilled by
Hodges of D.N.R. BUREAU of GEOLOGY]

LOCATION: T5N, R18W, Sec 33
(NE¹/₄ of SW¹/₄)

CONDITIONS: HOT. AFTERNOON.

B.M. LOCATED AT the well site.

D.N.R.

core hole

W-

TP

HS (+) LEVEL FS (-) ELEV.

PAGE
5

187.00 ← BM

1 3.92 190.92 10.82 180.10

2 13.28 193.38 .95 192.43

3 8.62 201.05 .68 200.37

4 11.40 211.77 9.82 201.95

grd. elev: 201.95'

Walton County

June 17, 1971

OWNER: HOLLEY FARM [drilled by Hodges
of DNR, Bureau of GEOLOGY]LOCATION: T6N, R20W, sec 26
NW 1/4 of SE 1/4

CONDITIONS: warm cloudy morning

Rod: TOM

LEVEL: LOREN

BM. - Road intersection south of
Natural Bridge

D.N.R.

core hole.

W- B104

PAGE
6

TP	HS.	LEVEL	FS	ELEV.
				275.00 ← BM

1	7.24	282.24	.56	281.68
---	------	--------	-----	--------

2	13.40	295.08	2.49	292.59
---	-------	--------	------	--------

grd. elev: 292.59'

WALTON County.

June 17, 1971

OWNER: BROWN FARM [drilled by Hodges
of DNR Bureau of GEOLOGY]

LOCATION: T 5 N, R 20 W, SEC 2
SE $\frac{1}{4}$ OF SW $\frac{1}{4}$.

CONDITIONS Cloudy Morning

Rod: LOREN

LEVEL: TOM

BM - Road intersection of Brown's
Residential dirt Road with the
main dirt Road that runs North
and South. Intersection is about
2 miles south of Natural Bridge

DNR.

core hole

W-8356

PAGE
7

H.S. LEVEL F.S. ELEV

235.00 B.M.

1 2.45 237.45 7.72 229.73

2 3.93 233.66 8.04 225.62

3 1.04 226.68 7.10 219.58

4 3.02 222.60 4.15 218.45

grd. elev: 218.45'

WALTON County June 17, 1971

owner: Holloway [drilled by Hodges
of DNR, Bureau of GEOLOGY]LOCATION: T 5 N R 20 W Sec 25
(SE $\frac{1}{4}$ of SE $\frac{1}{4}$)

CONDITIONS Hot afternoon

Rod: TOM

LEVEL: LOREN

BM: U.S.G.S. (EEW-32) 1947

D.N.R.

core hole.

W 8019

PAGE
8.

TP	HS	LEVEL	FS	ELEV
				255.00 - BM

1	11.93	266.93	8.66	258.27
---	-------	--------	------	--------

2	00.00	258.27	9.77	248.50
---	-------	--------	------	--------

3	5.93	254.43	1.19	253.24
---	------	--------	------	--------

4	13.21	266.45	1.13	265.32
---	-------	--------	------	--------

5	9.75	275.07	1.52	273.55
---	------	--------	------	--------

6	9.32	282.87	.40	282.47
---	------	--------	-----	--------

7	3.38	285.85	1.65	284.20
---	------	--------	------	--------

grd. elev: 284.20'

WALTON County June 17, 1971

OWNER: Bunge farm [drilled by
Hodges of DNR, Bureau of GEOLOGY]

LOCATION: T4N, R20W, SEC 2
(SW 1/4 of NE 1/4)

CONDITIONS: Cloudy afternoon.

Rod: LOREN

LEVEL: TOM

BM: Road intersection 1 mi
south of the Bunge farm.

D.N.R.

core hole.

W-8102

PAGE

9

TP	HS	LEVEL	F.S.	ELEV.
				327.00 ← BM
1	11.70	338.70	5.32	333.38
2.	2.82	336.20	1.58	334.62
3	6.23	340.85	4.98	335.87

grd. elev: 335.87'

WALTON County June 18, 1971

owner: Mathis Farm [drilled by Hodges
of DNR, Bureau of GEOLOGY]

LOCATION: T6N, R21W, sec 36 ba bd

conditions cloudy morning

Rod: LOKEN

LEVEL: TOM

B.M. - Rd intersection of Hwy 331
and S.R. 85.

D.N.R.

core hole.

W-7972

PAGE
10

TP	H.S. ⁺	LEVEL	FS ⁻	ELEV.
				271. ← BM

1	7.44	278.44	2.70	275.44
---	------	--------	------	--------

2	5.94	281.38	10.22	271.16
---	------	--------	-------	--------

3	3.25	274.41	10.65	263.76
---	------	--------	-------	--------

4	.10	263.86	9.15	254.71
---	-----	--------	------	--------

5	1.20	254.91	9.55	245.36
---	------	--------	------	--------

6	4.87	250.23	5.40	244.83
---	------	--------	------	--------

grd. elev: 244.83'

WALTON County June 18, 1971

OWNER: GAVIN Farm [drilled by
Hodges of DNR. Bureau of GEOLOGY]

LOCATION: T 3N, R 20W, Sec 13
(SE 1/4 of SW 1/4)

CONDITIONS: Rainy afternoon

ROCK: TDM

LEVEL: LOREN

BM: Road intersection of dirt
Road to the GAVIN FARM with
Hwy. 2 miles west of DeFuniak
Springs

DNR.

CORE. hole.

W-8354

PAGE.
11

TP	H.S.	LEVEL	F.S.	ELEV.
				259 ← BM

1	1.56	260.56	7.13	253.43
2	4.82	258.25	8.68	249.57
3	1.86	251.43	7.35	244.08
4	3.24	247.32	2.74	244.58
5	4.90	249.48	6.78	242.70
6	4.98	247.68	5.52	242.16
7	2.70	244.86	3.00	241.86
8	4.41	246.27	4.49	241.78
9	7.60	249.38	5.54	243.84
10	2.73	246.57	5.94	240.63
11	3.11	243.74	5.65	238.09
12	.72	237.37	9.67	227.70
13	.44	228.14	10.53	217.61
14	2.43	219.04	6.90	212.14
15	4.21	216.35	8.43	207.92

WALTON County June 21st 1911

OWNER: D.N.R., drilled by Hodges

LOCATION: T3N, R21W, SEC3
(NW 1/4 of SE 1/4)

CONDITIONS - WARM MORNING

ROD - LOREN

LEVEL - TOM

BM - Road intersection of dirt road,
which is the entrance to well site,
with SR. 285. Intersection 1 mile
north of Hwy 90.

Shoal River corehole

W-8354

PAGE

12

WALTON County

TP	HS	LEVEL	FS	ELEV
16	6.42	208.34	.03	208.33
17	7.42	215.75	4.00	211.75
18	7.06	218.81	4.02	214.79
19	6.69	221.48	4.72	216.76
20	5.52	222.28	5.37	216.91
21	4.58	221.49	5.77	215.72
22	3.64	219.36	7.65	211.71
23	8.02	219.73	4.28	215.45
24	.45	215.90	6.32	209.58
25	3.77	213.35	4.33	209.02
26	5.74	214.76	3.29	211.47
27	5.85	217.32	5.60	211.72
28	3.14	214.86	8.79	206.07
29	1.55	207.62	6.54	201.08

elev.: 201.08'

Shoal River cowhole

W-8103

PAGE
13

TP	HS	LEVEL	FS	ELEV.
----	----	-------	----	-------

243.00 ~~BM~~

1	1.92	244.92	1.25	243.67
---	------	--------	------	--------

2	13.40	257.07	.10	256.97
---	-------	--------	-----	--------

3	13.20	270.17	.00	270.17
---	-------	--------	-----	--------

4	13.22	283.39	13.29	270.10
---	-------	--------	-------	--------

5	.00	270.10	.65	269.45
---	-----	--------	-----	--------

6	13.40	282.85	1.23	281.62
---	-------	--------	------	--------

7	4.16	285.78	13.30	272.48
---	------	--------	-------	--------

8	3.50	275.98	2.93	273.05
---	------	--------	------	--------

9	3.10	276.15	10.93	265.22
---	------	--------	-------	--------

10	3.25	268.47	2.47	266.00
----	------	--------	------	--------

11	13.40	279.40	.62	278.78
----	-------	--------	-----	--------

12	12.70	291.48	4.01	287.47
----	-------	--------	------	--------

grd. elev: 287.47

WALTON County June 21, 1971

OWNER: St. Regis CORE hole [D.N.R.]

LOCATION: T 5N, R 21W, SEC 35 acc

CONDITIONS: HOT AFTERNOON

Road: LDREN

LEVEL: TDM

BM: Road intersection of two dirt roads

1.5 miles south of well site.

W-8351

PAGE
14

TP	H.S.	LEVEL	F.S.	ELEV.
				289 ← BM

1	0.02	289.02	6.76	282.26
---	------	--------	------	--------

2	7.15	289.41	4.85	284.56
---	------	--------	------	--------

grd. elev: 284.56'

WALTON County

JUNE 22, 1971

OWNER: EGLIN AIR FORCE BASE
FIRST CORE HOLE.

LOCATION: T2N, R21W, SEC 9
NW 1/4 of SW 1/4

Conditions: HOT MORNING

Rod: TOM

LEVEL: LOREN

BM: Road intersection 1/2 mi. north
of well site on S.R. 280

NO
Number

PAGE
15

TP H.S LEVEL FS ELEV.
66.00 ← BM

1 13.30 79.30 .98 78.32

2 13.39 91.71 1.20 90.50

3 13.21 103.71 1.42 102.29

4 4.91 107.20 5.10 102.10

5 13.00 115.10 1.82 114.18

6 9.62 123.80 .06 123.74

7 12.61 136.35 4.56 131.79

gnd. ELEV: 131.79'

WALTON County

JUNE 22, 1971

OWNER: MAY HAIR FARM

LOCATION: T2N, R17W, SEC 4
(SE 1/4 OF NE 1/4)

CONDITIONS: HOT MORNING

LEVEL: TOM

Red: LOREN.

BM: 100 yards south of May Hair
farm entrance, Road intersection
with dirt road and SR. 81.

W-10435

PAGE
16

TP	HS.	LEVEL	FS.	ELEV.
				100'.00 ← BM

1	4.82	104.8	2.97	101.85
---	------	-------	------	--------

2	8.25	110.10	5.35	105.65
---	------	--------	------	--------

grd. elev: +5.65

MUST WRITE WASHINGTON, D.C. FOR

BENCHMARK ELEVATION.

WALTON County

JUNE 22, 1971


OWNER: TOWN of ARGYLE

LOCATION: T3N, R18W, Sec 29
(NE 1/4 OF SE 1/4)

CONDITIONS: HOT AFTERNOON

ROD: LOREN

LEVEL: TOM

BM: ARGLE #3, USGS, 1953,
Restamped 1969Well located in
pump house

W-6484

PAGE
17

	HS	LEVEL	FS	ELEV
				37. BH

1	.00	37.00	12.80	24.20
---	-----	-------	-------	-------

2	3.75	27.95	3.66	24.29
---	------	-------	------	-------

3	9.35	33.64	13.40	23.24
---	------	-------	-------	-------

4	5.11	28.35	2.85	25.50
---	------	-------	------	-------

grd. elev: 25.50'

WALTON County

JUNE 23, '71

OWNER: JOHNSON, W.A.

LOCATION: T3S, R20W, Sec 3

NW $\frac{1}{4}$ OF SW $\frac{1}{4}$

Conditions: WARM MORNING

Rod: LOREN

LEVEL: TOM

BM: Road intersection with dirt road
and S.R. 393 about .25 mi. NORTH
of the GULF.

W-8865

PAGE
18

TP	HS	LEVEL	FS	ELEV.	
				18	BM

1	5.45	23.45	5.23	18.22	
2	3.70	21.92	5.94	15.98	
3	4.80	20.78	5.50	15.28	
4	4.40	19.68	5.08	14.60	
5	4.93	19.53	4.77	14.76	
6	3.42	18.18	5.80	12.38	
7	4.28	16.66	2.73	13.93	
8	6.45	20.38	.13	20.25	
9	12.10	32.35	.74	31.61	-
10	12.46	44.07	1.10	42.97	

grd. elev: 42.97

WALTON County

JUN 23, 1971

OWNER: COFFEEN core hole, D.N.R.

LOCATION: T3S, R21W, Sec 35
(NW 1/4 of NW 1/4)

CONDITIONS: HOT

Rod: TOM

LEVEL: LDREN

BM: Road intersection of dirt Road
and Hwy 98, just NORTH of
BALD HILL LAKE.

W-10347

PAGE
19

TP	HS	LEVEL	FS	ELEV.	
				00.00	BM
1	10.32	10.32	1.79	8.53	
2	12.61	21.14	1.84	19.30	
3	3.09	22.39	4.21	18.18	
4	6.11	24.29	4.65	19.64	

grd. elev. 19.64'

WALTON County

JUNE 23, 1971

owner: South WALTON Utility Co.

LOCATION: T3S-R21W Sec 33

(NE $\frac{1}{4}$ of NW $\frac{1}{4}$)

conditions: HOT AFTERNOON

Rod: LOREN

LEVEL: TOM

BM: Sea level (00.')

W-?

PAGE
20

TP	HS	LEVEL	FS	ELEV
				204.00 BM

1	.28	204.28	2.90	201.38
---	-----	--------	------	--------

2	7.16	208.54	2.86	205.68
---	------	--------	------	--------

grd. elev: 205.68

WALTON County

JUN 24, 1971

owner: ATKINSON core hole, D.N.R.

LOCATION: T 2 N, R 20 W, Sec 2

NW 1/4 of NW 1/4

conditions: Cool morning

Rod: TOM

LEVEL: LOREN

BM: DIRT Road intersection about 1/2 mi.
south of well site.

W-8352

PAGE
21

TP	HS	LEVEL	FS	ELEV.
				160.00 BM

1.	5.78	165.78	2.30	163.48
----	------	--------	------	--------

grd. ELEV: 163.48

WALTON County

June 24, '71

OWNER: EGLIN #2 Corehole, DNR.

LOCATION: T1N, R20W, Sec 11
NW 1/4 of SW 1/4

Conditions WARM MORNING

Rod: TDM

LEVEL: LOREN

BM: U.S. GS. marker, about 100'
south of well site.

W-8877

PAGE

22

TP	HS	LEVEL	FS	ELEV
				18.00 BM

1	2.60	20.60	7.41	13.19
---	------	-------	------	-------

2	1.00	13.19	10.55	2.64
---	------	-------	-------	------

grd elev: 2.64'

WALTON County

JUNE 24, 1971

OWNER: LA LONDE CREEK, DNR.

LOCATION: T 15, R 21 W, SEC 22
SW 1/4 of SE 1/4

conditions Hot AFTERNOON

Rod: LOREN

LEVEL: TOM

BM: USGS, TT29D, 1983 about 1/4 mi.

EAST of well site along Hwy 20.

W-8591

PAGE

23

TP	HS	LEVEL	FS	ELEV.	
				00.	BM

1	13.40	13.40	.61	12.79	
---	-------	-------	-----	-------	--

2	12.63	25.42	11.00	14.42	
---	-------	-------	-------	-------	--

3	.43	14.85	11.63	3.22	
---	-----	-------	-------	------	--

4	6.20	9.42	5.05	4.37	
---	------	------	------	------	--

5,	4.78	9.15	6.58	2.57	
----	------	------	------	------	--

elev: 2.57'

WALTON Co.

JUNE 28, 1971

owners: GRAYTON STATE PARK, Price corehole

drilled by Hodges of D.N.R.

LOCATION: T.35, R.19 W. Sec 16

SE 1/4 of NW 1/4

CONDITIONS WARM MORNING

LEVEL: TOM

Rod: LOREN

BM: SEA level (00.')

W-8876

PAGE

24

TP

HS

LEVEL

FS

ELEV.

19.00 ← BM

1 2.9 21.90 3.82 18.08

2 5.70 23.78 5.69 18.09

3 5.81 23.90 9.00 14.90

4 5.35 20.25 6.70 13.55

5 5.35 18.90 11.48 7.42

6 5.80 13.22 4.02 9.20

elev: 9.20'

40.71

36.91

98.6

WALTON Co

JUNE 28, 1971

OWNER: SAM corehole, DNR.

LOCATION: T2S, R19W, Sec 2

NE 1/4 OF SE 1/4

CONDITIONS HOT AFTERNOON.

LEVEL: TDM

Rod: LOREN

BM: USGS, 1 mi N.W. of BLACK CREEK
LODGE.

W-8353

Page
25

TP	#S	LEVEL	FS	ELEV
				177.91' ← BM

1	7.86	185.77	5.16	180.61
---	------	--------	------	--------

gnd. elev: 180.61'

Benchmark is assumed as 100.00',
and, Elevation may be found in
Washington, DC.

WALTON Co.

JUN 29, '71

OWNER: ELGIN #3 core hole, DNR

LOCATION: T 1 N, R 20 W, Sec 14
(NW 1/4 of SW 1/4)

Rod: TOM

LEVEL: LOREN

CONDITIONS: WARM MORNING

BM: USCGS P138 1953

BM = 177.91'

W-8004

Page

26

TP	H S	LEVEL	FS.	ELEV
				153. BM

1	6.20	159.20	3.06	156.14
---	------	--------	------	--------

grd. ELEV.: 156.14'

WALTON Co.

JUN. 29, 1971

owner: COSSON #1, DNR

LOCATION: T2N, R19W SEC 19

SE 1/4 of NE 1/4

Conditions: WARM MORNING

Rod: TOM

LEVEL: LOREN

BM: DIRT Road intersection 25'

S.E. of WELL site

W-7974

Page

27

TP	HS	LEVEL	FS	ELEV.
				278 BM

1	8.10	286.10	1.62	284.48
---	------	--------	------	--------

2	2.24	286.72	3.40	283.32
---	------	--------	------	--------

grd. elev: 283.32'

WALTON Co.

JUN 29, 1971

OWNER: KOHLER CREEK, DNR.

LOCATION: T2N R18W, SEC 3
NE 1/4 OF NW 1/4

CONDITIONS: HOT AFTERNOON

LEVEL: LOREN

ROD: TOM

BM: Road intersection 1/2 mi. west
of well site.

W- 81.93

Page
28

TP	H.S	LEVEL	F.S	ELEV
				201.00 BM
1	12.39	213.39	2.03	211.36
2	5.28	216.64	4.14	212.50

grd. elev: 212.50'

WALTON Co.

JUNE 29, 1971

OWNER: CAMPBELL Corehole, DNR

LOCATION: T 2 N, R 18 W - Sec 21
SE 1/4 OF SE 1/4

CONDITIONS: HOT AFTER NOON

LEVEL: LOREN

ROD: TOM

BH: Road intersection of dirt road
with Hwy 280 just 1000 yds south
of well site.

W-8014

Page
29

TP	HS	LEVEL	FS	ELEV	
				188	BM

1	3.94	191.94	7.06	184.88	
---	------	--------	------	--------	--

2	.55	185.43	1.26	184.17	
---	-----	--------	------	--------	--

3	6.95	191.12	3.96	187.16	
---	------	--------	------	--------	--

grd. elev: 187.16'

WALTON Co.

JUN 29, '71

OWNER: VAUGHAN Corchote, DNR

LOCATION: T2N, R17W- Sec 15
NW 1/4 of NW 1/4

CONDITIONS HOT AFTERNOON

Red: TOM

LEVEL: LOREN

BM: USGS Benchmark located in
front of school house in Red bay.

W-8592

Page
30

TP	HS	LEVEL	FS	ELEV
1	6.90	51.90	2.82	49.08

45.00

BM

gd. elev: 49.08

WALTON Co.

JUN 29, '71

OWNER: Bruce Corehole, DNR

LOCATION: T 1N, R 17W, SEC 20
SW 1/4 OF SE 1/4

CONDITIONS HOT AFTERNOON

ROD: TOM

LEVEL: LOREN

BM: USGS Benchmark at intersection
on Hwy 81 with Hwy 20.

W-7971

Page
31

TP	HS	LEVEL	FS	ELEV.
				183.00 BM
1	4.85	187.85	1.92	185.93
2	12.90	198.83	3.95	194.88

grd. elev: 194.88

WALTON Co.

JUNE 30, '71

OWNER: SEYMORE Conchote, DNR.

LOCATION: T 1 N, R 18 W, SEC 9
SE 1/4 of SW 1/4

CONDITIONS WARM MORNING

ROD: TOM

LEVEL: LDREN

BM: USGS, TT 45 D, 1935

W-8478

Page
32

TP	HS	LEVEL	FS	ELEV.
				14.00 BM
1	2.90	16.90	4.69	12.21
2	4.78	16.99	5.88	11.11
3	3.16	14.27	4.55	9.72

grd. elev: 9.72'

WALTON Co.

JUNE 30, 1971

OWNER: Bayview Care home, DNR.

LOCATION: T15, R19W, Sec 31

NW 1/4 of NE 1/4

CONDITIONS: WARM MORNING

Rod: LOREN

LEVEL: TOM

BM: Road intersection 1/4 mi. NORTH
of well site.

W 8355

Page

33

TP	HS	LEVEL	FS	ELEV.
----	----	-------	----	-------

54.00 BM

1.	.20	54.20	11.11	43.09
----	-----	-------	-------	-------

2.	3.00	46.09	1.50	44.59
----	------	-------	------	-------

3.	5.85	50.44	5.90	44.54
----	------	-------	------	-------

grd. elev: 44.54'

WALTON Co.

JUN 30, 1971

OWNER: RYAN #1 core hole, DNR.

LOCATION: T1S, R18W, Sec 20
NE 1/4 OF SW 1/4

CONDITIONS: HOT AFTERNOON

Rod: LOREN

LEVEL TOM

BM: USGS H292 1967

W-8587

Page
34

TP	HS.	LEVEL	FS.	ELEV.
				10.00 BM

1	3.13	13.13	7.5	12.38
---	------	-------	-----	-------

2	6.49	18.87	4.16	14.71
---	------	-------	------	-------

gnd. elev: 14.71'

WALTON Co.

JUNE 30, '71

owner: Mack Conchale, DNR

LOCATION: T 2 S - R 18 W Sec 13

NE $\frac{1}{4}$ OF NW $\frac{1}{4}$

Conditions HOT AFTERNOON

LEVEL: TOM

Rod: LOREN

BM: DIRT ROAD intersections $\frac{1}{2}$ mi

NORTH of well site.

W-8873

Page
35

TP.	HS.	LEVEL	FS	ELEV.
				42.00 ← BM.
1	3.44	45.44	2.67	42.77
2	4.35	47.12	3.95	43.17
3	4.92	48.09	3.63	44.46
4	3.82	48.28	6.50	41.78
5	7.40	49.18	8.89	40.29

grd. elev: 40.29'

WALTON Co.

July 1, 1971

owner: Intra coastal Waterways Corhd.
DNR.

LOCATION: T 35, R 18W sec 11

(NW 1/4 / NW 1/4 / SW 1/4)

Conditions: WARM MORNING

Rod: TBM

LEVEL: LOREN

BM: Road intersection 1 mi west
of well site.

BAY
GULF
CALHOUN
and
WASHINGTON
Counties

pages 37 thru

KIERNAN
and
SETLOW

SUMMER 1971

W-5369

PAGE
37

TP	HS	LEVEL	FS	ELEV.
----	----	-------	----	-------

23.00 ← BM

1.	6.75	29.75	12.65	17.10
----	------	-------	-------	-------

2.	13.40	30.50	1.60	28.90
----	-------	-------	------	-------

3.	5.40	34.30	3.52	30.78
----	------	-------	------	-------

grad. elev. 20.78'

25.55

17.70

BAY County

July 6, '71

owner: Southern KRAFT, International

PAPER Company

LOCATION: T45, R13W, SEC. 8
(SE 1/4 of NE 1/4)

conditions: Hot Morning

LEVEL TBM

Rod LOREN

BM: USCGS, V42, 1936 23.00'

well pump was pulled.

W-8273

Page
35

TP	HS	LEVEL	FS	ELEV.
				13.00' BM
1	6.58	19.58	6.83	12.75
2	3.80	16.55	4.70	11.85
3	1.95	13.80	3.60	10.20

elev: 10.20'

BAY County

July 6, '71

OWNER: GULF COAST JUNIOR College

LOCATION: T 35, R 15 W, SEC 35
(NW 1/4 OF NW 1/4)

CONDITIONS: HOT AFTERNOON

LEVEL: TOM

Rod: LOREN

BM: ARMY CORPS OF ENGINEERS 1956 H176
13.00'Well pump covered by
manhole cover


grd. elev. = 10.20'

W-10533

Page
39

TP HS LEVEL FS ELEV.

10.00' ← BM

1 9.89 19.89 10.11 9.78

elev: 9.78'

BAY County

July 6, '71

owner: Venture Out in America

LOCATION: T4S, R15W, SEC 16
(NE 1/4 of SE 1/4)

conditions: Hot after noon

LEVEL: TOM

Rod: LOREN

BM: Road intersection of SR392-N with
SR 392-W.

Well is capped.

W-

Page
40

TP.

HS

LEVEL

FS

ELEV.

125.00 BM

1

6.60

131.60

4.98

126.62

elev: 126.62'

WASHINGTON County July 7, 1971

OWNER: Hunt #1, D.N.R. corehole.

LOCATION: T1N, R14W, sec 16
(SE 1/4 of NW 1/4)

CONDITIONS: WARM MORNING

LEVEL: LOREN

Rod: TOM

BM: Rd intersection of two dirt
Roads 100 yds. west of well site.

DNR. corehole.

W-10853

PAGE
41

T.P.	HS.	LEVEL	F.S.	ELEV.
------	-----	-------	------	-------

149.00' ← BM

1	5.61	154.61	3.21	151.40
---	------	--------	------	--------

2	1.31	152.71	13.28	139.43
---	------	--------	-------	--------

3	2.52	141.95	6.22	135.73
---	------	--------	------	--------

4	12.60	148.33	3.60	144.73
---	-------	--------	------	--------

5	13.38	158.49	3.49	152.00'
---	-------	--------	------	---------

grd: elev: 152.00'

WASHINGTON County July 7, 1971


OWNER: SUNNY HILLS, Deltona Corp.

LOCATION: T2N, R14W, sec 25
(NE 1/4 of SW 1/4)

CONDITIONS: HOT AFTERNOON

LEVEL: TOM

Rod: LOREN

BM: USGS ON Hwy 77 at entrance
of Sunny Hills 149'.

W-10433

PAGE
42.

TP	HS	LEVEL	FS.	ELEV.
				77.00 ← BM

1	6.78	83.78	.17	83.61
---	------	-------	-----	-------

2	11.12	94.73	3.01	91.72
---	-------	-------	------	-------

grd. elev: 91.72'

WASHINGTON County July 7, 1971

OWNER: TOWN OF WAUSAU.

LOCATION: T3N, R14W, SEC 25
(NE 1/4 OF SE 1/4)

CONDITIONS: HOT AFTERNOON

LEVEL: TOM

Rod: LOREN

BM: Section corner of section 36

T3N, R14W at bend in dirt road. 77'

Well pump locked up in
pumphouse.

W-8702

PAGE
43

TP	HS.	LEVEL	FS	ELEV.
				10.00' $\leftarrow$ BM

1	9.50	19.50	8.57	10.93
---	------	-------	------	-------

grd. elev. 10.93'

Bay County


July 8, 1971

owner: formerly Holiday Outs, now
Venture Outs in America.LOCATION: T4S, R15W, Sec 16
(SE $\frac{1}{4}$ OF SE $\frac{1}{4}$)

conditions: RAINY MORNING.

LEVEL: TOM

Rod: LOREN.

BM: Road intersection of Hwy 392-N
with Hwy 392-W, 10.00'Well located in white brick
pumphouse.grd. elev.
10.93'

W-5993

PAGE
44

TP	HS	LEVEL	FS	ELEV	
				13.00	Bm

1 5.21 18.21 7.85 10.36

2 4.00 14.36 5.70 8.66

gd. elev: 8.66'

GULF COUNTY

July 12, 1971

OWNER: GULF SANDS MOTEL

LOCATION: T7S, R11W, SEC 5
(SE 1/4 OF NW 1/4)

CONDITIONS HOT MORNING

LEVEL: LOREN

Lod: TDH

BM: USCGS N174 1957, located
ON the south corner of the
motel lot.← gd. elev.
8.66'

W-				PAGE 45	
TP	HS	LEVEL	FS	ELEV	
				100.00	BM (ASSUMED)
1	1.05	101.05	12.36	88.69	
2	4.91	93.60	3.08	90.52	
3	6.35	96.87	3.81	93.06	
		grd. elev	93.06		
		casing	93.71		

Note:

Bench mark ASSUMED to be 100.00',
and correct elevation must be
obtained from Washington, D.C.

GULF County

July 12, 1971

OWNER: HIGHLAND VIEW Water and
Sewer Co.


LOCATION: T7S, R11S, Sec 26
(NE 1/4 of SW 1/4)

CONDITION: Hot Morning

LEVEL: TOM

ROD: LOREN

BM: USGS F174 1959, located
on FIRST bridge south of well
site on Hwy 98.



W-10257

Page
46

TP	HS	LEVEL	FS	ELEV
				80.00' B.M.

1	1.74	81.74	7.17	74.57
2	3.40	77.97	11.53	66.44
3	13.12	79.56	3.27	76.29
4	5.80	82.09	11.35	70.74
5	5.30	76.04	1.42	74.62
6	11.07	85.69	10.15	75.54

grd. elev: 75.54'

CALHOUN County

July 13, 1971

OWNER: TOWN OF BLOUNTS TOWN


LOCATION T1N, R8W, Sec 32
(NE 1/4 of NE 1/4)

conditions: HOT MORNING

LEVEL: LOREN

Rod: TOM

BH: Rd intersection with Hwy 20
and the road just east of
Boggs Cemetery on Hwy 20.



W-8100

Page
47

TP	HS	LEVEL	FS	ELEV
				164.00 BM

1	4.30	168.30	13.40	154.90
---	------	--------	-------	--------

2	3.32	158.22	10.09	148.13
---	------	--------	-------	--------

grd. elev. 148.13

casing 148.25

CALHOUN County July 13, 1971

OWNER: DEPT OF AGRICULTURE, Chipola

EXPERIMENT STATION


LOCATION: T15, R10W, Sec 4
(NW 1/4 of NE 1/4)

CONDITIONS: HOT AFTERNOON

LEVEL: TOM

ROD: LOREN

BM: USGS TT 28T 1942



W-8777

PAGE
48.

TP	HS	LEVEL	FS	ELEV
				37.00 ← Bm
1	6.33	43.33	10.10	33.23
2	9.42	42.65	5.40	37.25

grd. elev. 37.25'

BAY COUNTY

July 14, 1971

OWNER: WEST PANAMA CITY BEACH

LOCATION: T3S R16W NE $\frac{1}{4}$ OF NW $\frac{1}{4}$
SEC 18.


CONDITIONS HOT AFTERNOON

LEVEL: LOREN

ROD: TOM

BM: Rd. INTERSECTION OF SR. 30-A

WITH SR. 79, 37.00'

grd. elev.
37.25'

PAGE
49

JACKSON

County

W-2937

PAGE
50

TP	HS	LEVEL	F.S.	ELEV
----	----	-------	------	------

180.00 BM

1	0.95	180.95	9.05	171.90
---	------	--------	------	--------

2	6.10	178.00	5.44	172.56
---	------	--------	------	--------

3	3.56	176.12	5.46	170.66
			4.59	171.53

grd. elev: 170.66'

CASING: 171.53'

JACKSON County

July 19, 1971

OWNER: C. C. LIDDON

LOCATION: T7N R13W, SE 1/4 of NW 1/4


Sec 35

Conditions: HOT MORNING

LEVEL: LOREN

Rod: TOM

BM: USGS TT 60 JDN 1947

CASING
172.53'grd. elev.
171.66'

W-5619

PAGE
51

TP

HS

LEVEL

FS

ELEV.

144.00 ← BM

1. 9.00 153.00 13.40 139.60

2. 3.82 143.42 12.24 131.18

3. 5.60 136.78 5.85 130.93

grd. elev. 130.93'

JACKSON County

July 19, 1971


owner: TOWN OF Cottondale

location: T5N, R11W, sec 31
NE 1/4 OF NW 1/4

conditions: Hot AFTERNOON

LEVEL: TOM

Rod: LOREN

BM: Rd intersection of Hwy 90 with
ZION ST.grd. elev.
140.93'

W-2627

PAGE
52

TP	HS	LEVEL	FS	ELEV.
----	----	-------	----	-------

178. ← BM

1	12.65	190.65	1.01	189.64
2	12.63	202.27	1.45	200.82
3	9.73	210.55	10.56	199.99
4	.08	200.07	9.87	190.20
5	5.90	196.10	5.28	190.82
6	10.55	201.37	3.05	198.32
7	6.60	204.92	5.00	199.92

grd. elev: 199.92'

JACKSON County

July 20, 1971


OWNER: McRAE

LOCATION: T6N, R13W, sec 3
NW 1/4 of NW 1/4

CONDITIONS: Hot morning

LEVEL: LOREN

Rod: TDM

BM: Rd intersection of DIRT ROAD
RUNNING NORTH OF well site with
S.R. 2, 178.00'

W-3123

PAGE
53

TP	HS	LEVEL	FS	ELEV.	
				137.00'	BM

1	13.40	150.40	5.00	145.40	
---	-------	--------	------	--------	--

2	4.10	149.50	4.05	145.45	
---	------	--------	------	--------	--

grd. elev. 145.45'

JACKSON County July 21, 1971

OWNER: School Board, KYNESVILLE, FLA.

LOCATION: T4N, R11W, sec 20
SE 1/4 OF SW 1/4

CONDITIONS: HOT MORNING

LEVEL: TOM

ROD: LOREN

BM: USGS BJWH 1950 137'

well capped.

← grd. elev.
145.45'

W-3208

PAGE
54

TA	HS	LEVEL	FS	ELEV.
----	----	-------	----	-------

131.00'

1	10.00	141.00	5.86	135.14
---	-------	--------	------	--------

grd. elev: 135.14

JACKSON County

July 21, 1971

OWNER: JACKSON County School Board

LOCATION: T4N, R12W, sec 35


SE $\frac{1}{4}$ of SE $\frac{1}{4}$

CONDITIONS: Hot MORNING

LEVEL: LOREN

ROD: TOM

BH: Road intersection of DIRT
Roads southeast, 75 yds, from
well site, 131.00'



grd. elev. 135.14'

W-3703

PAGE
55

TP	HS	LEVEL	FS	ELEV.
				242.00
1	3.86	245.86	12.58	233.28
2	.40	233.68	12.88	220.80
3	.14	220.94	11.38	209.56
4	.57	210.13	9.03	201.10

grd. elev. 201.10'

JACKSON County

July 21, 1971


OWNER: LARRY GAUCK

LOCATION: T2N, R12W, sec 12
NE 1/4 of SE 1/4

CONDITIONS Hot afternoon

LEVEL: LOREN

Rod: TOM

BM: Rd intersection of S.R. 231
with DIRT Road 1/4 mi south
of Compass LAKE.grd. elev.
201.10'

W-8859

PAGE
56

TP	HS.	LEVEL	FS.	ELEV.
1	3.15	118.15	4.92	113.23

115.00

1 3.15 118.15 4.92 113.23

gnd: elev. 113.23'

JACKSON County July 22, 1971

OWNER: TOWN OF GREENWOOD


LOCATION: T5N R9W, NE $\frac{1}{4}$ of NE $\frac{1}{4}$

sec 6

CONDITIONS: WARM MORNING

LEVEL: LOREN

ROD: TOM

BH: Rd intersection of SR 71
and SR 69

W-10723

PAGE
57

TP	HS	LEVEL	FS	ELEV.
				118.00 ← BM
1.	10.66	128.66	5.19	123.47
			3.97	124.69

grd. elev. 123.47'

CASING: 124.69'

JACKSON County

July 22, 1971


OWNER: JACKSON School Board

LOCATION T5N R10W, sec 24
SW 1/4 of SW 1/4

conditions: cloudy AFTERNOON

LEVEL: TDH

ROD: LOREN

BM: Rd. intersection of SR. 166 with
dirt road 1/4 mi west of well site

W-3914

PAGE
58

TP	HS(+)	LEVEL	FS(-)	ELEV.
				120.00' ← BM

1	8.32	128.32	2.37	125.95
2	13.07	139.02	1.18	137.84
3	11.80	149.64	7.65	141.99
4	13.08	155.07	1.20	153.87
5	9.05	162.92	1.16	161.76
6	12.90	174.66	1.94	172.72
7	10.85	183.57	1.00	182.57

grd. elev. 182.57'

JACKSON County July 23, 1971

OWNER: STATE PARK SERVICE

LOCATION: T5N, R10W, SEC 27
NE 1/4 of NE 1/4

conditions: clear morning

LEVEL: LOREN

Rod: TDM

BM: Rd intersection of S.R. 166 with
Dirt Road; 1 mi. NE from well site← grd. elev.
182.57'

W-3211

PAGE
59

TP	HS	LEVEL	FS	ELEV
				160.00 ← BM

1	7.15	167.15	13.14	154.01
2	00.0	154.01	00.00	154.01
3	12.11	166.12	13.00	153.12
			8.99	144.66
4.	.53	153.65	7.72	145.93

grd. elev. 144.66'

casing: 145.93'

JACKSON County July 26, 1971

OWNER: FLA PUBLIC utility


LOCATION: T5N, R10W, SEC 33

SW 1/4 OF NE 1/4

conditions: cloudy morning

LEVEL LOREN

Rod TOM

BM: Road intersection of 7th AVE and
5th ST, 160.00

W 8754

PAGE
60

TP	HS	LEVEL	FS	ELEV.
				110. ⁰⁰ BM

1	13.40	123.40	00.00	123.40
2	13.25	136.65	.00	136.65
3	8.65	145.30	12.88	132.42
4	.35	132.07	12.85	119.22
5	00.0	119.22	13.15	106.07
6	00.0	106.07	9.92	96.15
7	10.00	106.15	3.26	102.89
8	12.13	115.02	6.96	108.06
9	4.71	112.77	00.	112.77

grd. elev. 112.77

JACKSON County

July 27, '71


OWNER: NORTH FLA. WATER Co. (Well #5)

LOCATION: T4N, R10W, Sec 3
SW 1/4 of NE 1/4

CONDITIONS: WARM MORNING

LEVEL: TOM

Rod: LOREN

BM: Road intersection of two dirt roads
behind the Marianna Cemetery, .75
mi. south of well site.grd. elev.
112.77'

W-5852

PAGE
61

TP	HS	LEVEL	FS	ELEV.
				166.00 BM

1	00.00	166.00	10.75	155.25
---	-------	--------	-------	--------

2	3.92	159.17	5.98	153.19
---	------	--------	------	--------

grd elev. 153.19

JACKSON County July 27, 1971


OWNER: DOZIER School for Boys

LOCATION: T4N R10W. SEC 17
(NE 1/4 OF NE 1/4)

CONDITIONS: Cloudy AFTERNOON

LEVEL TO M

Rod. LOREN

BM: Rd. intersection .3 mi. NORTH
of well site.

W-3442

PAGE
62

TP	HS	LEVEL	FS	ELEV.
				89.00 ← BM

1	6.33	95.33	.38	94.95
---	------	-------	-----	-------

2	12.28	107.23	1.60	105.63
---	-------	--------	------	--------

			4.81	108.83
3	8.01	113.64	3.73	109.91

grd. elev: 108.83'

CASING: 109.91'

JACKSON County July 28, 1971


OWNER: GULF POWER Company

LOCATION: T3N R7W, SEC 12
NW 1/4 of SW 1/4

CONDITIONS: Cloudy morning

LEVEL: TOM

Rod: LOREN

BM: N.E. BUILDING OF POWER PLANT
elevation marker, 89.00'

W-5576

PAGE
63

TP	HS	LEVEL	FS	ELEV.
				120.00' ← BM

1	11.24	131.24	1.32	129.92
---	-------	--------	------	--------

2	12.60	142.52	.67	141.85
---	-------	--------	-----	--------

3	12.25	154.10	1.03	153.07
---	-------	--------	------	--------

4	11.10	164.17	.48	163.69
---	-------	--------	-----	--------

5	13.18	176.87	.23	176.64
---	-------	--------	-----	--------

6	11.33	187.97	2.19	185.78
---	-------	--------	------	--------

grd. elev. 185.78'

JACKSON County. July 29, 1971

OWNER: TOWN OF Sreeds.


LOCATION T4N, R7W, SEC28

NE 1/4 OF SE 1/4

CONDITIONS: WARM MORNING

LEVEL: LOREN

Rod: TOM

BM: Road intersection of Hwy 90
with SR. 271, 120.00'

PUMP house

← grd.
elev.
185.78'

W-3882

PAGE
64

TP	HS	LEVEL	FS	ELEV
				135.00 BM

1	6.31	141.31	12.91	128.40
---	------	--------	-------	--------

2	8.58	136.98	4.82	132.16
---	------	--------	------	--------

3	10.70	142.86	4.20	138.66
---	-------	--------	------	--------

grd. elev. 138.66

JACKSON County July 29, 1971

OWNER: JACKSON County School

LOCATION: T4N, R8W, SEC 30
SE 1/4 of SW 1/4

CONDITIONS: HOT AFTERNOON

LEVEL: TDM

Rod: LOREN

BM: Rd. intersection 1/3 mile WSW
from well site; 135.00'.← grd. elev.
138.66'

W-2863

PAGE
65

TP	HS	LEVEL	FS	ELEV.
				117.00 ← BM

1	10.42	127.42	8.45	118.97
---	-------	--------	------	--------

2	7.28	126.25	13.40	112.85
---	------	--------	-------	--------

grd elev: 112.85'

JACKSON County.

July 29, 1971

OWNER: GRAHAM AVIATION SCHOOL

LOCATION: T5N R9W SEC. 18


NW 1/4 OF SW 1/4

CONDITIONS Hot cloudy AFTERNOON.

LEVEL: TOM

Rod: LOREN

BM: Rd. intersection at the entrance
to Sunland Center, 117.00'



W-2404

PAGE
66

TP	HS	LEVEL	FS	ELEV.
----	----	-------	----	-------

163.00 ← BM

1	10.11	173.11	11.32	161.79
---	-------	--------	-------	--------

2	7.27	169.06	4.06	165.00
---	------	--------	------	--------

grd. elev. 165.00'

JACKSON County

July 30, 1971

OWNER: O. REHBERG

LOCATION: T4N R11W sec 14

SW 1/4 of SE 1/4

CONDITIONS: warm morning

LEVEL: LOREN

ROD: TOM

BM: USGS, 5JWH, 1950, 163.00'



← grd. elev. 165.00'

W-2462

PAGE
67

TP	HS	LEVEL	FS	ELEV.
				154.00
1	5.61	159.61	9.15	150.46
			12.90	139.16
2	1.60	152.06	13.40	138.66

grd ELEV 138.66'

Casing ELEV 139.16'

JACKSON County July 30, 1971


OWNER: Roy PEEL

LOCATION: T5N, R13W, sec 13
(SW 1/4 of NW 1/4)

Conditions: HOT AFTERNOON

LEVEL: LOREN

Rod: TOM

BM: Rd. intersection of SR. 263
with SR 164

← grd. elev.

W-8511

PAGE
68

TP	HS	LEVEL	FS	ELEV.
				204.00 BM

1	4.50	208.50	13.21	195.29
---	------	--------	-------	--------

2	5.46	200.75	12.23	188.52
---	------	--------	-------	--------

grd. elev. 188.52'

SANTA ROSA COUNTY AUG. 3, 1971

OWNER: CHUKUCKLA WATER SYSTEM, INC.


LOCATION: T3N, R30W, Sec 11
(SW $\frac{1}{4}$ OF SE $\frac{1}{4}$)

CONDITIONS WARM MORNING

LEVEL: TOM

Rod: LOREN

BM: USGS BENCHMARK, 204.00'
LOCATED IN FRONT OF CHUKUCKLA SCHOOL,



← grd. elev. 188.52'

W-10286

PAGE
69

TP	HS	LEVEL	FS	ELEV.
				140.00' ← BM
1	11.50	151.50	7.66	143.84
2	2.95	146.79	13.40	133.39
			5.23	133.84
3	5.68	139.07	4.20	134.87
grd elev				133.84'
CASING				134.87'

140.00' ← BM

grd elev 133.84'

CASING 134.87'

SANTA ROSA County AUG. 3, 1971

OWNER EAST MILTON WATER SYSTEM, INC.

LOCATION: TIN, R27W SEC 5


NW 1/4 of NE 1/4

conditions: WARM MORNING

LEVEL: TBM

ROD: LOREN

BM: USCGS, 1967, F298, 240.00'



W-10856

PAGE
70

TP	HS	LEVEL	FS	ELEV.	
				82.00'	BH
1	3.65	85.65	13.12	72.53	
2	1.37	73.90	12.22	61.68	
3	10.52	72.20	4.33	67.87	

grd. elev. 67.87'

SANTA ROSA County AUG. 3rd, 1971


OWNER: PACE WATER SYSTEM

LOCATION: TIN, R29W, SEC 16
NE $\frac{1}{4}$ OF NW $\frac{1}{4}$

CONDITIONS: HOT AFTERNOON

LEVEL: TOM

ROD: LOREN

BM. Rd. intersection of SR. 197 and
PAVED ROAD by old school house
 $\frac{1}{2}$ MI. NORTH of well sitegrd. elev. →
67.87'

INDEX

PAGE NO.	WELL NO.	Page	Well #	Page	Well #	Page	Well #
1	8105	18	8865	35	8873	52	2627
2	8012	19	10347	36		53	3123
3	8013	20	?	37	5369	54	3208
4	7973	21	8352	38	8273	55	3703
5	?	22	8877	39	10533	56	8859
6	8104	23	8591	40	?	57	10723
7	8356	24	8876	41	10853	58	3914
8	8019	25	8353	42	10433	59	3211
9	8102	26	8004	43	8702	60	8754
10	7972	27	7974	44	5993	61	5852
11	8354	28	?	45	?	62	3442
12	"	29	8014	46	10257	63	5576
13	8103	30	8592	47	8100	64	3882
14	8351	31	7971	48	8777	65	2863
15	?	32	8478	49		66	2404
16	10435	33	8355	50	2937	67	2462
17	6484	34	8587	51	5619	68	8510

Page	WELL #
------	--------

69	10286
----	-------

70	10856
----	-------