

Sedimentologic Summary

Core #	Sample No./ Interval (ft)	Recovered Thickness (ft) of Upper Sand Layer	giNT Granularmetrics							USC	Composition (wt%)			Munsell Color	
			Size Class (wt%)				Descriptive Statistics				Organic	Carbonate	Siliciclastic	Verbal	Value
			Gravel	Sand	<#200	<#230	Mean (mm)	Verbal	Std. Dev.(phi)						
B11-3	1/0.0-0.3	14.3	0.38	99.37	0.25	0.16	0.27	F	1.01	SW	0.48	12.79	86.73	white	10YR 8/1
	2/5.0-5.3		0.00	99.28	0.72	0.45	0.20	F	0.42	SP	0.26	5.37	94.38	white	10YR 8/1
	3/9.5-9.8		0.00	99.19	0.81	0.56	0.19	F	0.46	SP	0.33	6.30	93.37	lt.gray	10YR 7/1
	4/12.5-12.8		0.05	99.36	0.59	0.35	0.22	F	0.63	SP	0.32	7.97	91.70	lt.gray	10YR 7/1
B11-307	1/0.5-0.8	8.9	0.00	99.64	0.36	0.17	0.17	F	0.48	SP	0.4	5.0	94.6	white	10YR 8/1
	2/4.0-4.3		0.29	98.99	0.72	0.43	0.20	F	0.83	SP	0.7	9.4	89.9	white	10YR 8/1
	3/5.5-5.8		0.22	99.39	0.39	0.27	0.23	F	0.98	SW	0.6	13.1	86.3	white	10YR 8/1
	4/7.5-7.8		0.30	99.19	0.51	0.30	0.23	F	1.00	SW	0.9	19.0	80.1	white	10YR 8/1
B11-310	1/0.7-1.0	7.4	0.00	99.64	0.36	0.21	0.20	F	0.65	SP	0.6	7.8	91.6	white	10YR 8/1
	2/3.5-3.8		0.57	99.09	0.34	0.31	0.25	F	1.05	SW	0.8	15.5	83.7	white	10YR 8/1
	3/5.5-5.8		0.00	99.80	0.20	0.01	0.20	F	0.67	SP	0.5	6.8	92.7	white	10YR 8/1
B11-314	1/0.5-0.8	10.0	0.01	99.59	0.40	0.21	0.20	F	0.54	SP	0.6	5.6	93.8	white	10YR 8/1
	2/3.5-3.8		0.00	94.02	5.98	5.65	0.17	F	0.47	SP	0.5	4.7	94.8	white	10YR 8/1
	3/5.5-5.8		0.00	99.02	0.98	0.71	0.20	F	0.56	SP	0.5	4.6	94.9	white	10YR 8/1
	4/8.0-8.3		0.00	99.68	0.32	0.09	0.17	F	0.42	SP	0.6	5.4	94.0	white	10YR 8/1
B11-315	1/1.0-1.3	12.5	0.00	99.66	0.34	0.11	0.17	F	0.44	SP	0.3	4.2	95.5	white	10YR 8/1
	2/3.5-3.8		0.00	99.49	0.51	0.30	0.18	F	0.45	SP	0.4	3.5	96.1	lt.gray	10YR 7/1
	3/5.5-5.8		0.00	99.63	0.37	0.23	0.18	F	0.62	SP	0.4	6.1	93.5	lt.gray	10YR 7/1
	4/8.5-8.8		0.00	99.48	0.52	0.30	0.19	F	0.67	SP	0.5	6.4	93.1	lt.gray	10YR 7/1
	5/10.8-11.1		0.11	98.96	0.93	0.60	0.21	F	0.89	SW	0.9	9.4	89.7	gray	10YR 6/1
B11-322	1/0.5-0.8	7.5	0.06	99.29	0.65	0.38	0.20	F	0.78	SP	1.2	11.0	87.8	white	10YR 8/1
	2/3.5-3.8		0.00	99.81	0.19	0.10	0.23	F	0.52	SP	0.6	5.3	94.1	white	10YR 8/1
	3/5.3-5.6		0.39	99.09	0.52	0.36	0.22	F	0.92	SW	0.8	9.9	89.3	white	10YR 8/1
B11-325	1/0.3-0.6	14.3	0.05	99.65	0.30	0.19	0.21	F	0.62	SP	0.4	6.1	93.5	white	10YR 8/1
	2/3.5-3.8		0.00	99.81	0.19	0.08	0.22	F	0.48	SP	0.4	3.7	95.9	white	10YR 8/1
	3/5.5-5.8		0.00	99.59	0.41	0.26	0.19	F	0.48	SP	0.4	4.9	94.7	white	10YR 8/1
	4/9.0-9.3		0.04	99.64	0.32	0.15	0.22	F	0.64	SP	0.5	6.6	92.9	white	10YR 8/1
	5/11.0-11.3		0.00	99.48	0.52	0.29	0.19	F	0.49	SP	0.5	6.3	93.2	white	10YR 8/1
	6/13.5-13.8		0.65	98.82	0.53	0.37	0.27	F	0.91	SW	0.8	19.3	79.9	white	10YR 8/1
B11-326	1/0.8-1.1	4.0	0.00	99.69	0.31	0.20	0.19	F	0.62	SP	0.5	6.6	92.9	lt.gray	10YR 7/1
	2/3.5-3.8		0.67	98.83	0.50	0.21	0.21	F	0.92	SW	1.0	7.2	91.8	lt.gray	10YR 7/1
B11-329	1/0.5-0.8	7.7	0.32	99.51	0.17	0.06	0.27	F	0.88	SW	0.5	13.1	86.4	lt.gray	10YR 7/1
	2/3.7-4.0		0.30	99.41	0.29	0.03	0.24	F	0.80	SP	0.9	10.4	88.7	lt.gray	10YR 7/1
	3/5.5-5.8		0.27	98.94	0.79	0.35	0.20	F	0.79	SP	0.7	9.1	90.2	lt.gray	10YR 7/1
	4/7.2-7.5		1.80	97.91	0.29	0.10	0.24	F	1.07	SW	0.9	9.5	89.6	lt.gray	10YR 7/1
B11-330	1/0.8-1.1	3.0	0.59	99.04	0.37	0.17	0.23	F	1.17	SW	0.8	16.9	82.3	lt.gray	10YR 7/1

Sedimentologic Summary

Core #	Sample No./ Interval (ft)	Recovered Thickness (ft) of Upper Sand Layer	gINT Granularmetrics							USC	Composition (wt%)			Munsell Color	
			Size Class (wt%)				Statistics				Organic	Carbonate	Siliciclastic	Verbal	Value
			Gravel	Sand	<#200	<#230	Mean (mm)	Verbal	Std. Dev. (phi)						
B12-1	1/0.0-0.3	8.0	0.2	99.42	0.38	0.26	0.22	F	0.84	SP	0.57	9.57	89.86	white	10YR 8/1
	2/7.0-7.3		0	99.38	0.62	0.43	0.2	F	0.7	SP	0.45	9.01	90.54	lt.gray	10YR 7/1
B12-105	1/0.5-0.8	3.0	0.40	99.45	0.15	0.06	0.23	F	0.87	SW	0.4	11.9	87.7	white	10YR 8/1
	2/2.5-2.8		0.14	98.89	0.97	0.04	0.15	F	0.76	SP	0.7	9.5	89.8	white	10YR 8/1
B12-107	1/0.3-0.6	3.5	0.00	99.84	0.16	0.03	0.20	F	0.64	SP	0.6	9.3	90.1	lt.gray	10YR 7/1
	2/2.5-2.8		0.00	99.65	0.35	0.10	0.20	F	0.74	SP	0.7	9.1	90.2	gray	10YR 6/1
B12-108	1/0.0-0.3	8.7	0.00	99.72	0.28	0.11	0.20	F	0.63	SP	0.7	6.2	93.1	white	10YR 8/1
	2/3.0-3.3		0.18	99.44	0.38	0.18	0.20	F	0.68	SP	0.5	6.5	93.0	white	10YR 8/1
	3/5.5-5.8		0.05	99.40	0.55	0.00	0.26	F	0.75	SP	0.9	7.4	91.7	white	10YR 8/1
	4/8.1-8.4		0.21	99.11	0.68	0.37	0.20	F	0.87	SW	1.2	9.3	89.5	white	10YR 8/1
B12-110	1/0.5-0.8	6.5	0.04	99.71	0.25	0.11	0.21	F	0.55	SP	0.3	7.6	92.1	white	10YR 8/1
	2/4.0-4.3		0.20	99.30	0.50	0.22	0.23	F	0.77	SP	0.6	13.7	85.7	lt.gray	10YR 7/1
	3/5.5-5.8		0.78	98.35	0.87	0.40	0.29	F	1.22	SW	0.8	22.4	76.8	gray	10YR 6/1
B12-112	1/0.0-0.3	3.3	0.00	99.77	0.23	0.07	0.20	F	0.63	SP	0.6	7.1	92.3	white	10YR 8/1
	2/2.5-2.8		0.00	99.38	0.62	0.38	0.19	F	0.54	SP	0.9	7.7	91.4	lt.gray	10YR 7/1
B12-113	1/0.5-0.8	7.5	0.01	99.89	0.10	0.04	0.19	F	0.52	SP	0.3	3.6	96.1	white	10YR 8/1
	2/3.0-3.3		1.11	98.27	0.62	0.27	0.19	F	0.92	SW	0.6	9.5	89.9	white	10YR 8/1
	3/5.5-5.8		0.17	99.20	0.63	0.30	0.19	F	0.76	SP	0.7	9.6	89.7	white	10YR 8/1
	4/8.5-8.8		0.45	98.93	0.62	0.36	0.21	F	0.81	SP	1.2	13.0	85.8	lt.gray	10YR 7/1
	5/10.5-10.8		0.61	98.36	1.03	0.59	0.21	F	1.04	SW	1.9	14.4	83.7	gray	10YR 6/1
B12-115	1/0.3-0.6	4.5	0.93	98.90	0.17	0.08	0.25	F	0.92	SW	0.4	13.4	86.2	lt.gray	10YR 7/1
	2/3.5-3.8		0.14	99.82	0.04	0.01	0.33	F	0.62	SP	0.6	9.5	89.9	lt.gray	10YR 7/1
B12-116	1/0.4-0.7	12.0	0.05	99.56	0.39	0.22	0.20	F	0.56	SP	0.3	7.7	92.0	white	10YR 8/1
	2/3.0-3.3		0.29	99.63	0.08	0.03	0.23	F	0.63	SP	0.5	7.5	92.0	white	10YR 8/1
	3/5.5-5.8		0.10	99.52	0.38	0.22	0.21	F	0.68	SP	0.3	10.5	89.2	white	10YR 8/1
	4/8.0-8.3		0.10	99.29	0.61	0.28	0.21	F	0.80	SP	0.8	9.6	89.6	white	10YR 8/1
	5/10.7-11.0		0.11	98.62	1.27	0.65	0.19	F	0.75	SP	0.5	12.1	87.4	white	10YR 8/1
B12-120	1/0.5-0.8	5.8	0.76	98.95	0.29	0.25	0.32	F	1.12	SW	0.6	22.8	76.6	white	10YR 8/1
	2/4.0-4.3		0.08	99.80	0.12	0.05	0.24	F	0.67	SP	0.5	11.2	88.3	white	10YR 8/1
B12-121	1/0.5-0.8	14.6	0.57	99.28	0.15	0.09	0.23	F	0.80	SP	0.3	9.9	89.8	white	10YR 8/1
	2/3.3-3.6		0.00	99.76	0.24	0.09	0.22	F	0.63	SP	0.6	9.3	90.1	white	10YR 8/1
	3/5.5-5.8		0.03	99.69	0.28	0.11	0.22	F	0.52	SP	0.4	7.7	91.9	white	10YR 8/1
	4/8.3-8.6		0.12	99.79	0.09	0.02	0.21	F	0.57	SP	0.5	7.3	92.2	white	10YR 8/1
	5/11.0-11.3		0.00	99.58	0.42	0.18	0.20	F	0.42	SP	0.2	4.6	95.2	white	10YR 8/1
	6/13.0-13.3		0.04	99.52	0.44	0.17	0.20	F	0.64	SP	0.7	11.3	88.0	white	10YR 8/1
B12-123	1/0.5-0.8	2.8	0.27	99.57	0.16	0.03	0.20	F	0.82	SP	0.5	9.9	89.6	white	10YR 8/1
	2/2.5-2.8		1.14	98.56	0.30	0.12	0.25	F	1.26	SW	0.9	17.6	81.5	white	10YR 8/1
B12-124	1/0.5-0.8	5.0	0.78	98.94	0.28	0.20	0.24	F	0.94	SW	0.4	11.2	88.4	gray	10YR 6/1
	2/3.0-3.3		0.25	99.61	0.14	0.05	0.21	F	0.64	SP	0.7	17.2	82.1	gray	10YR 6/1
B12-125	1/1.0-1.3	5.8	0.08	99.79	0.13	0.05	0.24	F	0.60	SP	0.4	6.6	93.0	white	10YR 8/1
	2/4.0-4.3		0.06	99.73	0.21	0.12	0.25	F	0.79	SP	0.6	12.3	87.1	lt.gray	10YR 7/1
B12-126	1/1.0-1.3	8.7	0.03	99.81	0.16	0.08	0.21	F	0.51	SP	0.4	6.1	93.5	white	10YR 8/1
	2/3.0-3.3		0.85	99.00	0.15	0.08	0.27	F	1.02	SW	0.5	13.4	86.1	white	10YR 8/1
	3/5.5-5.8		0.00	99.23	0.77	0.45	0.21	F	0.60	SP	0.5	8.9	90.6	white	10YR 8/1
	4/7.5-7.8		0.65	98.36	0.99	0.55	0.20	F	0.74	SP	0.7	8.2	91.1	white	10YR 8/1
B12-127	1/0.3-0.6	3.8	0.15	99.61	0.24	0.07	0.19	F	0.56	SP	0.4	7.0	92.6	white	10YR 8/1
	2/2.8-3.1		0.63	99.11	0.26	0.13	0.24	F	0.90	SW	0.8	15.0	84.2	lt.gray	10YR 7/1
B12-128	1/0.5-0.8	14.8	0.49	99.41	0.10	0.08	0.30	F	0.74	SP	0.5	11.6	87.9	white	10YR 8/1
	2/4.0-4.3		0.09	99.80	0.11	0.06	0.20	F	0.51	SP	0.4	6.3	93.3	white	10YR 8/1
	3/5.5-5.8		0.00	99.80	0.20	0.14	0.20	F	0.58	SP	0.4	8.2	91.4	white	10YR 8/1
	4/8.5-8.8		0.03	99.57	0.40	0.22	0.18	F	0.51	SP	0.5	7.7	91.8	white	10YR 8/1
	5/10.5-10.8		0.02	99.48	0.50	0.30	0.20	F	0.53	SP	0.5	7.9	91.6	white	10YR 8/1
B12-130	1/0.5-0.8	5.0	0.07	99.28	0.65	0.32	0.19	F	0.68	SP	0.8	9.7	89.5	white	10YR 8/1
	2/4.0-4.3		1.00	98.75	0.25	0.15	0.32	F	0.93	SW	0.6	16.7	82.7	lt.gray	10YR 7/1
B12-131	1/0.5-0.8	3.3	0.26	99.44	0.30	0.18	0.27	F	0.77	SP	0.7	10.9	88.4	lt.gray	10YR 7/1
	2/2.7-3.0		0.59	99.32	0.09	0.03	0.25	F	0.77	SP	0.4	10.0	89.6	white	10YR 8/1
B12-132	1/0.3-0.6	4.8	0.10	99.65	0.25	0.14	0.23	F	0.65	SP	0.8	9.9	89.3	white	10YR 8/1
	2/4.0-4.3		0.00	99.73	0.27	0.27	0.15	F	0.46	SP	0.5	6.4	93.1	white	10YR 8/1
B12-133	1/0.3-0.6	8.2	0.39	99.37	0.24	0.11	0.21	F	0.74	SP	0.9	9.0	90.1	white	10YR 8/1
	2/3.5-3.8		0.10	99.65	0.25	0.20	0.21	F	0.42	SP	0.4	4.8	94.8	white	10YR 8/1
	3/5.5-5.8		0.00	99.87	0.13	0.00	0.23	F	0.46	SP	0.5	8.6	90.9	white	10YR 8/1
	4/7.5-7.8		0.00	99.86	0.14	0.06	0.23	F	0.66	SP	0.6	17.8	81.6	white	10YR 8/1
			0.95	98.70	0.35	0.16	0.25	F	1.15	SW	0.8	16.4	82.8	white	10YR 8/1

Sedimentologic Summary

Core #	Sample No./ Interval (ft)	Recovered Thickness (ft) of Upper Sand Layer	gINT Granularmetrics							USC	Composition (wt%)			Munsell Color	
			Size Class (wt%)			Statistics					Organic	Carbonate	Siliciclastic	Verbal	Value
			Gravel	Sand	<#200	<#230	Mean (mm)	Verbal	Std. Dev.(phi)						
B13-3	1/0.5-0.8	11.3	0.54	99.29	0.17	0.16	0.33	F	0.95	SP	0.66	24.55	74.80	lt.gray	10YR 7/1
	2/3.0-3.3		0.24	99.24	0.52	0.38	0.29	F	0.89	SP	1.00	18.71	80.29	lt.gray	10YR 7/1
	3/6.0-6.3		0.49	98.97	0.54	0.46	0.33	F	1.02	SP	1.93	14.25	83.82	lt.gray	10YR 7/1
	4/9.5-9.8		0.08	99.12	0.8	0.55	0.26	F	0.75	SP	2.03	21.67	76.30	lt.gray	10YR 7/1
	5/11.0-11.3		0.16	98.99	0.85	0.64	0.26	F	1.04	SP	2.20	43.30	54.50	lt.gray	10YR 7/1
B13-301	1/0.5-0.8	5.0	10.37	88.78	0.85	0.63	0.39	F	2.03	SW	1.4	30.0	68.6	white	10YR 8/1
	2/4.0-4.3		1.13	98.21	0.66	0.45	0.23	F	1.08	SW	1.1	23.0	75.9	white	10YR 8/1
B13-304	1/0.5-0.8	4.9	2.09	97.62	0.29	0.27	0.31	F	1.15	SW	0.6	16.0	83.4	white	10YR 8/1
	2/3.5-3.8		0.00	99.55	0.45	0.13	0.21	F	0.56	SP	0.5	5.9	93.6	white	10YR 8/1
B13-305	1/0.2-0.5	8.0	0.77	98.90	0.33	0.30	0.26	F	0.89	SW	0.6	22.3	77.1	lt.gray	10YR 7/1
	2/3.5-3.8		1.62	97.85	0.53	0.39	0.43	F	1.28	SW	1.1	37.0	61.9	lt.gray	10YR 7/1
	3/5.2-5.5		0.32	98.96	0.72	0.45	0.27	F	0.95	SW	0.9	21.3	77.8	gray	10YR 6/1
	4/7.0-7.3		0.12	99.44	0.44	0.32	0.30	F	0.89	SW	0.9	22.4	76.7	gray	10YR 6/1
	1/0.2-0.5		0.53	99.35	0.12	0.06	0.32	F	0.96	SW	0.8	24.4	74.8	lt.gray	10YR 7/1
B13-309	2/3.0-3.3	4.2	0.64	97.86	1.50	1.07	0.27	F	0.99	SW	1.6	18.2	80.2	lt.gray	10YR 7/1
	1/0.2-0.5		0.65	99.25	0.10	0.05	0.24	F	0.84	SP	0.5	9.4	90.1	lt.gray	10YR 7/1
B13-310	2/3.5-3.8	4.1	0.26	99.50	0.24	0.13	0.26	F	0.89	SW	0.7	16.5	82.8	lt.gray	10YR 7/1
	1/1.0-1.3		0.58	99.20	0.22	0.19	0.31	F	0.97	SW	0.6	16.5	82.9	white	10YR 8/1
B13-311	2/4.0-4.3	6.0	0.00	99.70	0.30	0.21	0.26	F	0.72	SP	0.6	13.3	86.1	white	10YR 8/1
	1/0.3-0.6		0.00	99.94	0.06	0.01	0.24	F	0.71	SP	0.6	12.1	87.3	white	10YR 8/1
B13-312	2/2.5-2.8	3.0	0.05	99.70	0.25	0.10	0.23	F	0.69	SP	0.6	8.3	91.1	white	10YR 8/1
	1/0.2-0.5		0.76	99.03	0.21	0.20	0.31	F	1.05	SW	0.7	20.9	78.4	lt.gray	10YR 7/1
B13-313	2/3.7-4.0	7.7	0.00	99.82	0.18	0.09	0.26	F	0.68	SP	0.5	12.1	87.4	lt.gray	10YR 7/1
	3/5.5-5.8		0.15	99.24	0.61	0.44	0.24	F	0.80	SP	0.4	15.4	84.2	lt.gray	10YR 7/1
	4/7.0-7.3		0.00	99.52	0.48	0.31	0.22	F	0.63	SP	0.8	11.4	87.8	lt.gray	10YR 7/1
	1/0.2-0.5		1.68	98.14	0.18	0.15	0.34	F	1.08	SW	0.7	21.1	78.2	white	10YR 8/1
	2/2.5-2.8		0.68	99.06	0.26	0.18	0.31	F	1.00	SW	0.8	25.5	73.7	white	10YR 8/1
B13-314	3/4.7-5.0	3.0	0.00	99.13	0.87	0.72	0.26	F	0.79	SP	0.7	18.6	80.7	lt. gray	10YR 7/1
	4/6.0-6.3		0.00	98.90	1.10	0.96	0.27	F	0.92	SW	0.7	19.4	79.9	lt. gray	10YR 7/1
	5/8.0-8.3		0.00	99.16	0.84	0.60	0.26	F	0.84	SP	0.8	16.4	82.8	lt. gray	10YR 7/1
	1/0.5-0.8		0.40	99.42	0.18	0.11	0.27	F	0.84	SP	0.6	11.6	87.8	white	10YR 8/1
	2/3.2-3.5		0.19	99.53	0.28	0.21	0.24	F	0.75	SP	0.8	10.6	88.6	white	10YR 8/1
B13-316	1/0.5-0.8	4.6	0.00	99.84	0.16	0.10	0.23	F	0.53	SP	0.5	8.9	90.6	white	10YR 8/1
	2/3.5-3.8		0.07	97.28	2.65	2.53	0.23	F	0.67	SP	0.6	8.0	91.4	white	10YR 8/1
B13-317	1/0.5-0.8	7.2	0.29	99.62	0.09	0.07	0.26	F	0.77	SP	0.5	13.3	86.2	white	10YR 8/1
	2/4.0-4.3		1.09	98.65	0.26	0.18	0.30	F	1.00	SW	0.8	17.5	81.7	white	10YR 8/1
B13-318	1/0.7-1.0	3.5	0.24	99.53	0.23	0.19	0.25	F	0.77	SP	0.5	11.2	88.3	white	10YR 8/1
	2/3.0-3.3		0.05	99.42	0.53	0.24	0.23	F	0.72	SP	0.7	9.9	89.4	white	10YR 8/1
B13-319	1/0.2-0.5	8.9	2.46	97.24	0.30	0.26	0.32	F	1.16	SW	0.6	17.7	81.7	white	10YR 8/1
	2/3.5-3.8		0.24	99.63	0.13	0.03	0.28	F	0.81	SP	0.6	13.0	86.4	lt.gray	10YR 7/1
	3/5.5-5.8		0.64	99.12	0.24	0.09	0.30	F	1.02	SW	0.7	19.1	80.2	lt.gray	10YR 7/1
	4/8.0-8.3		0.43	99.17	0.40	0.23	0.23	F	0.79	SP	0.8	10.6	88.6	gray	10YR 6/1
	1/0.2-0.5		0.10	99.85	0.05	0.00	0.25	F	0.59	SP	0.4	8.6	91.0	white	10YR 8/1
B13-320	2/4.0-4.3	8.4	0.33	99.45	0.22	0.11	0.25	F	0.70	SP	0.6	12.2	87.2	white	10YR 8/1
	3/5.5-5.8		0.24	99.42	0.34	0.13	0.24	F	0.75	SP	0.6	11.0	88.4	lt.gray	10YR 7/1
	4/7.5-7.8		0.00	99.73	0.27	0.13	0.23	F	0.56	SP	0.5	9.3	90.2	lt.gray	10YR 7/1
	1/0.2-0.5		0.21	99.66	0.13	0.08	0.24	F	0.74	SP	0.6	12.0	87.4	white	10YR 8/1
	2/3.7-4.0		0.05	99.74	0.21	0.11	0.22	F	0.66	SP	0.6	8.6	90.8	white	10YR 8/1
B13-322	3/5.2-5.5	8.0	0.00	99.74	0.26	0.16	0.22	F	0.55	SP	0.5	7.2	92.3	white	10YR 8/1
	4/7.0-7.3		0.39	99.11	0.50	0.34	0.22	F	0.78	SP	0.7	9.2	90.1	white	10YR 8/1
	1/0.5-0.8		0.00	99.86	0.14	0.07	0.21	F	0.48	SP	0.5	7.6	91.9	white	10YR 8/1
B13-323	2/2.5-2.8	3.0	0.12	99.22	0.66	0.34	0.21	F	0.78	SP	1.0	9.0	90.0	lt.gray	10YR 7/1
	1/0.5-0.8		0.18	99.54	0.28	0.23	0.27	F	0.76	SP	0.5	12.5	87.0	white	10YR 8/1
B13-324	2/3.5-3.8	5.9	1.09	98.48	0.43	0.33	0.26	F	0.74	SP	0.7	8.3	91.0	white	10YR 8/1
	1/0.2-0.5		0.00	99.34	0.66	0.38	0.16	F	0.65	SP	0.5	8.0	91.5	lt.gray	10YR 7/1
B13-325	2/2.7-3.0	3.2	0.07	99.71	0.22	0.10	0.20	F	0.77	SP	0.7	11.2	88.1	lt.gray	10YR 7/1
	3/4.2-4.5		0.00	99.01	0.99	0.81	0.23	F	0.92	SP	0.7	10.5	88.8	gray	10YR 6/1
	1/0.2-0.5		0.09	99.43	0.48	0.40	0.28	F	0.84	SP	0.7	14.0	85.3	white	10YR 8/1
B13-328	1/0.2-0.5	3.2	0.76	98.92	0.32	0.22	0.24	F	0.96	SW	0.6	14.1	85.3	white	10YR 8/1
	2/2.5-2.8		0.87	98.61	0.52	0.34	0.24	F	0.91	SW	1.1	10.6	88.3	white	10YR 8/1