

Basin

NWFIID 4863

Ho-15

## NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT-WELL LOG

WELL NUMBER \_\_\_\_\_ LAT. 30°45'26" LONG. 85°42'53" COUNTY Holmes DATE 2/6/80 PERMIT NO. 100076

LOCATION T 4N R 15W SEC 14 SE  $\frac{1}{4}$  of NW  $\frac{1}{4}$  of NW  $\frac{1}{4}$  MAP OR QUAD Bonifay, Fla. 1951

OWNER Laney Pettis ADDRESS Rt 1, Bonifay

WELL DEPTH 181 ft. CASSED 162 ft. OPEN HOLE 19 ft. DEPTH LOGGED TOP 0 ft. BOTTOM 181 ft. TOTAL FT. LOGGED 362'

START OF LOG 0 TOP OF CASING TO LSD 1 ft.


CONDITION New TYPE OF CASING Steel GROUTED Yes DATE ? CAPPED No DATE DRILLED 2/80 SIZE 4"

FLOWING No GPM N/A HEAD N/A IN. ELEVATION OF LSD TO MSD 94

FORMATION \_\_\_\_\_ FORMATION TOP REFERENCE TO LSD \_\_\_\_\_ MSL \_\_\_\_\_

AQUIFER Floridan WATER LEVEL REFERENCE TO LSD -12.3 MSL +81.7 ARTESIAN HEAD \_\_\_\_\_

| TYPE OF LOG       | INTERVAL TO | VERT. SCALE | HORZ. SCALE | LOGGED DIRECTION | SPEED FT./MIN. | REMARKS |
|-------------------|-------------|-------------|-------------|------------------|----------------|---------|
| Gamma w/ccl       | 4 181       | 1" 20 ft.   | 0-100 cms   | yp               | 25'/min        |         |
| Caliper           | 124 181     | 1" 20'      | 2"-18"      | yp               | 25'/min        |         |
| Temp w/ccl        |             |             |             |                  |                |         |
| Fluid Resistivity |             |             |             |                  |                |         |
| Electric          |             |             |             |                  |                |         |
| Flow Meter        |             |             |             |                  |                |         |
| Sampler           |             |             |             |                  |                |         |
| Neutron           |             |             |             |                  |                |         |



USE OF WELL Anode \_\_\_\_\_ Drainage \_\_\_\_\_ Observation \_\_\_\_\_ Oil-Gas \_\_\_\_\_ Recharge \_\_\_\_\_ Test \_\_\_\_\_ Abandoned \_\_\_\_\_ Withdrawal \_\_\_\_\_ Waste \_\_\_\_\_ Irrigation \_\_\_\_\_

QUALITY WATER SAMPLE Yes \_\_\_\_\_ No No Date N/A Depth(s) \_\_\_\_\_ pH \_\_\_\_\_ Salinity \_\_\_\_\_ Conductivity \_\_\_\_\_ Temp. \_\_\_\_\_

DRILLER Doc. Faison TYPE OF RIG Mud Rotary PUMP INTAKE DEPTH \_\_\_\_\_ TYPE OF PUMP Sub DRILLER SAMPLES Yes

Start of Log 11:00 Finished logging 12:00 Total time 1 hour Operator/observer Pratt / Rogers

Well Accessibility good

Lithological Summary \_\_\_\_\_

REMARKS: \_\_\_\_\_

SCANNED

THIS LOG FOR HYDROGEOLOGICAL DATA ONLY - NOT FOR CONTRACTUAL SATISFACTION



Caliper log

H10-15

NWFID 4863

LANEY PETTIS

304526085425301

Bottom of Casing 162'

Total depth 181'



0 CPS  
Natural Gamma

100 CPS

0

12

20

40

60

80

100

120

140

160  
162

180  
181

Water level 12.3'

HOIS

NWFID 4863

2-6-80

LANEY PETTIS

304526085425801

Bottom of Casing 162'

Total depth 181'