

NWFIID-4673

WELL NUMBER _____ BASIN _____ LAT. 30°42'26" LONG. 84°57'08" COUNTY JACKSON DATE 6/5/80 PERMIT NO. _____

LOCATION T^{4N} R^{7W} SEC 32 NW 1/4 of NW 1/4 of NE 1/4 MAP OR QUAD Sneads Fla. - Ga - 1954 7' 15' ☐

OWNER Ronnie Bennett ADDRESS _____

WELL DEPTH 188 ft. CASSED 59 ft. OPEN HOLE 129 ft. WELL FINISHED: SCREENED No SCREEN INTERVAL N/A OPEN HOLE Yes
START OF LOG LSD ± 0 ft. TOP OF CASING TO LSD _____ DEPTH LOGGED TOP 0 ft. BOTTOM 188 ft. TOTAL FT. LOGGED 376


CONDITION old, being repaired DATE DRILLED Unknown GROUTED No DATE N/A CAPPED No TYPE OF CASING Steel

FLOWING No GPM N/A HEAD 1/4 in. TOP OF LS LSD _____ MSL _____ ELEVATION OF LSD TO MSL 252 SIZE 4"

FORMATION _____ FORMATION TOP REFERENCE TO LSD _____ ft. MSL _____ ft.

AQUIFER Floridan WATER LEVEL REFERENCE TO LSD -156 ft. MSL 96 ft. ARTESIAN HEAD _____ ft.

TYPE OF LOG	INTERVAL TO	VERT. SCALE	HORZ. SCALE	DIRECTION LOGGED	SPEED FT./MIN.	REMARKS
Gamma w/ccl TC=		1" ft.	CPS			
Caliper-Arms= 18"	10 188	1"-20'	2"-18"	up	25'/min	
Temp w/ccl	20 188	1"-20'	~	down	25'/min	
Fluid Resistivity						
Electric -16,64 Rp						
Flow Meter						
Sampler - Depth(s)						
Neutron						

Pump Test info - Pumped @ 1/4 gpm static - pumping level - dd - specific capacity - T = - S =
USE OF WELL Anode Drainage Observation Oil-Gas Recharge Test Abandoned Withdrawal Waste Irrigation Public SupplyQUALITY WATER SAMPLE Yes No ☒ Date N/A Depth(s) _____ pH _____ Salinity _____ Conductivity _____ Temp. _____ Chloride _____

DRILLER Unknown, Jamie Westbrook-Reynolds TYPE OF RIG _____ PUMP INTAKE DEPTH Unknown TYPE OF PUMP Jet hp _____ DRILLER SAMPLES No

Start of Logging _____ Finished logging _____ Total Time _____ hr. Operator/observer Kunder 1

Well Accessibility good

Lithological Summary _____

REMARKS: well is on old well located at a new house on the first hill west of Sneads
Casing is bent

THIS LOG FOR HYDROGEOLOGICAL DATA ONLY - NOT FOR CONTRACTUAL SATISFACTION

JK-68
NWFI0 - 4673
6/5/80

- 0

- 20

- 40

- 59
- 60

Bottom of Casing 59'

- 80

- 100

- 120

- 140

- 160

- 180

Total depth 188'

18"

16"

14"

12"

10"

8"

6"

4"

2"

JK-68
NWFIID-4673
6/5/80

Temperature 100

-20

-40

-560

Bottom of casing 59'

-80

-100

-120

-140

-156' Water level

-160

-180

