


NWFIID-5498WELL NUMBER BASIN LAT. 30°55'30" LONG. 85°13'24" COUNTY Jackson DATE 9/26/80 PERMIT NO. 00963LOCATION T6N R10W SEC 15 NW 1/4 of SE 1/4 of NW 1/4 MAP OR QUAD Malone, Fla, 1952 7' ☒ 15' ☐OWNER Gene Mane Field ADDRESS Marianna, FlaWELL DEPTH 173 ft. CASSED 51 ft. OPEN HOLE 122 ft. WELL FINISHED: SCREENED No SCREEN INTERVAL N/A OPEN HOLE YesSTART OF LOG LSD 0 ft. TOP OF CASING TO LSD 5 ft. DEPTH LOGGED TOP 0 ft. BOTTOM 173 ft. TOTAL FT. LOGGED 346CONDITION New DATE DRILLED 9/80 GROUTED No DATE N/A CAPPED No TYPE OF CASING 12" SteelFLOWING No GPM N/A HEAD IN. TOP OF LS LSD MSL ELEVATION OF LSD TO MSL 117 SIZE 12"FORMATION FORMATION TOP REFERENCE TO LSD ft. MSL ft.AQUIFER Floridan WATER LEVEL REFERENCE TO LSD FT. MSL ft. ARTESIAN HEAD ft.

TYPE OF LOG	INTERVAL TO	VERT. SCALE	HORZ. SCALE	DIRECTION LOGGED	SPEED FT./MIN.	REMARKS
Gamma w/ccl TC=	4 173	1"20ft.	0.900CPS	up	25'/min	
Caliper-Arms= 18 "	6 173	1"-20'	2"-18'	up	15'/min	
Temp w/ccl						
Fluid Resistivity						
Electric -16,64 Rp						
Flow Meter						
Sampler - Depth(s)						
Neutron						

LOCATION:




Over

Pump Test info - Pumped @ N/A gpm static pumping level dd specific capacity T = S =
USE OF WELL Anode Drainage Observation Oil-Gas Recharge Test Abandoned Withdrawal Waste Irrigation Public Supply QUALITY WATER SAMPLE Yes No Date N/A Depth(s) pH Salinity Conductivity Temp. Chloride DRILLER Newberry Well Drilling TYPE OF RIG Cable tool PUMP INTAKE DEPTH ? TYPE OF PUMP Turbine DRILLER SAMPLES NoStart of Logging 11:00 Finished logging 12:00 Total Time 1 hr. Operator/observer Pratt I JordanWell Accessibility Fair located in a FieldLithological Summary REMARKS: Well was logged to determine why the well would yield only 500 gpm, 9000 gpm was needed to operate the system, Limestone in the interval from 40' to 120' was a cream to tan, grainy, soft limestone, below 120' the limestone changed to a grey, hard limestone with large quartz grains and black grains, and shell fragments.

THIS LOG FOR HYDROGEOLOGICAL DATA ONLY - NOT FOR CONTRACTUAL SATISFACTION

MOBID-2498

NWFP-5498
JK-72



JK-72
NWFIP-5498
9/26/80

0

20

40

51

60

80

100

120


140

160

173'

Bottom of Casing 51'

Total depth 173'



0 cps
1

100 cps
LO

Natural Gamma

JK-72

NWFIID-5498

9/26/80

-20

-40

-51

-60

-80

-100

-120

-140

-160

-173

Bottom of casing 51'

Total depth 173'