

NWFID - 4559

## NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT


FILE NO. SK-73

WELL NUMBER \_\_\_\_\_ BASIN \_\_\_\_\_ LAT. 30°40'49" LONG. 85°06'06" COUNTY Jackson DATE 9/26/80 PERMIT NO. \_\_\_\_\_  
 LOCATION T 3N R 9W SEC 11 NE 1/4 of NW 1/4 of NE 1/4 MAP OR QUAD Cypress Quad 1952 7' ☐ 15' ☐  
 OWNER Cenes Farms ADDRESS \_\_\_\_\_

WELL DEPTH 86 ft. CASSED 80 ft. OPEN HOLE 6 ft. WELL FINISHED: SCREENED No SCREEN INTERVAL No OPEN HOLE Yes  
 START OF LOG LSD 0 ft. TOP OF CASING TO LSD .7' DEPTH LOGGED TOP 0 ft. BOTTOM 86 ft. TOTAL FT. LOGGED 172'  
 CONDITION old/caved DATE DRILLED \_\_\_\_\_ GROUTED No DATE N/A CAPPED \_\_\_\_\_ TYPE OF CASING Steel  
 FLOWING No GPM N/A HEAD \_\_\_\_\_ IN. TOP OF LS LSD \_\_\_\_\_ MSL \_\_\_\_\_ ELEVATION OF LSD TO MSL 129 SIZE 10"  
 FORMATION \_\_\_\_\_ FORMATION TOP REFERENCE TO LSD \_\_\_\_\_ ft. MSL \_\_\_\_\_ ft.  
 AQUIFER Floridan WATER LEVEL REFERENCE TO LSD 45 FT. MSL 84 ft. ARTESIAN HEAD \_\_\_\_\_ ft.

| TYPE OF LOG        | INTERVAL TO | VERT. SCALE | HORZ. SCALE | DIRECTION LOGGED | SPEED FT./MIN. | REMARKS |
|--------------------|-------------|-------------|-------------|------------------|----------------|---------|
| Gamma w/ccl TC=    | 4 86        | 1"20 ft.    | 0.75 CPS    | up               | 25'/min.       |         |
| Caliper-Arms= 18"  | 6 86        | 1"-20       | 2"-18"      | up               | 25'/min.       |         |
| Temp w/ccl         |             |             |             |                  |                |         |
| Fluid Resistivity  |             |             |             |                  |                |         |
| Electric -16,64 Rp |             |             |             |                  |                |         |
| Flow Meter         |             |             |             |                  |                |         |
| Sampler - Depth(s) |             |             |             |                  |                |         |
| Neutron            |             |             |             |                  |                |         |

LOCATION:



Over

Pump Test info - Pumped @ M/A gpm static \_\_\_\_\_ pumping level \_\_\_\_\_ dd \_\_\_\_\_ specific capacity \_\_\_\_\_ T = \_\_\_\_\_ S = \_\_\_\_\_  
 USE OF WELL Anode \_\_\_\_\_ Drainage \_\_\_\_\_ Observation \_\_\_\_\_ Off-Gas \_\_\_\_\_ Recharge \_\_\_\_\_ Test \_\_\_\_\_ Abandoned \_\_\_\_\_ Withdrawal \_\_\_\_\_ Waste \_\_\_\_\_ Irrigation \_\_\_\_\_ Public Supply \_\_\_\_\_  
 QUALITY WATER SAMPLE Yes \_\_\_\_\_ No \_\_\_\_\_ Date N/A Depth(s) \_\_\_\_\_ pH \_\_\_\_\_ Salinity \_\_\_\_\_ Conductivity \_\_\_\_\_ Temp. \_\_\_\_\_ Chloride \_\_\_\_\_  
 DRILLER Jamie West Brook TYPE OF RIG Cabletool PUMP INTAKE DEPTH \_\_\_\_\_ TYPE OF PUMP turb. hp \_\_\_\_\_ DRILLER SAMPLES No  
 Start of Logging 10:00 Finished logging 11:00 Total Time 1 hr. Operator/observer Pratt Jordan  
 Well Accessibility good  
 Lithological Summary \_\_\_\_\_

REMARKS: Well was logged to determine why it would not pump balls of clay. It was determined that the well had caved in to 86' below land surface.

THIS LOG FOR HYDROGEOLOGICAL DATA ONLY - NOT FOR CONTRACTUAL SATISFACTION

Caliper log

JK-73

NWFD-4559

9/26/80

- 20

- 40

- 45

- 60

- 80

- 86

- 45

- Water level

- B.O.C.

80'

Total depth 86'

4"

6"

8"

10"

12"

14"

16"

18"

OCCPS  
1


100 CPS  
L 0

Natural Gamma

JK-73

NWFIID-4559

9/26/80



Water level

Bottom of casing 80'  
Total depth 86'