

NWFD-4520

WELL NUMBER _____ BASIN _____ LAT. 30°40'22" LONG. 85°07'22" COUNTY Jackson DATE 11/20/80 PERMIT NO. _____LOCATION T 3N R 9W SEC 10 SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NW $\frac{1}{4}$ MAP OR QUAD Cypress Quad 1952 7' ☒ 15' ☐OWNER Ceres Farms ADDRESS _____WELL DEPTH 321 ft. CASED 114 ft. OPEN HOLE 207 ft. WELL FINISHED: Screened SCREEN INTERVAL N/A OPEN HOLE YesSTART OF LOG LSD $\pm$ 0 ft. TOP OF CASING TO LSD .8' DEPTH LOGGED TOP 0 ft. BOTTOM 321 ft. TOTAL FT. LOGGED 1284'CONDITION old, pumping sand DATE DRILLED unknown GROUTED ? DATE ? CAPPED No TYPE OF CASING SteelFLOWING No GPM N/A HEAD IN. TOP OF LS LSD _____ MSL _____ ELEVATION OF LSD TO MSL 90 SIZE 1/4"

FORMATION _____ FORMATION TOP REFERENCE TO LSD _____ ft. MSL _____ ft.

AQUIFER Floridan WATER LEVEL REFERENCE TO LSD _____ ft. MSL 69.27 ft. ARTESIAN HEAD _____ ft.

-21.63

TYPE OF LOG	INTERVAL TO	VERT. SCALE	HORZ. SCALE	DIRECTION LOGGED	SPEED FT./MIN.	REMARKS
Gamma w/ccl TC=2	4 321	1" 20ft.	100 CPS	up	22'/min	
Caliper-Arms= 18"	6 321	1"-20'	2"-18"	up	15'/min	
Temp w/ccl	10 321	1"-20'	—	down	25'/min	
Fluid Resistivity						
Electric -16,64 (R)	110 321	1"-20'	0.2 μ -10.5 μ m	down	25'/min	
Flow Meter						
Sampler - Depth(s)						
Neutron						
Gamma-Gamma						

LOCATION:

R 9W

Over



Pump Test info - Pumped @ N/A gpm static — pumping level — dd — specific capacity — T = — S = —
USE OF WELL Anode — Drainage — Observation — Oil-Gas — Recharge — Test — Abandoned — Withdrawal — Waste — Irrigation — Public Supply —QUALITY WATER SAMPLE Yes No Date N/A Depth(s) — pH — Salinity — Conductivity — Temp. — Chloride —DRILLER _____ TYPE OF RIG Cable tool PUMP INTAKE DEPTH — TYPE OF PUMP turbine DRILLER SAMPLES NoStart of Logging 2:30 Finished logging 4:00 Total Time 1.5 hr. Operator/observer Pratt 1Well Accessibility good

Lithological Summary _____

REMARKS: Well was logged to determine why it was pumping clay and sand, could not tell from logs run

THIS LOG FOR HYDROGEOLOGICAL DATA ONLY - NOT FOR CONTRACTUAL SATISFACTION

4528



Caliper Log

JK-74

NWFIID-4528

11/20/80

- 0

- 20
- 22

W.L.

- 40

- 60

- 80

- 100

- 114

- 120

- 140

- 160

- 180

- 200

- 220

- 240

- 260

- 280

- 300

- 320

- 321' T.O.

2"

4"

6"


8"

10"

12"

14"

16"



Natural Gamma

JK-74

NWFD-4528

~~11/20~~ 11/20/80

W.L.

B.O.C. 114'

T.O. 321

-20
-22

-40

-60

-80

-100

-114'

-120

-140

-160

-180

-200

-220

-240

-260

-280

-300


-320
-321

JK-74
NWFI0-4528
11/20/80

100 Ω /m

0 Ω /m

Point Resistance



-114

B.O.C. 114'

-120'

-140

-160

-180

-200

-220

-240

-260

-280

-300

-320

T.D. 321'

JK-74
NWFI0 - 4528
11/20/80

Temperature log.

