

NWFD-1233

NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT

SE-1


FILE NO. LN-59
B.O.G. NO. W-WELL NUMBER _____ BASIN 11-B LAT. 30°21'16" LONG. 84°12'37" COUNTY Leon DATE 10/11/79 PERMIT NO. _____LOCATION T 1S R 1E SEC 34 SE $\frac{1}{4}$ of SE $\frac{1}{4}$ of NE $\frac{1}{4}$ MAP OR QUAD Woodville, Fla. 7' ☒ 15' ☐OWNER U.S.G.S. SE-1 ADDRESS _____WELL DEPTH 71' ft. CASSED 57' ft. OPEN HOLE 14' ft. WELL FINISHED: SCREENED No SCREEN INTERVAL No OPEN HOLE YesSTART OF LOG LSD $\pm$ 0 ft. TOP OF CASING TO LSD 1' DEPTH LOGGED TOP 0 ft. BOTTOM 71 ft. TOTAL FT. LOGGED _____CONDITION New DATE DRILLED 9/79 GROUTED No DATE N/A CAPPED Yes TYPE OF CASING steelFLOWING No GPM N/A HEAD - IN. TOP OF LS LSD _____ MSL _____ ELEVATION OF LSD TO MSL ~14 ^{20.38} SIZE 4"

FORMATION _____ FORMATION TOP REFERENCE TO LSD _____ ft. MSL _____ ft.

AQUIFER Floridan WATER LEVEL REFERENCE TO LSD -4 FT. MSL _____ ft. ARTESIAN HEAD N/A ft.

TYPE OF LOG	INTERVAL TO		VERT. SCALE	HORZ. SCALE	DIRECTION LOGGED	SPEED FT./MIN.	REMARKS
Gamma w/ccl TC=	4	70	1" 20ft.	0-100 CPS	up	25'/min	
Caliper-Arms= 18"	42	71	1"-20'	2"-18"	up	25'/min	
Temp w/ccl	2	60	1"-20'	-	down	25'/min	
Fluid Resistivity							
Electric -16,64 R _p							
Flow Meter							
Sampler - Depth(s)							
Neutron							

LOCATION:

Pump Test info - Pumped @ N/A gpm static _____ pumping level _____ dd _____ specific capacity _____ T = _____ S = _____
USE OF WELL Anode _____ Drainage _____ Observation ☒ Oil-Gas _____ Recharge _____ Test ☒ Abandoned _____ Withdrawal _____ Waste _____ Irrigation _____ Public Supply _____QUALITY WATER SAMPLE Yes _____ No - Date N/A Depth(s) _____ pH _____ Salinity _____ Conductivity _____ Temp. _____ Chloride ✓DRILLER C+H Well Drilling TYPE OF RIG Cable tool PUMP INTAKE DEPTH _____ TYPE OF PUMP _____ hp _____ DRILLER SAMPLES NoStart of Logging 12:30 Finished logging 1:00 Total Time .5 hr. Operator/observer Pratt /Well Accessibility goodLithological Summary _____

_____REMARKS: _____

THIS LOG FOR HYDROGEOLOGICAL DATA ONLY - NOT FOR CONTRACTUAL SATISFACTION

Caliper log

NWFID - 1233

LN-59

10/11/79

Bottom of casing 57'

Bottom of hole 71'

- 40

- 57

- 60

- 70

2"

4"

6"

8"

10"

12"

14"

16"

18"

0cps

Natural Gamma
NWFI0-1233

100cps

LO

LN-59

10/11/79

20-

40

60


70

100cps

Bottom of Hole 71'

0cps

Water level 4'



Temperature log
NW FID-1233

LN-59

10/11/79