

NW FID-1348

NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT

SE-5


FILE NO. LN-63WELL NUMBER _____ BASIN 11-B LAT. 30°22'04" LONG. 84°10'24" COUNTY Leon DATE 10/11/79 PERMIT NO. _____B.O.G. NO. W-LOCATION T 1S R 2E SEC 30 NE $\frac{1}{4}$ of NW $\frac{1}{4}$ of SW $\frac{1}{4}$ MAP OR QUAD Woodville, Fla. 7' ☒ 15' ☐OWNER U.S.G.S ADDRESS _____WELL DEPTH 120 ft. CASSED 120 ft. OPEN HOLE 0 ft. WELL FINISHED: SCREENED No SCREEN INTERVAL No OPEN HOLE YesSTART OF LOG LSD $\pm$ 0 ft. TOP OF CASING TO LSD 5' DEPTH LOGGED TOP 0 ft. BOTTOM 120 ft. TOTAL FT. LOGGED _____CONDITION new/filled in DATE DRILLED 9/79 GROUTED No DATE N/A CAPPED Yes TYPE OF CASING steel 480'FLOWING No GPM N/A HEAD — IN. TOP OF LS LSD _____ MSL _____ ELEVATION OF LSD TO MSL 40.00 37 SIZE 4"

FORMATION _____ FORMATION TOP REFERENCE TO LSD _____ ft. MSL _____ ft.

AQUIFER Floridan WATER LEVEL REFERENCE TO LSD 16' FT. MSL _____ ft. ARTESIAN HEAD N/A ft.

TYPE OF LOG	INTERVAL TO	VERT. SCALE	HORZ. SCALE	DIRECTION LOGGED	SPEED FT./MIN.	REMARKS
Gamma w/ccl TC=	4 115	1"20ft.	0-100CPS	up	25'/min	
Caliper-Arms= 18"	86 120	1"-20'	2"-18"	up	25'/min	
Temp w/ccl	4 120	1"-20'	—	down	25'/min	
Fluid Resistivity						
Electric -16,64 Rp						
Flow Meter						
Sampler - Depth(s)						
Neutron	4 115	1"-20'	0-500CPS	up	25'/min	

LOCATION:

Pump Test info - Pumped @ N/A gpm static — pumping level — dd — specific capacity — T = — S = —USE OF WELL Anode — Drainage — Observation — Oil-Gas — Recharge — Test — Abandoned — Withdrawal — Waste — Irrigation — Public Supply —QUALITY WATER SAMPLE Yes No Date N/A Depth(s) — pH — Salinity — Conductivity — Temp. — Chloride —DRILLER C+H well drilling TYPE OF RIG cable tool PUMP INTAKE DEPTH — TYPE OF PUMP — hp — DRILLER SAMPLES NoStart of Logging 2:30 Pm Finished logging 3:00Pm Total Time .5 hr. Operator/observer Peratt /Well Accessibility good

Lithological Summary _____

REMARKS: _____

THIS LOG FOR HYDROGEOLOGICAL DATA ONLY - NOT FOR CONTRACTUAL SATISFACTION

Caliper log

NWFLD-1348

LN-63

10/11/79

-100

-120

Bottom of Hole 120' filled in to casing

2"

4"

6"

8"


10"

12"

14"

16"

18"



Temperature log
NW FID- 1348

LN-63

10/11/79

