


NWFD 2442

WELL NUMBER _____ BASIN 11B LAT. 30°26'18" LONG. 84°16'46" COUNTY Leon DATE 11-16-79 PERMIT NO. _____ B.O.G. NO. W-7432LOCATION T 1N R 1W SEC 36 SE $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$ MAP OR QUAD Tallahassee, Fla 7' ☒ 15' ☐OWNER State of Florida ADDRESS _____ LN-66WELL DEPTH 386' ft. CASSED 148 ft. OPEN HOLE 238 ft. WELL FINISHED: SCREENED No SCREEN INTERVAL No OPEN HOLE YesSTART OF LOG LSD $\pm$ 0 ft. TOP OF CASING TO LSD -4.5' DEPTH LOGGED TOP 0 ft. BOTTOM 386' ft. TOTAL FT. LOGGED 1158'CONDITION old DATE DRILLED ? GROUTED ? DATE ? CAPPED No TYPE OF CASING SteelFLOWING No GPM N/A HEAD IN. TOP OF LS LSD _____ MSL _____ ELEVATION OF LSD TO MSL 175 SIZE 8"

FORMATION _____ FORMATION TOP REFERENCE TO LSD _____ ft. MSL _____ ft.

AQUIFER Floridan WATER LEVEL REFERENCE TO LSD 149 FT. MSL +26 ft. ARTESIAN HEAD _____ ft.

TYPE OF LOG	INTERVAL TO	VERT. SCALE	HORZ. SCALE	DIRECTION LOGGED	SPEED FT./MIN.	REMARKS
Gamma w/ccl TC=	4 386	1"20ft.	0-10 CPS	up	25'/min	
Caliper-Arms= 18"	122 384	1"-20"	2"-18"	up	25'/min	
Temp w/ccl	2 210	1"-20"	—	down	25'/min	
Fluid Resistivity						
Electric -16,64 Rp						
Flow Meter						
Sampler - Depth(s)						
Neutron						

Pump Test info - Pumped @ No gpm static — pumping level — dd — specific capacity — T = — S = — AC
USE OF WELL Anode Drainage Observation Oil-Gas Recharge Test Abandoned Withdrawal Waste Irrigation Public Supply —QUALITY WATER SAMPLE Yes No Date N/A Depth(s) — pH — Salinity — Conductivity — Temp. — Chloride —DRILLER Unknown TYPE OF RIG Unknown PUMP INTAKE DEPTH 160' TYPE OF PUMP turbine hp — DRILLER SAMPLES NoStart of Logging 10:30 Finished logging 12:00 Total Time 1.5 hr. Operator/observer PAH 1 BowmanWell Accessibility good, located in 4.5 deep pit

Lithological Summary _____

REMARKS: _____

THIS LOG FOR HYDROGEOLOGICAL DATA ONLY - NOT FOR CONTRACTUAL SATISFACTION

Well Sched. to be drilled

Caliper log

NWFD-2442

LN-66

11/16/79

140

148' Bottom of Casing

160

180

200

220

240

260

280

300

320

340

360

380

386' Bottom of Hole

2"

4"

6"


8"

10"

12"

14"



16"



NWFLD-2447

LN-66

11/16/79



380' Bottom of Hole

Temperature log

NWITD - 2442

LN-66

11/16/79

