


NWFD-4515

NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT

FILE NO. LN-75
B.O.G. NO. W-

WELL NUMBER 11C BASIN 11C LAT. 30°40'08" LONG. 84°16'07" COUNTY Leon DATE 3/7/80 PERMIT NO. 00215
 LOCATION T 3N R 1E SEC 7 SW $\frac{1}{4}$ of SW $\frac{1}{4}$ of SE $\frac{1}{4}$ MAP OR QUAD Calvary Ga.-Fla 1956 7' ☒ 15' ☐
 OWNER Frank Jones (893-2371) ADDRESS Rt. 1 Box 172 E Tallahassee, FLA 32312
 WELL DEPTH 209 ft. CASSED 174 ft. OPEN HOLE 35 ft. WELL FINISHED: SCREENED No SCREEN INTERVAL No OPEN HOLE Yes
 START OF LOG LSD $\pm$ 0 ft. TOP OF CASING TO LSD 1 DEPTH LOGGED TOP 0 ft. BOTTOM 209 ft. TOTAL FT. LOGGED 209
 CONDITION New DATE DRILLED 3/80 GROUTED No DATE NA CAPPED No TYPE OF CASING Steel
 FLOWING No GPM N/A HEAD N/A ft. TOP OF LS LSD MSL ELEVATION OF LSD TO MSL 230 SIZE 4"
 FORMATION FORMATION TOP REFERENCE TO LSD ft. MSL ft.
 AQUIFER Floridan WATER LEVEL REFERENCE TO LSD -98 ft. MSL 132 ft. ARTESIAN HEAD ft.
INTERmediate System.

TYPE OF LOG	INTERVAL TO	VERT. SCALE	HORZ. SCALE	DIRECTION LOGGED	SPEED FT./MIN.	REMARKS
Gamma w/ccl TC=	4 209	1" 20ft.	0-10 CPS	up	25'/min	
Caliper-Arms=	163 209	1"-20"	2"-18"	up	25'/min	
Temp w/ccl	10 200	1"-20"	—	down	25'/min	
Fluid Resistivity						
Electric -16,64 Rp						
Flow Meter						
Sampler - Depth(s)						
Neutron						
Caliper Abd. well	10 146	1"-20"	2"-18"	up	25'/min	



Pump Test info - Pumped @ N/A gpm static — pumping level — dd — specific capacity — T = — S = —
 USE OF WELL Anode Drainage Observation Oil-Gas Recharge Test Abandoned Withdrawal Waste Irrigation Public Supply

QUALITY WATER SAMPLE Yes No Date N/A Depth(s) N/A pH Salinity Conductivity Temp. Chloride

ELLER B.S. Cox TYPE OF RIG Cable tool PUMP INTAKE DEPTH ? TYPE OF PUMP Sub hp ? DRILLER SAMPLES No

Start of Logging 2:00 Finished logging 3:00 Total Time 1 hr. Operator/observer Pratt / Bowman

Well Accessibility good

Lithological Summary

REMARKS: Also included is a caliper log run on an abandoned cased well, 200 feet to the north of this well

THIS LOG FOR HYDROGEOLOGICAL DATA ONLY - NOT FOR CONTRACTUAL SATISFACTION


Caliper log

NW FID-4515


LN-75

3-7-80

Bottom of casing 174'



Total depth 209'



Caliper log of Abandoned well

NWFD-4515

NOTE: Should have measured
WL in this well

LN-75

3-7-80

- 20'

- 40'

- 60'

- 80'


- 100'

- 120'

- 140'

- 140' Bottom of casing

- 146' Total depth



Diameter

1 Natural Gamma

01

dy clay
D-66

WT ~ 8 ft?

Superficial

NWFID_4515

LN-75

3-7-80

-20

с/с

27

A24

- 40

- 60

- 80

- 98

- 100

-120

- 140

- 16

- 174

-18-

- 20

- 20

- Water level 98'

clay

Bottom of casing 174'

Total depth 209.

0. limestone

8

2

not Penetrate

Temperature

NWFIID- 4515

LN- 75

3-7-80

- 0

- 20

- 40

- 60

- 80

- 98

- 100

Water level 98'

- 120

- 140

- 160

- 174

- 180

Bottom of Casing 174'

- 200