

NORTHWEST FLORIDA WATER MANAGEMENT DISTRICT-WELL LOG

OA-18

WELL NUMBER 1028 LAT. 30 35 12 LONG. 086° 37' 51" COUNTY OKALOOSA DATE 8/4/77 PERMIT NO. _____

LOCATION T 1N R 24W SEC 15 NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of SE $\frac{1}{4}$ MAP OR QUAD _____ NWE-ID 3923

OWNER Eglin AFB ADDRESS _____

WELL DEPTH 711 ft. CASSED 524 ft. OPEN HOLE 181 ft. DEPTH LOGGED TOP 4 ft. BOTTOM 710 ft. TOTAL FT. LOGGED 2133

LOGS ZEROED TO LSD yes START OF LOG @ LSD TOP OF CASING TO LSD 2.0 ft. ELEVATION OF LSD TO MSL 178.03

CONDITION _____ TYPE OF CASING T+C I GROUTED ? DATE _____ CAPPED no AGE OF WELL 1942 SIZE 10"


FLOWING no GPM _____ HEAD _____ IN.

FORMATION _____ FORMATION TOP REFERENCE TO LSD _____ MSL _____

AQUIFER Floridan WATER LEVEL REFERENCE TO LSD 158 MSL + 20 ARTESIAN HEAD _____

TYPE OF LOG	INTERVAL TO		VERT. SCALE	HORZ. SCALE	LOGGED DIRECTION	SPEED FT./MIN.	REMARKS
Gamma w/ccl	<u>4</u>	<u>710</u>	<u>1" 20 ft.</u>	<u>200 CFS</u>	<u>UP</u>	<u>20</u>	<u>TC = 2</u>
Caliper	<u>510</u>	<u>709</u>	<u>20</u>	<u>12-32</u>	<u>UP</u>	<u>20</u>	
Temp w/ccl							<u>NOT WORKING</u>
Fluid Resistivity							
Electric							
Flow Meter							
Sampler	<u>@</u>	<u>700</u>					

LOCATION:



USE OF WELL Anode _____ Drainage _____ Observation ☒ Oil-Gas _____ Recharge _____ Test _____ Abandoned _____ Withdrawal ☒ Waste _____ Irrigation _____

QUALITY WATER SAMPLE Yes ☒ No _____ Date 8/4/77 Depth(s) 700' pH _____ Salinity 6.5 ppm Conductivity _____ Temp. no

DRILLER ? Layne - Central TYPE OF RIG ? PUMP INTAKE DEPTH _____ TYPE OF PUMP _____ DRILLER SAMPLES ?

Start of Log 1200 P Finished logging 130 P Total time 1.5 Operator/observer Swader / Miller

Well Accessibility _____

Lithological Summary Drilled 1940's not used except for b.s. observation well.

REMARKS: _____

OA-18
EAFIS FIELDS WELL 2
NWE-ID 3923
8.4.77 KWADER

500

Bottom of Casing

524'

Caliper

550

600

650

Ledge

700

710

T.D. = 711

6

8

10

12

14

16

18

20

22

24

26

28

30

32

OA-16
EAFB FIELDS WELL 2
NWFD 3923
8-4-77 KUADER

50

100

150

200

250

300

350

400

450

500

550

600

650

700

710

- Top of Ls?

- Bottom of Casing 524'