

Wakulla Springs BMAP



Department of Health Onsite Sewage Efforts

April 25, 2016

Elke Ursin, PMP, CPM

Environmental Manager

Onsite Sewage Research and Engineering


Division of Disease Control and Health Protection

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.


OSTDS Advisory Committee



**Priority project
list**



**Implementation
schedule**



**Load reduction
targets**



**List of data
needs**



**Ideas for public
education**



**List of existing
studies & results**

How OSTDS Research Fits In




Nitrogen Reduction Options for Septic Systems

History

Nitrogen levels in springs have increased, harming our environment and economy. Septic systems are one of several sources of nitrogen. We have conducted research looking at how much nitrogen comes from septic systems and ways to reduce that contribution. The results of our research provides options that can be used at the local level to address nitrogen from septic systems.



Primary Study Areas



“Passive” Nitrogen Reduction Systems

Reduce effluent N using reactive media for denitrification and a single liquid pump, if necessary.

Wastewater from home



Stage 1
(nitrification)



nitrification media:
sand & expanded clay



Dispersal



Stage 2
(denitrification)



denitrification media:
lignocellulosics & elemental sulfur

Test Facility





Image Credit: Hazen and Sawyer


Nitrogen Reduction at Field Sites




Life Cycle Costs

CONVENTIONAL

Present Worth (2015 dollars)




Capital Cost




PASSIVE NITROGEN

Present Worth (2015 dollars)




Capital Cost




Case Study: Groundwater Monitoring


(a) BEFORE




(b) AFTER



In-Tank Passive Nitrogen System




In-tank two stage biofilter with recirculation stage 1, dual media stage 2 lignocellulosic (2a) followed by elemental sulfur (2b)





In-Ground Passive Nitrogen System




In-ground stacked biofilter, single pass stage 1 over stage 2
lignocellulosic



Vadose Zone Model Example



Modeling Nitrogen Under Drainfields



Vadose zone inputs | Vadose zone outputs | Sat. zone inputs | Sat. zone outputs | STUMOD-HPS | Multi-sites I | Multi-sites II | Sensit | CFD I | CFD II

Nitrogen Model



Choose soil type

?

Help

Caution!

Default values

?

Effluent concentration

?

Hydraulic loading rate

?

Treatment depth

?

Soil temperature

?

ET & plant uptake

?

Carbon content functi

?

Select # of soil Layers

No. of Layers

?

Soil type layer 2

Soil type layer 3



Run STUMOD

Close


Image Credit: Colorado School of Mines



floridahealth.gov/FLWMI


GOAL:

Map the drinking water source and wastewater treatment method for every built property in Florida




Florida Water Management Inventory

Leon County Wastewater 2016




* Includes parcels with unknown Built status. Percentages do not include parcels where wastewater is not applicable.

Interstate
US Highway
State Road




This map is based on sources of varied accuracy and scale provided by multiple organizations. FDOH assumes no liability for the use of this map and associated data.



Florida Water Management Inventory

Wakulla County Wastewater 2016




WASTEWATER METHOD FOR BUILT PARCELS*

- SEWER
- SEPTIC
- NO DATA
- CONFLICTING DATA
- NOT BUILT

- Interstate
- US Highway
- State Road


* Includes parcels with unknown Built status. Percentages do not include parcels where wastewater is not applicable.

- SEWER PARCELS**
 - 2,379 Known (18.7%)
 - 43 Likely (0.3%)
- SEPTIC PARCELS**
 - 3,337 Known (26.2%)
 - 6,564 Likely (51.4%)
- UNKNOWN PARCELS**
 - 61 Conflicting Data (0.5%)
 - 376 No Data (2.9%)



This map is based on sources of varied accuracy and scale provided by multiple organizations. FDOH assumes no liability for the use of this map and associated data.

Florida Water Management Inventory



Status

Counties

Completed

25

Mapping


21

**Data Gathering &
Processing**

21

Implementation Plan:

Goal: Make tools available to reduce nitrogen contributions from septic systems




PLAN



TEACH



BUILD



Inventory locations



Estimate loading



Determine costs



Public meetings



Education campaigns



Train installers & inspectors



Conventional systems



Lined drainfield & existing technologies



Nitrogen reduction systems

A blue circle containing a large white number "1" and the text "Implementation Plan" below it.

1

Implementation
Plan

Approve baseline conventional septic system enhanced for nitrogen reduction (in-ground system)

Requires rule change.

Status: Tabled by Technical Review and Advisory Panel on October 22, 2015 for more details

2

Implementation Plan

Incorporate nitrogen study systems as approved performance-based systems

Requires development of system specifications

Status: Being developed

3

Implementation Plan

Develop new nitrogen reducing systems section
in Chapter 64 E-6 Florida Administrative Code

Requires rule and possibly statute changes

Status: Requires multiple public meetings

4

Implementation Plan

Provide public education and training on nitrogen reduction strategies

Requires training development and message standardization

Status: Ongoing

5

Implementation Plan

Share planning-level tools to assess nitrogen reducing strategies (inventory, model)

Requires coordination with local stakeholders

Status: Ongoing

A blue circular graphic containing the number "6" in white, with the words "Implementation Plan" in white text below it.

6 Implementation Plan

Determine funding solutions for nitrogen reduction efforts

Requires coordination with Department of Environmental Protection and local stakeholders

Status: Pending

Results Benefit Floridians

- Field-tested designs
- Nitrogen model
- Cost estimates
- Options



Seeing Silver Springs in glass bottom boats

Photo Credit: State Archives of Florida, *Florida Memory*,
<http://floridamemory.com/items/show/161202>



Elke Ursin, PMP, CPM

Elke.Ursin@flhealth.gov

850-245-4070 x 2708

Environmental Manager

Onsite Sewage Research and Engineering

Florida Department of Health

Division of Disease Control and Health Protection

Bureau of Environmental Health