



Upper Floridan Aquifer

Specific Conductance in Status Network Upper Floridan Aquifer Wells




Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.

Specific Conductance in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting




Created April 23, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.

Calculated Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells




Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.

Calculated Total Dissolved Solids (TDS) in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting




Created April 24, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.

Chloride in Status Network Upper Floridan Aquifer Wells




Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.

Chloride in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting




Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.

Sulfate in Status Network Upper Floridan Aquifer Wells




Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.

Sulfate in Status Network Upper Floridan Aquifer Wells Modeled Using Inverse Distance Weighting




Created April 22, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis.

Surficial Aquifer System



Created May 4, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.

Calculated Total Dissolved Solids (TDS) in Status Network Surficial Aquifer System Wells Modeled Using Inverse Distance Weighting



Created May 4, 2015 by Florida Department of Environmental Protection staff in the Division of Environmental Assessment and Restoration. This map is a cartographic representation and is not intended for further analysis. Aquifer extent data from USGS (2003). Principal Aquifers of the 48 Conterminous United States, Hawaii, Puerto Rico, and the U.S. Virgin Islands, available at http://water.usgs.gov/GIS/metadata/usgswrd/XML/aquifers_us.xml.