Login Checklist

RQ- 2021 - 09 - 27 - 47 Login Station ID: # 3

Shipping Method: FedEx | UPS | HD | Greyhound Date/Time of Receipt: 09-30-2021 / 09:30

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO_3	Formalin		Yes	No	Yes	No	
3.4c				15		X			5225 5539 5430
1.8C				10		X			9293 8015 3500

COOLER CHECK

***All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.**

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. **NCR#** _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. **NCR#** _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. **NCR#** _____
- If coolers or samples are received late; identify the affected samples in an NCR. **NCR#** _____

Chain of Custody/ Field Sheet(s) Included? Yes X No_____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes_____ No X

CONTAINER CHECK

Evidence Tape on Bottles? Yes ____ No ____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken? Yes ____ No ____ Containers intact? Yes X No _____

Caps on tight? Yes X No ____

Sufficient Sample Volume: Yes X No ____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? *(Blue dot on container)* Yes_____ No X Init: ABS /

Chlorine detected? *(One container checked per Field ID)* Yes_____ No _____ Init: ABS /

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK *(EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")*

**Acid Preserved Samples: pH< 2.0? Yes X No_____ NA _____ Init: ABS /

**W-1-4-DIOX *(Green dot on container)* preserved to pH<4.0? Yes_____ No_____ NA X Init: ABS /

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS / **Date:** 09-30-2021 **Event contains NCRs (Y/N)?** N

Event ID: WQAP - 2021 - 09 - 30 - 02

Login Checklist

Login Preservation Equipment	Lot # & Exp: Date
Infrared Thermometer ID:	IRTG # 3 EXP:10/28/2021
pH Test Strips 0 – 6	Lot # 2325187 EXP:NOV 30 2021
pH Paper 0 – 3	N/A
pH Paper 0 – 13	Lot # 231019 EXP:NOV 1 2022
Chlorine Test Strips	0261 2023 / 05

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID: Bruce RQ- 2021-09-27-47 Project: ~~Shiloh~~ Alcl / Response

Notes: (1) Always wait for meter to stabilize before recording any readings.
(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).
(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400 Date of Last Temperature Verification 8/16/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro-meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J. Lee	9/29/21	0706	19.9	761.8	~~7.2~~ 9.1	9.2	100.2	—	1.03	(P) / F	(L) F
ICV			0708	20.0	761.9	9.1	9.11	100.2	—	1.03	(P) / F	(L) F
CCV	Brian Davis	↓	1610	21.6	760.4	8.8	8.87	100.8	/	1.03	(P) / F	(L) F
CCV											P / F	L / F

DO Acceptance criteria from Table ± 0.3 mg/L. **Rapid-Pulse Sensors:** DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.
Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. **Steady-state & Galvanic Sensors:** DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard µmhos/cm	Meter Reading µmhos/cm	Pass / Fail	Lab / Field
Calibr.	J. Lee	9/29/21	0715	210426B	05/22	1000	1000	(P) / F	(L) / F
ICV			0718	210426D	05/22	20000	19830	(P) / F	(L) / F
CCV	Brian Davis	↓	1605	210426C	5/22	1413	1401	(P) F	(L) F
CCV								P / F	L / F

Conductivity Acceptance criteria ± 5%

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J. Lee	9/29/21	0722	~~210426B~~ 2104E81	~~05/22~~ 04/23	7.02	20.9	7.02	~~-38.1~~ -34.7	(P) F	(L) F
Calibr.			0726	2107640	07/23	4.00	21.2	4.00	134.1	(P) / F	(L) F
Calibr.			0731	2107A04	12/22	10.04	21.0	10.04	-206.9	(P) F	(L) / F
ICV			0737	2104E81	04/23	7.02	21.2	7.07	-39.7	(P) F	(L) / F
CCV	Brian Davis	↓	1608	2107A04	12/22	10.03	21.7	10.03	-207.3	(P) / F	(L) F
CCV										P / F	L / F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50; mV pH 4 Range +180 ± 50; mV pH 10 Range -180 ± 50;
If mV are recorded: slope from 7 to 10 166.2, slope from 4 to 7 171.8 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? (YES) / NO / NA (not surf. water project)
If **YES**, complete daily Calibr. & ICV below and list date of last quarterly depth verification: 8/18/21
If **NO**, what will be used? (circle one) **Secchi Disk Line / Sonar** Unique ID: _____; Date of last verification: _____

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	J. Lee	9/29/21	0735	0.00	0.00	(P) / F	(L) F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria ± 5 % or ± 0.05m, whichever is greater.

COMMENTS:

Form effective August 1, 2018

02

Cyanobacteria Bloom Response Field Data Sheet

RQ-~~2019~~ 2021-09-27-47		Collected By:	B. Davis
Customer		Field Report Prepared By:	J. Lee
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP

Field ID: NEHAB0046 ~~LSJR-C-00~~ Plummer's Cove

Comments:

Collection Equipment: ortho #7

Matrix: Fresh (Grab)

Coordinates: 30.193960, -81.639500

Tide: ☐ Rising ☒ Falling ☐ Slack ☐ N/A

High Tide Time: 1551 Low Tide Time: 0841

Water Quality

Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTh)	Secchi Disk (m)	Total Depth (m)
9/29/21	1400	7.27	91.2	27.3	7.78	0.3	773	0.38	0.8	1.711
	1405	6.92	85.8	27.0	~~7.76~~ 7.78	1.2	776	0.38		

Bloom Observations

Algal Bloom Observed?	☒ Yes	☐ No			
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick	
Water Clarity	☐ Clear	☒ Slightly Turbid	☐ Turbid	☐ Opaque	
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other:	
Algae Distribution	☒ Suspended in water column		☐ On surface	☐ Other:	
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other:

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group (X)
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	~~☒~~ A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☐ H2SO4	☒ <2	1	D
	Lot SA1105060	Exp: 04/30/22	☒ <2		
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
J. Lee	9/29/21 1600	2	A. SHAIK	09-30-2021 / 09:30

Cyanobacteria Bloom Response Field Data Sheet

RQ ~~2019~~ 2021- 09-27-47		Collected By:	B. Davis
Customer	WQMP	Field Report Prepared By:	J. Lee
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP

Field ID: NE HAB 0047

Mouth of Deer Bottom Creek

Comments:

Collection Equipment: Ortho kit #7

Matrix: Fresh (Grab)

Coordinates: 30.177290, -81.643110

Tide: ☐ Rising ☒ Falling ☐ Slack ☐ N/A

High Tide Time: 1551 Low Tide Time: 0841

Water Quality

Date	Time ☐ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTh)	Secchi Disk (m)	Total Depth (m)
9/25/21	1125	7.40	92.3	26.6	7.39	0.3	639	0.31	0.416 VOB	0.416

Bloom Observations

Algal Bloom Observed?	☒ Yes	☐ No		
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick
Water Clarity	☐ Clear	☒ Slightly Turbid	☐ Turbid	☐ Opaque
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other:
Algae Distribution	☒ Suspended in water column		☐ On surface	☐ Other:
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical Other:

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
	Lot SA110506 Exp: 4/30/22		☒ <2	3	B (DUP)
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
J. Lee	9/25/21 1600	2	A.SHAIK	09-30-20321 / 09:30

Cyanobacteria Bloom Response Field Data Sheet

RQ-~~2019~~ 2021 09-27-47		Collected By:	B Davis, J Lee
Customer	WQMP	Field Report Prepared By:	B Davis
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP

Field ID: NEHABC048 Cedar River @ San Juan

Comments:

Collection Equipment: Ortho # 7

Matrix: Float (Grab)

Coordinates: 30.281580, -81.740260

Tide: ☐ Rising ☑ Falling ☐ Slack ☐ N/A

High Tide Time: 1639 Low Tide Time: 1037

Water Quality

Date	Time ☐ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTh)	Secchi Disk (m)	Total Depth (m)
9/29/21	1320	6.20	76.7	26.0	7.39	0.3	285.1	0.14	0.8	1.1

Bloom Observations

Algal Bloom Observed? ☐ Yes ☑ No

Water Surface	☑ Clear	☐ Scum	☐ Globs	☐ Slick	
Water Clarity	☑ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque	
Bloom Color	☐ Green	☐ Red	☐ Brown	☐ Other:	
Algae Distribution	☐ Suspended in water column		☐ On surface	☐ Other:	
Water Odors	☑ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other:

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☑ BLOOM-ID	☑ Ice		1	A
Chlorophyll (BP-1L)	☑ CHLSUITE-W	☑ Ice		1	B
Toxins (BG-WD250)	☑ W-MCYST-AA	☑ Ice		1	B
Preserved Nutrients (500mL HDPE)	☑ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☑ Ice ☑ H2SO4	☑ <2	1	B
	Lot SA1105060	Exp: 4/10/22	☐ <2		
Filtered Nutrients (P125mL)	☑ W-PO4-F ☑ Field Filtered 0.45um Filter	☑ Ice		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
J. Lee	9/29/21 1600	2	A.SHAIK	09-30-2021 / 09:30

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021- 09-27-47		Collected By:	B. Davis
Customer	WQMP	Field Report Prepared By:	J. Lee
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP

Field ID: NE HAB 0050

Trout R @ BM ramp

Comments:

Collection Equipment: ortho kit #7

Matrix: fresh (Grab)

Coordinates: 30.403710, -81.663580

Tide: [X] Rising [ ] Falling [ ] Slack [ ] N/A

High Tide Time: 1242 Low Tide Time: 0637

Water Quality

Date	Time [X] EST [ ] CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTh)	Secchi Disk (m)	Total Depth (m)
9/29/2021	1405	8.59	115.5	29.7	7.94	0.3	7211	3.93	0.621 VOB	0.621

Bloom Observations

Algal Bloom Observed?	[X] Yes [ ] No			
Water Surface	[ ] Clear	[X] Scum	[ ] Globs	[ ] Slick
Water Clarity	[ ] Clear	[ ] Slightly Turbid	[X] Turbid	[ ] Opaque
Bloom Color	[X] Green	[ ] Red	[ ] Brown	[ ] Other:
Algae Distribution	[X] Suspended in water column		[X] On surface	[ ] Other:
Water Odors	[ ] Normal	[ ] Sewage	[ ] Petroleum	[ ] Chemical [X] Other: Fishy

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	[X] BLOOM-ID	[X] Ice		1	A
Chlorophyll (BP-1L)	[X] CHLSUITE-W	[X] Ice		1	B
Toxins (BG-WD250)	[X] W-MCYST-AA	[X] Ice		1	B
Preserved Nutrients (500mL HDPE)	[X] W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	[X] Ice [X] H2SO4	[X] <2	1	B
	Lot SA1105060	Exp: 4/30/22	[ ] <2		X (G)
Filtered Nutrients (P125mL)	[X] W-PO4-F [X] Field Filtered 0.45um Filter	[X] Ice		1	B
Quantitative Algae	[ ] DTY-QN-C / PKD-QN-C	[ ] Ice	[ ] Lugols		

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
J. Lee	9/29/21 1600	2	A.SHAIK	09-30-2021 / 09:30

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021- 09-27-47		Collected By:	B. Davis
Customer	WQMP	Field Report Prepared By:	J. Lee
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP

Field ID: NEHAB 0045

Trout river @ Main St

Comments:

Collection Equipment: orthokit #7

Matrix: Fresh (Grab)

Coordinates: 30.394090, -81.647410

Tide: ☒ Rising ☐ Falling ☐ Slack ☐ N/A

High Tide Time: 1242 Low Tide Time: 0637

Water Quality

Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTh)	Secchi Disk (m)	Total Depth (m)
9/29/2021	1440	7.30	94.5	27.9	7.81	0.3	3546	1.86	0.8	6.24
	1445	6.88	88.3	27.7	7.70	5.7	4070	2.15		

Bloom Observations

Algal Bloom Observed?	☒ Yes	☐ No					
Water Surface	☐ Clear	☒ Scum	☐ Globs	☐ Slick			
Water Clarity	☐ Clear	☒ Slightly Turbid	☐ Turbid	☐ Opaque			
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other:			
Algae Distribution	☒ Suspended in water column		☒ On surface	☐ Other:			
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other:		

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
	Lot SA1105060	Exp: 4/30/22	☒ <2		
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
J. Lee	9/29/21 1600	2	A.SHAIK	09-30-2021 / 09:30

RQ-2021-09-27-47

Date of Request: 22-SEP-2021
Created By: PARRISH_J On: 22-SEP-2021
Modified By: JASROTIA_P On: 23-SEP-2021
Customer: WQAP
Project: BLOOM-RESP
Division: Division of Environmental Assessment and Restoration
District:
Event Description: Algal Bloom Response- NEROC

Send Coolers To:

Phone: 904-256-1700
8800 Baymeadows Way West

Jacksonville, FL 32256
Attn: Jeremy Parrish
Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 1
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 23-SEP-2021
Biology Request Reviewed By: JASROTIA_P On: 23-SEP-2021
Sampling Kit Required: YES Ship on: 24-SEP-2021
Sampling Kit Shipped: YES On: 24-SEP-2021
Sampling Kit Packed By: REYNOLDS_T
Preservatives Needed: NO
Date to Receive Samples: 27-SEP-2021
Logged In By: SHAIK_A On: 30-SEP-2021

Send Final Report To:

8800 Baymeadows Way West

Jacksonville, FL 32256
Attn: Jeremy Parrish
Report Notification EMail:
Jeremy.M.Parrish@dep.state.fl.us;Brian.Davis@floridadep.gov;Amelia.Rankin@dep.state.fl.us

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
For algal dominant taxon.

Bottle Group B - Priority 1
For toxin testing, nutrients, and chlorophyll

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 7 Samples:

Bottle Type: PT-50ML Number of Bottles: 7 Preserved With: ICE
BLOOM-ID Template: DEFAULT (SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 7 Samples:

Bottle Type: BP-1L Number of Bottles: 7 Preserved With: ICE
CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: BG-250ML-WDMTH Number of Bottles: 7 Preserved With: ICE
W-MCYST-AA Template: (EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
Bottle Type: P-500ML Number of Bottles: 7 Preserved With: ICE And H2SO4
W-NH3 Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML Number of Bottles: 7 Preserved With: FILTER-ICE
W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.