

Login Checklist

RQ- 2021-09-27-51

Login Station ID: #5

Shipping Method: (FedEx) | UPS | HD | Greyhound

Date/Time of Receipt: 10/ 5 /21 @ 9:25

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.1				15		✓			9293 8015 1190
2.1				15		✓			9293 8015 1139

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No ✓

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA ✓

Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes _____ No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No ✓ Init: KK

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes ✓ No _____ NA _____ Init: KK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA ✓ Init: KK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: KK

Date: 10/ 5 /21

Event contains NCRs (Y/N)? N

Event ID: Algal Bloom Response- NEROC
WQAP-2021-10-05-01 (BLOOM-RESP)

— Date Received: 05-OCT-2021 09:25

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #5 EXP:10-28-21
pH Test Strips 0 – 6	Lot#210620 EXP:4-15-23
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#210620 EXP:4-15-23
Chlorine Test Strips	Lot#0261 EXP:5-23

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

CALIBRATION AND VERIFICATION LOG (FDEP SOP FT 1000-FT 1500, FD 1000-FD 4000)

Boldly "X" this box if there are qualified data on this page.

Meter ID:

Bruce

RQ:

2021-09-27-51

Project:

Algae Research

Notes: (1) Always wait for meter to stabilize before recording any readings.

(2) Report all digits displayed. Do not round before reporting measurements. (See special instructions for depth).

(3) For Calibrations, record calibrated meter reading. Do not record initial meter reading before calibration.

Temperature (Quarterly) FT 1400

Date of Last Temperature Verification

8/16/21

DO DEP SOP FT 1500	Name	Date	Time CT-ET	Temp °C	Baro- meter mmHg	D.O. Chart mg/L	Meter D.O. mg/L	% DO	Probe Charge	Probe Gain	Pass / Fail	Lab / Field
Calibr.	J. Lee	10/4/21	0851	20.8	761.3	8.9	8.9	100.2	-	1.03	ⓧ/F	ⓧ/F
ICV	↓		0856	20.9	761.5	8.9	8.93	100.0	-	1.03	ⓧ/F	ⓧ/F
CCV	Kim Appleby	↓	1658	22.5	760.1	8.7	8.71	100.5	-	1.03	ⓧ/F	ⓧ/F
CCV											P/F	L/F

DO Acceptance criteria from Table ± 0.3 mg/L.

Rapid-Pulse Sensors: DO Gain Range 0.7 to 1.4; DO Charge Range 25-75.

Optical: DO gain range 0.85 to 1.15 (Pro DSS 0.75 to 1.50); DO charge N/A. Steady-state & Galvanic Sensors: DO Gain & Charge N/A.

Spec. Cond. FT 1200	Name	Date	Time CT-ET	Lot #	Expir. Date	Standard μ hos/cm	Meter Reading μ hos/cm	Pass / Fail	Lab / Field
Calibr.	J. Lee	10/4/21	0845	21042605	05/22	1000	1000	ⓧ/F	ⓧ/F
ICV	↓		0849	21042605	05/22	100	100.7	ⓧ/F	ⓧ/F
CCV	Kim Appleby	↓	1652	21042605	5/22	20,000	20,085	ⓧ/F	ⓧ/F
CCV			1705					P/F	L/F

Conductivity Acceptance criteria $\pm 5\%$

pH DEP SOP FT 1100	Name	Date	Time CT-ET	Lot #	Expir. Date	pH Buffer SU	Temp °C	Meter reading SU	mV	Pass / Fail	Lab / Field
Calibr.	J. Lee	10/4/21	0900	2107F56	07/23	7.02	20.9	7.02	-41.9	ⓧ/F	ⓧ/F
Calibr.	↓		0902	2107F40	07/23	4.00	20.9	4.00	136.2	ⓧ/F	ⓧ/F
Calibr.	↓		0905	2107A04	12/22	10.04	20.8	10.04	-207.8	ⓧ/F	ⓧ/F
ICV	↓		0906	2107F56	07/23	7.02	20.9	7.03	-38.5	ⓧ/F	ⓧ/F
CCV	Kim Appleby	✓	1707	2107A04	12/22	10.04	21.6	9.99	-207.5	ⓧ/F	ⓧ/F
CCV										P/F	L/F

pH Acceptance criteria ± 0.2 SU; mV pH 7 Range 0 ± 50 ; mV pH 4 Range $+180 \pm 50$; mV pH 10 Range -180 ± 50 ;

If mV are recorded: slope from 7 to 10 165.9, slope from 4 to 7 178.1 (both must be between 165 and 180 mV)

Does meter have a depth sensor that will be used to measure total depth & sample depth? YES / NO / NA (not surf. water project)

If YES, complete daily Calibr. & ICV below and list date of last quarterly depth verification:

8/16/21

If NO, what will be used? (circle one) Secchi Disk Line / Sonar Unique ID: ; Date of last verification:

Depth Sensor (Daily Calibration & ICV)	Name	Date	Time CT-ET	Calibrated Value (0.00 or Offset), meters	ICV Value, meters	Pass / Fail	Lab / Field
Pressure mode in air	J. Lee	10/4/21		0.00	0.00	ⓧ/F	ⓧ/F

Report two decimal places. Round numbers ≤ 4 down, ≥ 5 up. ICV acceptance criteria $\pm 5\%$ or ± 0.05 m, whichever is greater.

COMMENTS:

KK 10.5.21 / 0925

Form effective August 1, 2018

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021- 09- 27- 51		Collected By: Kim Appleby + Jessica Lee	
Customer	ZIFLA	Field Report Prepared By: Kim Appleby	
Project ID:	BLOOM_RESP	Sampling Agency: FDEP	

WIN ID/Field ID:  NEHAB0037

COJ St Johns Marina

Comments: Algae seen suspended in water, some slight concentration on surface. Algae diffuse

Matrix: Marine		☒ Grab		Collection Equipment: Ortho kit #3	
Tide: ☐ Rising ☒ Falling ☐ Slack ☐ N/A		Coordinates: 30.319840, -81.661570		High Tide Time: 445m Low Tide Time: 1610 1515	

Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTH)	Secchi Disk (m)	Total Depth (m)
10/1/21	1105	6.07	79.8	27.9	7.58	0.3	9613	5.37	0.7	1.053

Bloom Observations					
Algal Bloom Observed? ☒ Yes ☐ No					
Water Surface	☒ Clear	☐ Scum	☐ Globbs	☐ Slick	
Water Clarity	☒ Clear	☒ Slightly Turbid	☐ Turbid	☐ Opaque	
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other: _____	
Algae Distribution	☒ Suspended in water column		☒ On surface	☐ Other: _____	
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical Other: _____	

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice	☐ <2	1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By: Kim Appleby	Date/Time: 10/1/21 1600	Number of Coolers Shipped: 2	Received By:	Date/Time:
------------------------------	-------------------------	------------------------------	--------------	------------

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-09-27-51		Collected By: Kim Appleby + Jessica Lee	
Customer: 21FLA	Field Report Prepared By: Kim Appleby		
Project ID: BLOOM_RESP	Sampling Agency: FDEP		

WIN ID/Field ID:  NEHAB0043 LSJR @ South end of Hart Bridge	Comments: Algae seen on surface of water. + suspended in water column. Diffuse in water column. Some concentration and streaking on surface, and near shore/vegetation line.
Collection Equipment: Ortho KIT #3	

Matrix: Marine	Grab	Coordinates: 30.311800, -81.625650
Tide: ☐ Rising ☒ Falling ☐ Slack ☐ N/A	High Tide Time: 9:45 AM	Low Tide Time: 1:57 PM

Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
10/14/21	1140	5.58	74.5	27.8	7.61	0.3	14633	8.45	0.75	0.8

Bloom Observations						
Algal Bloom Observed? ☒ Yes ☐ No						
Water Surface	☐ Clear	☒ Scum	☐ Globs	☐ Slick		
Water Clarity	☐ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque		
Bloom Color	☒ Green	☐ Red	☒ Brown	☐ Other: _____		
Algae Distribution	☒ Suspended in water column		☒ On surface	☐ Other: _____		
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other: _____	

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP Lot: 5A1105060 Exp: 4/30/22	☒ Ice ☒ H2SO4	☒ <2 ☐ <2	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By: Kim Appleby	Date/Time: 10/14/21 1600	Number of Coolers Shipped: 2	Received By:	Date/Time:
------------------------------	--------------------------	------------------------------	--------------	------------

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021- 09-27-51		Collected By: Kim Appleby + Jessica Lee	
Customer	ZIFLA	Field Report Prepared By: Kim Appleby	
Project ID:	BLOOM_RESP	Sampling Agency: FDEP	

WIN ID/Field ID:  NEHAB0038

Comments: Algae seen ^{scarsely} distributed in water column.

Canal to Marco Lake

Matrix: Fresh		Collection Equipment: Ortho Kit #3
Tide: ☐ Rising ☒ Falling ☐ Slack ☐ N/A		Coordinates: 30.301460, -81.657960
High Tide Time: 9:50		Low Tide Time: 16:10

Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPTH)	Secchi Disk (m)	Total Depth (m)
10/14/21	1250	8.07	104.1	28.5	8.04	0.3	2388	1.22	0.7	0.78

Bloom Observations			
Algal Bloom Observed? ☒ Yes ☐ No			
Water Surface	☒ Clear	☐ Scum	☐ Slick
Water Clarity	☐ Clear	☒ Slightly Turbid	☐ Opaque
Bloom Color	☒ Green	☐ Red	☐ Other: _____
Algae Distribution	☒ Suspended in water column		☐ On surface
Water Odors	☒ Normal	☐ Sewage	☐ Chemical

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F	☒ Field Filtered 0.45um Filter	☐ <2		B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By: Kim Appleby	Date/Time: 10/14/21 1600	Number of Coolers Shipped: 2	Received By:	Date/Time:
------------------------------	--------------------------	------------------------------	--------------	------------

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-09-27-51		Collected By:	Kim Appleby + Jessica Lee	
Customer	21FLA	Field Report Prepared By:	Kim Appleby	
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP	

WIN ID/Field ID:  NEHAB0041

LSJR @ Worth Dr S

Comments: *Algae seen in water column. ^{scum-like} sparsely distributed*

Matrix:	<i>Fresh</i>	☒ Grab	Collection Equipment:	<i>ortho kit #3</i>
Tide:	☐ Rising ☒ Falling ☐ Slack ☐ N/A	Coordinates:	<i>30.271350, -81.655090</i>	
High Tide Time:	<i>945</i>	Low Tide Time:	<i>1610</i>	

Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
<i>10/4/21</i>	<i>1320</i>	<i>8.98</i>	<i>117.9</i>	<i>29.3</i>	<i>8.26</i>	<i>0.3</i>	<i>1724</i>	<i>0.86</i>	<i>0.75</i>	<i>0.91</i>

Bloom Observations					
Algal Bloom Observed? ☒ Yes ☐ No					
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick	
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque	
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other: _____	
Algae Distribution	☒ Suspended in water column	☐ On surface	☐ Other: _____		
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other: _____

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500ml, HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	<i>2</i>	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice	☐ <2	1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
<i>Kim Appleby</i>	<i>10/4/21</i> <i>1600</i>	<i>2</i>		

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-09-27-51		Collected By: Kim Appleby + Jessica Lee	
Customer	21 FLA	Field Report Prepared By: Kim Appleby	
Project ID:	BLOOM_RESP	Sampling Agency: FDEP	

WIN ID/Field ID: 
NEHAB0034

LSJR @ Marina Ortega Land

Comments: Algae sparsely seen in water column

Matrix:	Fresh	Grab	Collection Equipment:	Ortho kit #3
Tide:	☐ Rising ☒ Falling ☐ Slack ☐ N/A	Coordinates:	30.276830, -81.712930	
		High Tide Time:	945	Low Tide Time: 1610

Date	Time ☒ EST- ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
10/4/21	1415	6.45	83.7	29.0	7.53	0.3	909	0.44	0.7	1.99
	1417	5.70	73.1	28.4	7.45	1.49	910	0.44		

Algal Bloom Observed?	☒ Yes ☐ No
Water Surface	☒ Clear ☐ Scum ☐ Globs ☐ Slick
Water Clarity	☒ Clear ☐ Slightly Turbid ☐ Turbid ☐ Opaque
Bloom Color	☒ Green ☐ Red ☐ Brown ☐ Other: _____
Algae Distribution	☒ Suspended in water column ☐ On surface ☐ Other: _____
Water Odors	☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Other: _____

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP Lot: SA1105060 Exp: 4/30/22	☒ Ice ☒ H2SO4	☒ <2 ☐ <2	1	B
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
Kim Appleby	10/4/21 1600	2		

Cyanobacteria Bloom Response Field Data Sheet

RQ-2021-09-27-51		Collected By: Kim Appleby & Jessica Lee	
Customer	21FLA	Field Report Prepared By:	Kim Appleby
Project ID:	BLOOM_RESP	Sampling Agency:	FDEP

WIN ID/Field ID:	 NEHAB0033	Comments: Algae sparsely distributed in water column.
LSJR @ St Vincent riverside		Collection Equipment: ortho kit #3

Matrix:	Fresh	Grab	Coordinates:	30.306340, -81.689130	
Tide:	☐ Rising ☒ Falling ☐ Slack ☐ N/A	High Tide Time:	945	Low Tide Time:	1610

Water Quality										
Date	Time ☒ EST ☐ CEN	D.O. (mg/L)	D.O. (%)	Temp °C	pH (SU)	Sample Depth (m)	Cond. (umho/cm)	Salinity (PPT)	Secchi Disk (m)	Total Depth (m)
10/14/21	1455	8.02	106.5	29.8	7.94	0.3	2505	1.28	0.8	1.28

Bloom Observations					
Algal Bloom Observed? ☒ Yes ☐ No					
Water Surface	☒ Clear	☐ Scum	☐ Globs	☐ Slick	
Water Clarity	☒ Clear	☐ Slightly Turbid	☐ Turbid	☐ Opaque	
Bloom Color	☒ Green	☐ Red	☐ Brown	☐ Other: _____	
Algae Distribution	☒ Suspended in water column	☐ On surface	☐ Other: _____		
Water Odors	☒ Normal	☐ Sewage	☐ Petroleum	☐ Chemical	Other: _____

Parameter Suite	Parameter Methods	Preservation	pH Check	#Bottles Sent to Lab	Bottle Group
Bloom ID (PT-50ML)	☒ BLOOM-ID	☒ Ice		1	A
Chlorophyll (BP-1L)	☒ CHLSUITE-W	☒ Ice		1	B
Toxins (BG-WD250)	☒ W-MCYST-AA	☒ Ice		1	B
Preserved Nutrients (500mL HDPE)	☒ W-NH3 / W-NO2NO3 / W-TKN / W-S-A-TP	☒ Ice ☒ H2SO4	☒ <2	1	B
	Lot: SA1105060	Exp: 4/30/22	☐ <2		
Filtered Nutrients (P125mL)	☒ W-PO4-F ☒ Field Filtered 0.45um Filter	☒ Ice		1	B
Quantitative Algae	☐ DTY-QN-C / PKD-QN-C	☐ Ice ☐ Lugols			

Relinquished By:	Date/Time	Number of Coolers Shipped	Received By:	Date/Time
Kim Appleby	10/14/21 1600	2		

Date of Request: 29-SEP-2021
 Created By: PARRISH_J On: 29-SEP-2021
 Modified By: JASROTIA_P On: 29-SEP-2021
 Customer: WQAP
 Project: BLOOM-RESP
 Division: Division of Environmental Assessment and Restoration
 District:
 Event Description: Algal Bloom Response- NEROC

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West

 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Cooler Ship EMail: Jeremy.M.Parrish@dep.state.fl.us

Priority: 1
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 29-SEP-2021
 Biology Request Reviewed By: JASROTIA_P On: 29-SEP-2021
 Sampling Kit Required: YES Ship on: 30-SEP-2021
 Sampling Kit Shipped: YES On: 30-SEP-2021
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 29-SEP-2021
 Logged In By:

Send Final Report To:

8800 Baymeadows Way West

 Jacksonville, FL 32256
 Attn: Jeremy Parrish
 Report Notification EMail:
 Jeremy.M.Parrish@dep.state.fl.us; Brian.G.Davis@floridadep.gov
 ;Amelia.Rankin@dep.state.fl.us

Comments: Unless peak algal bloom season, may analyze toxin after consultation with Biology's Taxonomy Manager.

Bottle Group A - Priority 1
 For algal dominant taxon.

Bottle Group B - Priority 1
 For toxin testing, nutrients, and chlorophyll

There are multiple bottles per Group in case multiple sample targets or sample locations are needed. Samplers use best professional judgement to decide which samples are appropriate to collect for a particular response. All sets of bottles do not have to be filled at one time.

Please print two copies of algal job labels at login.

Bottle Group A (Biological) With 8 Samples:

Bottle Type: PT-50ML	Number of Bottles: 8	Preserved With: ICE
BLOOM-ID	Template: DEFAULT	(SOP-AB05) Assessment of dominant algal taxa in bloom or mat sample

Bottle Group B (Water) With 8 Samples:

Bottle Type: BP-1L	Number of Bottles: 8	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: BG-250ML-WDMTH	Number of Bottles: 8	Preserved With: ICE
W-MCYST-AA	Template:	(EPA 8321B) Microcystins in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 8	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 8	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.