

# Laboratory Results

## Lee County Environmental Laboratory

60-2 Danley Drive  
Fort Myers, FL 33907  
239-533-8600



To: Natural Resources Management  
1500 Monroe St  
Fort Myers FL 33901  
RE: Tidal Caloosa

Report Date: 3/2/2021

Below are the results of samples submitted to this laboratory on 2/17/2021

|                    |           |                          |                    |
|--------------------|-----------|--------------------------|--------------------|
| Laboratory ID      | AE77336   | Collection date and time | 2/17/2021 12:00 PM |
| Location Code      | CRNEP_RS  | Sample Collector         | REISTADT/HORMUTH   |
| Sample Description | Grid #455 |                          |                    |

| Analyte Name                             | Result | Qualifier | Units        | MDL   | PQL   | Analysis Date | Analysis Time | Analysis Method |
|------------------------------------------|--------|-----------|--------------|-------|-------|---------------|---------------|-----------------|
| Chlorophyll a - corrected for Pheophytin | 7.41   |           | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Pheophytin                               | 3.64   |           | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Biochemical Oxygen Demand 5 day          | 1.6    |           | mg/L         | 0.3   | 1.2   | 2/18/2021     | 12:13 PM      | SM 5210 B       |
| Color                                    | 71.8   |           | CU           | 1.6   | 6.4   | 2/19/2021     | 10:08 AM      | SM21 2120 C     |
| Oxygen, Dissolved, Electrode, by Client  | 6.99   |           | mg/L         |       |       | 2/17/2021     | 12:00 PM      | FDEP FT1500     |
| Enterococci                              | 31     |           | MPN/100mL    | 10    |       | 2/17/2021     | 3:07 PM       | Enterolert®     |
| Ammonia                                  | 0.020  | I         | mg/L as N    | 0.014 | 0.056 | 2/19/2021     | 9:02 AM       | EPA 350.1       |
| Nitrite                                  | 0.016  |           | mg/L as N    | 0.003 | 0.012 | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate                                  | 0.114  |           | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate + Nitrite                        | 0.130  |           | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrogen, Organic                        | 0.77   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN - NH3       |
| Phosphorus, Ortho                        | 0.046  |           | mg/L as P    | 0.004 | 0.016 | 2/18/2021     | 1:18 PM       | EPA 365.1       |
| Salinity by meter by Client              | 0.27   |           | SU           |       |       | 2/17/2021     | 12:00 PM      | FDEP FT 1300    |
| Water Clarity Secchi Disk, by Client     | 0.85   |           | meters       |       |       | 2/17/2021     | 12:00 PM      | FDEP FT 1700    |
| Silica, dissolved as SiO2                | 6.3    |           | mg/L as SiO2 | 0.1   | 0.4   | 2/18/2021     | 1:16 PM       | SM4500-SiO2 C   |
| Depth of Water Body                      | 1.1    |           | Meters       |       |       | 2/17/2021     | 12:00 PM      | FS2100          |
| Nitrogen, Kjeldahl, Total                | 0.79   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | EPA 351.2       |
| Nitrogen, Total                          | 0.92   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN + NOX       |
| Total Organic Carbon                     | 16     |           | mg/L         | 1     | 4     | 2/25/2021     | 3:54 PM       | SM 5310 B       |
| Phosphorus, Total                        | 0.083  |           | mg/L as P    | 0.006 | 0.024 | 2/24/2021     | 9:36 AM       | EPA 365.1       |
| Total Suspended Solids                   | 3.90   |           | mg/L         | 0.6   | 2.4   | 2/18/2021     | 10:28 AM      | SM 2540 D       |
| Turbidity (Nephelometric)                | 3.77   |           | NTU          | 0.2   | 0.8   | 2/18/2021     | 9:38 AM       | EPA 180.1       |



|                    |           |                          |                    |
|--------------------|-----------|--------------------------|--------------------|
| Laboratory ID      | AE77337   | Collection date and time | 2/17/2021 11:05 AM |
| Location Code      | CRNEP_RS  | Sample Collector         | REISTADT/HORMUTH   |
| Sample Description | Grid #442 |                          |                    |

| Analyte Name                             | Result | Qualifier | Units        | MDL   | PQL   | Analysis Date | Analysis Time | Analysis Method |
|------------------------------------------|--------|-----------|--------------|-------|-------|---------------|---------------|-----------------|
| Chlorophyll a - corrected for Pheophytin | 16.53  |           | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Pheophytin                               | 2.40   |           | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Biochemical Oxygen Demand 5 day          | 1.4    |           | mg/L         | 0.3   | 1.2   | 2/18/2021     | 12:13 PM      | SM 5210 B       |
| Color                                    | 61.7   |           | CU           | 1.6   | 6.4   | 2/19/2021     | 10:08 AM      | SM21 2120 C     |
| Oxygen, Dissolved, Electrode, by Client  | 8.37   |           | mg/L         |       |       | 2/17/2021     | 11:05 AM      | FDEP FT1500     |
| Enterococci                              | 31     |           | MPN/100mL    | 10    |       | 2/17/2021     | 3:07 PM       | Enterolert®     |
| Ammonia                                  | 0.014  | U         | mg/L as N    | 0.014 | 0.056 | 2/19/2021     | 9:02 AM       | EPA 350.1       |
| Nitrite                                  | 0.003  | I         | mg/L as N    | 0.003 | 0.012 | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate                                  | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate + Nitrite                        | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrogen, Organic                        | 0.88   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN - NH3       |
| Phosphorus, Ortho                        | 0.027  |           | mg/L as P    | 0.004 | 0.016 | 2/18/2021     | 1:18 PM       | EPA 365.1       |
| Salinity by meter by Client              | 2.42   |           | SU           |       |       | 2/17/2021     | 11:05 AM      | FDEP FT 1300    |
| Water Clarity Secchi Disk, by Client     | 0.75   |           | meters       |       |       | 2/17/2021     | 11:05 AM      | FDEP FT 1700    |
| Silica, dissolved as SiO2                | 4.4    |           | mg/L as SiO2 | 0.1   | 0.4   | 2/18/2021     | 1:16 PM       | SM4500-SiO2 C   |
| Depth of Water Body                      | 1.1    |           | Meters       |       |       | 2/17/2021     | 11:05 AM      | FS2100          |
| Nitrogen, Kjeldahl, Total                | 0.88   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | EPA 351.2       |
| Nitrogen, Total                          | 0.88   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN + NOX       |
| Total Organic Carbon                     | 15     |           | mg/L         | 1     | 4     | 2/25/2021     | 3:54 PM       | SM 5310 B       |
| Phosphorus, Total                        | 0.080  |           | mg/L as P    | 0.006 | 0.024 | 2/24/2021     | 9:36 AM       | EPA 365.1       |
| Total Suspended Solids                   | 7.00   |           | mg/L         | 0.6   | 2.4   | 2/18/2021     | 9:57 AM       | SM 2540 D       |
| Turbidity (Nephelometric)                | 5.24   |           | NTU          | 0.2   | 0.8   | 2/18/2021     | 9:38 AM       | EPA 180.1       |

|                    |           |                          |                    |
|--------------------|-----------|--------------------------|--------------------|
| Laboratory ID      | AE77338   | Collection date and time | 2/17/2021 10:10 AM |
| Location Code      | CRNEP_RS  | Sample Collector         | REISTADT/HORMUTH   |
| Sample Description | Grid #429 |                          |                    |

| Analyte Name                             | Result | Qualifier | Units     | MDL   | PQL   | Analysis Date | Analysis Time | Analysis Method |
|------------------------------------------|--------|-----------|-----------|-------|-------|---------------|---------------|-----------------|
| Chlorophyll a - corrected for Pheophytin | 6.75   |           | mg/M3     | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Pheophytin                               | 2.00   | I         | mg/M3     | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Biochemical Oxygen Demand 5 day          | 1.4    |           | mg/L      | 0.3   | 1.2   | 2/18/2021     | 12:13 PM      | SM 5210 B       |
| Color                                    | 55.6   |           | CU        | 1.6   | 6.4   | 2/19/2021     | 10:08 AM      | SM21 2120 C     |
| Oxygen, Dissolved, Electrode, by Client  | 7.93   |           | mg/L      |       |       | 2/17/2021     | 10:10 AM      | FDEP FT1500     |
| Enterococci                              | 10     | U         | MPN/100mL | 10    |       | 2/17/2021     | 3:07 PM       | Enterolert®     |
| Ammonia                                  | 0.014  | U         | mg/L as N | 0.014 | 0.056 | 2/19/2021     | 9:02 AM       | EPA 350.1       |
| Nitrite                                  | 0.003  | U         | mg/L as N | 0.003 | 0.012 | 2/18/2021     | 11:12 AM      | EPA 353.2       |

Report Format: NELAC

DOH #E45049



|                    |           |                          |                    |
|--------------------|-----------|--------------------------|--------------------|
| Laboratory ID      | AE77338   | Collection date and time | 2/17/2021 10:10 AM |
| Location Code      | CRNEP_RS  | Sample Collector         | REISTADT/HORMUTH   |
| Sample Description | Grid #429 |                          |                    |

| Analyte Name                         | Result | Qualifier | Units        | MDL   | PQL   | Analysis Date | Analysis Time | Analysis Method |
|--------------------------------------|--------|-----------|--------------|-------|-------|---------------|---------------|-----------------|
| Nitrate                              | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate + Nitrite                    | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrogen, Organic                    | 0.71   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN - NH3       |
| Phosphorus, Ortho                    | 0.021  |           | mg/L as P    | 0.004 | 0.016 | 2/18/2021     | 1:18 PM       | EPA 365.1       |
| Salinity by meter by Client          | 4.47   |           | SU           |       |       | 2/17/2021     | 10:10 AM      | FDEP FT 1300    |
| Water Clarity Secchi Disk, by Client | 1.15   |           | meters       |       |       | 2/17/2021     | 10:10 AM      | FDEP FT 1700    |
| Silica, dissolved as SiO2            | 3.0    |           | mg/L as SiO2 | 0.1   | 0.4   | 2/18/2021     | 1:16 PM       | SM4500-SiO2 C   |
| Depth of Water Body                  | 2.2    |           | Meters       |       |       | 2/17/2021     | 10:10 AM      | FS2100          |
| Nitrogen, Kjeldahl, Total            | 0.71   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | EPA 351.2       |
| Nitrogen, Total                      | 0.71   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN + NOX       |
| Total Organic Carbon                 | 14     |           | mg/L         | 1     | 4     | 2/25/2021     | 3:54 PM       | SM 5310 B       |
| Phosphorus, Total                    | 0.059  |           | mg/L as P    | 0.006 | 0.024 | 2/24/2021     | 9:36 AM       | EPA 365.1       |
| Total Suspended Solids               | 3.30   |           | mg/L         | 0.6   | 2.4   | 2/18/2021     | 9:57 AM       | SM 2540 D       |
| Turbidity (Nephelometric)            | 2.29   |           | NTU          | 0.2   | 0.8   | 2/18/2021     | 9:38 AM       | EPA 180.1       |

|                    |           |                          |                    |
|--------------------|-----------|--------------------------|--------------------|
| Laboratory ID      | AE77339   | Collection date and time | 2/17/2021 10:35 AM |
| Location Code      | CRNEP_RS  | Sample Collector         | REISTADT/HORMUTH   |
| Sample Description | Grid #428 |                          |                    |

| Analyte Name                             | Result | Qualifier | Units        | MDL   | PQL   | Analysis Date | Analysis Time | Analysis Method |
|------------------------------------------|--------|-----------|--------------|-------|-------|---------------|---------------|-----------------|
| Chlorophyll a - corrected for Pheophytin | 7.80   |           | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Pheophytin                               | 3.42   |           | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Biochemical Oxygen Demand 5 day          | 1.7    |           | mg/L         | 0.3   | 1.2   | 2/18/2021     | 12:13 PM      | SM 5210 B       |
| Color                                    | 59.4   |           | CU           | 1.6   | 6.4   | 2/19/2021     | 10:08 AM      | SM21 2120 C     |
| Oxygen, Dissolved, Electrode, by Client  | 8.21   |           | mg/L         |       |       | 2/17/2021     | 10:35 AM      | FDEP FT1500     |
| Enterococci                              | 10     |           | MPN/100mL    | 10    |       | 2/17/2021     | 3:07 PM       | Enterolert®     |
| Ammonia                                  | 0.014  | U         | mg/L as N    | 0.014 | 0.056 | 2/19/2021     | 9:02 AM       | EPA 350.1       |
| Nitrite                                  | 0.003  | U         | mg/L as N    | 0.003 | 0.012 | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate                                  | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate + Nitrite                        | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrogen, Organic                        | 0.73   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN - NH3       |
| Phosphorus, Ortho                        | 0.023  |           | mg/L as P    | 0.004 | 0.016 | 2/18/2021     | 1:18 PM       | EPA 365.1       |
| Salinity by meter by Client              | 3.65   |           | SU           |       |       | 2/17/2021     | 10:35 AM      | FDEP FT 1300    |
| Water Clarity Secchi Disk, by Client     | 0.95   |           | meters       |       |       | 2/17/2021     | 10:35 AM      | FDEP FT 1700    |
| Silica, dissolved as SiO2                | 3.5    |           | mg/L as SiO2 | 0.1   | 0.4   | 2/18/2021     | 1:16 PM       | SM4500-SiO2 C   |
| Depth of Water Body                      | 1.3    |           | Meters       |       |       | 2/17/2021     | 10:35 AM      | FS2100          |

Report Format: NELAC

DOH #E45049



|                    |           |                          |                    |
|--------------------|-----------|--------------------------|--------------------|
| Laboratory ID      | AE77339   | Collection date and time | 2/17/2021 10:35 AM |
| Location Code      | CRNEP_RS  | Sample Collector         | REISTADT/HORMUTH   |
| Sample Description | Grid #428 |                          |                    |

| Analyte Name              | Result | Qualifier | Units     | MDL   | PQL   | Analysis Date | Analysis Time | Analysis Method |
|---------------------------|--------|-----------|-----------|-------|-------|---------------|---------------|-----------------|
| Nitrogen, Kjeldahl, Total | 0.73   |           | mg/L as N | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | EPA 351.2       |
| Nitrogen, Total           | 0.73   |           | mg/L as N | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN + NOX       |
| Total Organic Carbon      | 15     |           | mg/L      | 1     | 4     | 2/25/2021     | 3:54 PM       | SM 5310 B       |
| Phosphorus, Total         | 0.078  |           | mg/L as P | 0.006 | 0.024 | 2/24/2021     | 9:36 AM       | EPA 365.1       |
| Total Suspended Solids    | 7.55   |           | mg/L      | 0.6   | 2.4   | 2/18/2021     | 9:57 AM       | SM 2540 D       |
| Turbidity (Nephelometric) | 5.07   |           | NTU       | 0.2   | 0.8   | 2/18/2021     | 9:38 AM       | EPA 180.1       |

|                    |           |                          |                   |
|--------------------|-----------|--------------------------|-------------------|
| Laboratory ID      | AE77340   | Collection date and time | 2/17/2021 9:35 AM |
| Location Code      | CRNEP_RS  | Sample Collector         | REISTADT/HORMUTH  |
| Sample Description | Grid #403 |                          |                   |

| Analyte Name                             | Result | Qualifier | Units        | MDL   | PQL   | Analysis Date | Analysis Time | Analysis Method |
|------------------------------------------|--------|-----------|--------------|-------|-------|---------------|---------------|-----------------|
| Chlorophyll a - corrected for Pheophytin | 2.46   |           | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Pheophytin                               | 1.49   | I         | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Biochemical Oxygen Demand 5 day          | 1.3    |           | mg/L         | 0.3   | 1.2   | 2/18/2021     | 12:13 PM      | SM 5210 B       |
| Color                                    | 45.8   | Q         | CU           | 1.6   | 6.4   | 2/19/2021     | 10:08 AM      | SM21 2120 C     |
| Oxygen, Dissolved, Electrode, by Client  | 7.42   |           | mg/L         |       |       | 2/17/2021     | 9:35 AM       | FDEP FT1500     |
| Enterococci                              | 10     |           | MPN/100mL    | 10    |       | 2/17/2021     | 3:07 PM       | Enterolert®     |
| Ammonia                                  | 0.014  | U         | mg/L as N    | 0.014 | 0.056 | 2/19/2021     | 9:02 AM       | EPA 350.1       |
| Nitrite                                  | 0.003  | U         | mg/L as N    | 0.003 | 0.012 | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate                                  | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate + Nitrite                        | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrogen, Organic                        | 0.75   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN - NH3       |
| Phosphorus, Ortho                        | 0.023  |           | mg/L as P    | 0.004 | 0.016 | 2/18/2021     | 1:18 PM       | EPA 365.1       |
| Salinity by meter by Client              | 8.73   |           | SU           |       |       | 2/17/2021     | 9:35 AM       | FDEP FT 1300    |
| Water Clarity Secchi Disk, by Client     | 1.55   |           | meters       |       |       | 2/17/2021     | 9:35 AM       | FDEP FT 1700    |
| Silica, dissolved as SiO2                | 2.3    |           | mg/L as SiO2 | 0.1   | 0.4   | 2/18/2021     | 1:16 PM       | SM4500-SiO2 C   |
| Depth of Water Body                      | 2.6    |           | Meters       |       |       | 2/17/2021     | 9:35 AM       | FS2100          |
| Nitrogen, Kjeldahl, Total                | 0.75   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | EPA 351.2       |
| Nitrogen, Total                          | 0.75   |           | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN + NOX       |
| Total Organic Carbon                     | 13     |           | mg/L         | 1     | 4     | 2/25/2021     | 3:54 PM       | SM 5310 B       |
| Phosphorus, Total                        | 0.051  |           | mg/L as P    | 0.006 | 0.024 | 2/24/2021     | 9:36 AM       | EPA 365.1       |
| Total Suspended Solids                   | 2.05   | I         | mg/L         | 0.6   | 2.4   | 2/18/2021     | 9:57 AM       | SM 2540 D       |
| Turbidity (Nephelometric)                | 1.34   |           | NTU          | 0.2   | 0.8   | 2/18/2021     | 9:38 AM       | EPA 180.1       |



Laboratory ID AE77341  
 Location Code CRNEP\_EQ  
 Sample Description EB Site #455


Collection date and time 2/17/2021 12:15 PM  
 Sample Collector REISTADT/HORMUTH

| Analyte Name                             | Result | Qualifier | Units        | MDL   | PQL   | Analysis Date | Analysis Time | Analysis Method |
|------------------------------------------|--------|-----------|--------------|-------|-------|---------------|---------------|-----------------|
| Chlorophyll a - corrected for Pheophytin | 0.50   | U         | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Pheophytin                               | 0.50   | U         | mg/M3        | 0.5   | 2.0   | 2/23/2021     | 2:22 PM       | SM21 10200 H    |
| Biochemical Oxygen Demand 5 day          | 0.3    | U         | mg/L         | 0.3   | 1.2   | 2/18/2021     | 12:13 PM      | SM 5210 B       |
| Color                                    | 1.6    | U         | CU           | 1.6   | 6.4   | 2/19/2021     | 10:08 AM      | SM21 2120 C     |
| Enterococci                              | 1      | U         | MPN/100mL    | 1     |       | 2/17/2021     | 3:07 PM       | Enterolert®     |
| Ammonia                                  | 0.014  | U         | mg/L as N    | 0.014 | 0.056 | 2/19/2021     | 9:02 AM       | EPA 350.1       |
| Nitrite                                  | 0.003  | U         | mg/L as N    | 0.003 | 0.012 | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate                                  | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrate + Nitrite                        | 0.010  | U         | mg/L as N    | 0.01  | 0.04  | 2/18/2021     | 11:12 AM      | EPA 353.2       |
| Nitrogen, Organic                        | 0.0500 | U         | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN - NH3       |
| Phosphorus, Ortho                        | 0.004  | U         | mg/L as P    | 0.004 | 0.016 | 2/18/2021     | 1:18 PM       | EPA 365.1       |
| Silica, dissolved as SiO2                | 0.1    | U         | mg/L as SiO2 | 0.1   | 0.4   | 2/18/2021     | 1:16 PM       | SM4500-SiO2 C   |
| Nitrogen, Kjeldahl, Total                | 0.05   | U         | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | EPA 351.2       |
| Nitrogen, Total                          | 0.0500 | U         | mg/L as N    | 0.05  | 0.2   | 2/24/2021     | 9:34 AM       | TKN + NOX       |
| Total Organic Carbon                     | 1.000  | U         | mg/L         | 1     | 4     | 2/25/2021     | 3:54 PM       | SM 5310 B       |
| Phosphorus, Total                        | 0.006  | U         | mg/L as P    | 0.006 | 0.024 | 2/24/2021     | 9:36 AM       | EPA 365.1       |
| Total Suspended Solids                   | 0.6    | U         | mg/L         | 0.6   | 2.4   | 2/18/2021     | 10:28 AM      | SM 2540 D       |
| Turbidity (Nephelometric)                | 0.20   | U         | NTU          | 0.2   | 0.8   | 2/18/2021     | 9:38 AM       | EPA 180.1       |

**Qualifiers:**

- I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).  
 Q Sample tested beyond the accepted holding time.  
 U Indicates that the compound was analyzed for but not detected.

Unless noted otherwise, these test results meet all the requirements of the 2016 NELAC/ TNI Standards.  
 The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.

  
 Rick Armstrong  
 Lab Manager  
 Lee County Environmental Lab



# LCEL

Lee County Environmental Laboratory  
60 S Danley Dr Unit 2  
Fort Myers, FL 33907  
Phone: (239) 533-8600

## Analysis Request & Chain of Custody Record

Lab Certification: E45049  
LCEL F COC 20150828R1

LCEL does not accept any samples used for evidentiary purposes

| Report/Result Information                                                                                           |      |                               |  | Billing/Invoice Information     |  |                                  |   | Page 1 of 1                                                                                                                                                                                                                                                                             |   |   |   |                                                                                                                                                                        |  |  |  |
|---------------------------------------------------------------------------------------------------------------------|------|-------------------------------|--|---------------------------------|--|----------------------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|---|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| <b>Name:</b> FDEP - South                                                                                           |      |                               |  | <b>Name:</b> DNRM               |  |                                  |   | <b>Matrix Codes:</b><br>DW-Drinking water<br>GW- Ground water<br>WW-Waste water<br>SW-Surface water<br>WWS-Wastewater Sludge<br>S-Sediment<br>O-Other                                                                                                                                   |   |   |   | <b>Preservative Codes:</b><br>NP-No Preservative<br>N-Nitric Acid<br>S-Sulfuric Acid<br>H-Hydrochloric Acid<br>SH-Sodium Hydroxide<br>ST-Sodium Thiosulfate<br>O-Other |  |  |  |
| <b>ATTN:</b> Kirby Wolfe                                                                                            |      |                               |  | <b>RE:</b> CCHMN-Tidal Caloosa  |  |                                  |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |
| <b>Address:</b> 2295 Victoria Ave, Suite 364<br>PO Box 2549                                                         |      |                               |  | <b>Address:</b> 1500 Monroe St  |  |                                  |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |
| Ft Myers FL 33901                                                                                                   |      |                               |  | Ft Myers, FL 33901              |  |                                  |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |
| <b>Phone:</b> (239) 344-5719                                                                                        |      |                               |  | <b>Phone:</b> (239) 533-8109    |  |                                  |   | <b>Analyses Required</b><br><div style="display: flex; justify-content: space-between;"> <div>\$Chloro, _prep</div> <div>O-PO4, Color, NOX</div> <div>TOC</div> <div>NH3, TKN, TN, T-PO4, NO3, ONIT</div> <div>Turb, NO2, TSS, Silica, Bod, Bodi</div> <div>Mug2QT, Entero</div> </div> |   |   |   |                                                                                                                                                                        |  |  |  |
| Sample Collector(s) (please print):<br>Nicole Reistad, Chris Hormuth                                                |      |                               |  | Sample Collector Signature:<br> |  |                                  |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |
| Relinquished By: (signature)<br>                                                                                    |      | Date<br>02/17/21              |  | Time<br>1448                    |  | Received By: (signature)<br>     |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |
| Relinquished By: (signature)                                                                                        |      | Date                          |  | Time                            |  | Received By: (signature)         |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |
| Relinquished By: (signature)                                                                                        |      | Date                          |  | Time                            |  | Received By: (signature)         |   | <b>Preservatives (see codes)</b><br>NP   NPF   S   S   NP   ST                                                                                                                                                                                                                          |   |   |   |                                                                                                                                                                        |  |  |  |
| Sample(s) on ice <input checked="" type="checkbox"/> Yes or <input type="checkbox"/> No?      Temperature °C: 13.3C |      |                               |  |                                 |  |                                  |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |
| Collection<br>Date      Time                                                                                        |      | Sample Description & Location |  | Matrix<br>(see codes)           |  | # of Sample Containers Submitted |   |                                                                                                                                                                                                                                                                                         |   |   |   | Lab ID #                                                                                                                                                               |  |  |  |
| 02/17/21                                                                                                            | 1200 | CRNEP_RS #455                 |  | SWE                             |  | 1                                | 1 | 1                                                                                                                                                                                                                                                                                       | 1 | 2 | 1 | AE77336                                                                                                                                                                |  |  |  |
| 02/17/21                                                                                                            | 1105 | CRNEP_RS #442                 |  | SWE                             |  | 1                                | 1 | 1                                                                                                                                                                                                                                                                                       | 1 | 2 | 1 | AE77337                                                                                                                                                                |  |  |  |
| 02/17/21                                                                                                            | 1010 | CRNEP_RS #429                 |  | SWE                             |  | 1                                | 1 | 1                                                                                                                                                                                                                                                                                       | 1 | 2 | 1 | AE77338                                                                                                                                                                |  |  |  |
| 02/17/21                                                                                                            | 1035 | CRNEP_RS #428                 |  | SWE                             |  | 1                                | 1 | 1                                                                                                                                                                                                                                                                                       | 1 | 2 | 1 | AE77339                                                                                                                                                                |  |  |  |
| 02/17/21                                                                                                            | 0935 | CRNEP_RS #403                 |  | SWE                             |  | 1                                | 1 | 1                                                                                                                                                                                                                                                                                       | 1 | 2 | 1 | AE77340                                                                                                                                                                |  |  |  |
| 02/17/21                                                                                                            | 1215 | CRNEP_EQ #(@455)              |  | SWE                             |  | 1                                | 1 | 1                                                                                                                                                                                                                                                                                       | 1 | 2 | 1 | AE77341                                                                                                                                                                |  |  |  |
|                                                                                                                     |      |                               |  |                                 |  |                                  |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |
|                                                                                                                     |      |                               |  |                                 |  |                                  |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |
|                                                                                                                     |      |                               |  |                                 |  |                                  |   |                                                                                                                                                                                                                                                                                         |   |   |   |                                                                                                                                                                        |  |  |  |

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)  
OR THEY MAYBE QUALIFIED\***

\*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.