

Laboratory Results

Lee County Environmental Laboratory

60-2 Danley Drive
Fort Myers, FL 33907
239-533-8600



To: Natural Resources Management
1500 Monroe St
Fort Myers FL 33901
RE: Tidal Caloosa

Report Date: 8/30/2021

Below are the results of samples submitted to this laboratory on 8/18/2021

Laboratory ID	AE96346	Collection date and time	8/18/2021 11:20 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/JAEGER
Sample Description	Grid #417		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	7.67		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Pheophytin	3.90		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.6	I	mg/L	0.3	1.2	8/19/2021	11:39 AM	SM 5210 B
Color	106		CU	1.25	5.00	8/19/2021	1:33 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.96		mg/L			8/18/2021	11:20 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/18/2021	2:56 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	8/20/2021	10:07 AM	EPA 350.1
Nitrite	0.011	I	mg/L as N	0.003	0.012	8/19/2021	12:23 PM	EPA 353.2
Nitrate	0.360		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrate + Nitrite	0.371		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrogen, Organic	0.84		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN - NH3
Phosphorus, Ortho	0.111		mg/L as P	0.004	0.016	8/19/2021	3:10 PM	EPA 365.1
Salinity by meter by Client	0.38		SU			8/18/2021	11:20 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.85		meters			8/18/2021	11:20 AM	FDEP FT 1700
Silica, dissolved as SiO2	12		mg/L as SiO2	0.1	0.4	8/19/2021	1:16 PM	SM4500-SiO2 C
Depth of Water Body	1.6		Meters			8/18/2021	11:20 AM	FS2100
Nitrogen, Kjeldahl, Total	0.84		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	EPA 351.2
Nitrogen, Total	1.2		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN + NOX
Total Organic Carbon	17		mg/L	1	4	8/20/2021	1:18 PM	SM 5310 B
Phosphorus, Total	0.15		mg/L as P	0.006	0.024	8/26/2021	9:05 AM	EPA 365.1
Total Suspended Solids	4.40		mg/L	0.6	2.4	8/19/2021	10:12 AM	SM 2540 D
Turbidity (Nephelometric)	4.41		NTU	0.2	0.8	8/19/2021	8:42 AM	EPA 180.1



Laboratory ID	AE96347	Collection date and time	8/18/2021 9:40 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/JAEGER
Sample Description	Grid #326X		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.44		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Pheophytin	2.45		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.7	I	mg/L	0.3	1.2	8/19/2021	11:39 AM	SM 5210 B
Color	52.1		CU	1.25	5.00	8/19/2021	1:33 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.41		mg/L			8/18/2021	9:40 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/18/2021	2:56 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	8/20/2021	10:07 AM	EPA 350.1
Nitrite	0.011	I	mg/L as N	0.003	0.012	8/19/2021	12:23 PM	EPA 353.2
Nitrate	0.141		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrate + Nitrite	0.152		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrogen, Organic	0.92		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN - NH3
Phosphorus, Ortho	0.058		mg/L as P	0.004	0.016	8/19/2021	3:10 PM	EPA 365.1
Salinity by meter by Client	23.85		SU			8/18/2021	9:40 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	1.4		meters			8/18/2021	9:40 AM	FDEP FT 1700
Silica, dissolved as SiO2	6.6		mg/L as SiO2	0.1	0.4	8/19/2021	1:16 PM	SM4500-SiO2 C
Depth of Water Body	1.7		Meters			8/18/2021	9:40 AM	FS2100
Nitrogen, Kjeldahl, Total	0.92		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	EPA 351.2
Nitrogen, Total	1.1		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN + NOX
Total Organic Carbon	11		mg/L	1	4	8/20/2021	1:18 PM	SM 5310 B
Phosphorus, Total	0.096		mg/L as P	0.006	0.024	8/26/2021	9:05 AM	EPA 365.1
Total Suspended Solids	1.90	I	mg/L	0.6	2.4	8/19/2021	10:12 AM	SM 2540 D
Turbidity (Nephelometric)	1.88		NTU	0.2	0.8	8/19/2021	8:42 AM	EPA 180.1

Laboratory ID	AE96348	Collection date and time	8/18/2021 10:35 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/JAEGER
Sample Description	Grid #404		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	2.90		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Pheophytin	5.29		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.6	I	mg/L	0.3	1.2	8/19/2021	11:39 AM	SM 5210 B
Color	84.7		CU	1.25	5.00	8/19/2021	1:33 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.21		mg/L			8/18/2021	10:35 AM	FDEP FT1500
Enterococci	10		MPN/100mL	10		8/18/2021	2:56 PM	Enterolert®
Ammonia	0.033	I	mg/L as N	0.014	0.056	8/20/2021	10:07 AM	EPA 350.1
Nitrite	0.014		mg/L as N	0.003	0.012	8/19/2021	12:23 PM	EPA 353.2

Report Format: NELAC

DOH #E45049



Laboratory ID	AE96348	Collection date and time	8/18/2021 10:35 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/JAEGER
Sample Description	Grid #404		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrate	0.245		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrate + Nitrite	0.259		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrogen, Organic	0.95		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN - NH3
Phosphorus, Ortho	0.100		mg/L as P	0.004	0.016	8/19/2021	3:10 PM	EPA 365.1
Salinity by meter by Client	4.74		SU			8/18/2021	10:35 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.85		meters			8/18/2021	10:35 AM	FDEP FT 1700
Silica, dissolved as SiO2	10		mg/L as SiO2	0.1	0.4	8/19/2021	1:16 PM	SM4500-SiO2 C
Depth of Water Body	3.4		Meters			8/18/2021	10:35 AM	FS2100
Nitrogen, Kjeldahl, Total	0.98		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	EPA 351.2
Nitrogen, Total	1.2		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN + NOX
Total Organic Carbon	15		mg/L	1	4	8/20/2021	1:18 PM	SM 5310 B
Phosphorus, Total	0.15		mg/L as P	0.006	0.024	8/26/2021	9:05 AM	EPA 365.1
Total Suspended Solids	4.30		mg/L	0.6	2.4	8/19/2021	10:12 AM	SM 2540 D
Turbidity (Nephelometric)	3.26		NTU	0.2	0.8	8/19/2021	8:42 AM	EPA 180.1

Laboratory ID	AE96349	Collection date and time	8/18/2021 10:45 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTADT/JAEGER
Sample Description	Grid #404 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	1.20	I	mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Pheophytin	3.63		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.5	I	mg/L	0.3	1.2	8/19/2021	11:39 AM	SM 5210 B
Color	74.4		CU	1.25	5.00	8/19/2021	1:33 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	5.08		mg/L			8/18/2021	10:45 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/18/2021	2:56 PM	Enterolert®
Ammonia	0.042	I	mg/L as N	0.014	0.056	8/20/2021	10:07 AM	EPA 350.1
Nitrite	0.013		mg/L as N	0.003	0.012	8/19/2021	12:23 PM	EPA 353.2
Nitrate	0.230		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrate + Nitrite	0.243		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrogen, Organic	0.86		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN - NH3
Phosphorus, Ortho	0.088		mg/L as P	0.004	0.016	8/19/2021	3:10 PM	EPA 365.1
Salinity by meter by Client	7.70		SU			8/18/2021	10:45 AM	FDEP FT 1300
Silica, dissolved as SiO2	9.2		mg/L as SiO2	0.1	0.4	8/19/2021	1:16 PM	SM4500-SiO2 C
Depth of Water Body	3.4		Meters			8/18/2021	10:45 AM	FS2100
Nitrogen, Kjeldahl, Total	0.90		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	EPA 351.2

Report Format: NELAC

DOH #E45049



Laboratory ID	AE96349	Collection date and time	8/18/2021 10:45 AM
Location Code	CRNEP_RSBOT	Sample Collector	REISTADT/JAEGER
Sample Description	Grid #404 Bottom		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrogen, Total	1.1		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN + NOX
Total Organic Carbon	14		mg/L	1	4	8/20/2021	1:18 PM	SM 5310 B
Phosphorus, Total	0.13		mg/L as P	0.006	0.024	8/26/2021	9:05 AM	EPA 365.1
Total Suspended Solids	5.00		mg/L	0.6	2.4	8/19/2021	10:12 AM	SM 2540 D
Turbidity (Nephelometric)	3.52		NTU	0.2	0.8	8/19/2021	8:42 AM	EPA 180.1

Laboratory ID	AE96350	Collection date and time	8/18/2021 12:20 PM
Location Code	CRNEP_RS	Sample Collector	REISTADT/JAEGER
Sample Description	Grid #435		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	4.45		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Pheophytin	14.08		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.8	I	mg/L	0.3	1.2	8/19/2021	11:39 AM	SM 5210 B
Color	144		CU	1.25	5.00	8/19/2021	1:33 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	6.46		mg/L			8/18/2021	12:20 PM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/18/2021	2:56 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	8/20/2021	10:07 AM	EPA 350.1
Nitrite	0.022		mg/L as N	0.003	0.012	8/19/2021	12:23 PM	EPA 353.2
Nitrate	0.266		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrate + Nitrite	0.288		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrogen, Organic	1.0		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN - NH3
Phosphorus, Ortho	0.095		mg/L as P	0.004	0.016	8/19/2021	3:10 PM	EPA 365.1
Salinity by meter by Client	0.24		SU			8/18/2021	12:20 PM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.75		meters			8/18/2021	12:20 PM	FDEP FT 1700
Silica, dissolved as SiO2	11		mg/L as SiO2	0.1	0.4	8/19/2021	1:16 PM	SM4500-SiO2 C
Depth of Water Body	1.7		Meters			8/18/2021	12:20 PM	FS2100
Nitrogen, Kjeldahl, Total	1.0		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	EPA 351.2
Nitrogen, Total	1.3		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN + NOX
Total Organic Carbon	20		mg/L	1	4	8/20/2021	1:18 PM	SM 5310 B
Phosphorus, Total	0.15		mg/L as P	0.006	0.024	8/26/2021	9:05 AM	EPA 365.1
Total Suspended Solids	2.60		mg/L	0.6	2.4	8/19/2021	10:12 AM	SM 2540 D
Turbidity (Nephelometric)	2.59		NTU	0.2	0.8	8/19/2021	8:42 AM	EPA 180.1



Laboratory ID	AE96351	Collection date and time	8/18/2021 11:50 AM
Location Code	CRNEP_RS	Sample Collector	REISTADT/JAEGER
Sample Description	Grid #428		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	4.68		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Pheophytin	6.43		mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.8	I	mg/L	0.3	1.2	8/19/2021	11:39 AM	SM 5210 B
Color	126		CU	1.25	5.00	8/19/2021	1:33 PM	SM21 2120 C
Oxygen, Dissolved, Electrode, by Client	6.43		mg/L			8/18/2021	11:50 AM	FDEP FT1500
Enterococci	10	U	MPN/100mL	10		8/18/2021	2:56 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	8/20/2021	10:07 AM	EPA 350.1
Nitrite	0.016		mg/L as N	0.003	0.012	8/19/2021	12:23 PM	EPA 353.2
Nitrate	0.263		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrate + Nitrite	0.279		mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrogen, Organic	1.1		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN - NH3
Phosphorus, Ortho	0.100		mg/L as P	0.004	0.016	8/19/2021	3:10 PM	EPA 365.1
Salinity by meter by Client	0.28		SU			8/18/2021	11:50 AM	FDEP FT 1300
Water Clarity Secchi Disk, by Client	0.75		meters			8/18/2021	11:50 AM	FDEP FT 1700
Silica, dissolved as SiO2	11		mg/L as SiO2	0.1	0.4	8/19/2021	1:16 PM	SM4500-SiO2 C
Depth of Water Body	2.5		Meters			8/18/2021	11:50 AM	FS2100
Nitrogen, Kjeldahl, Total	1.1		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	EPA 351.2
Nitrogen, Total	1.4		mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN + NOX
Total Organic Carbon	18		mg/L	1	4	8/20/2021	1:18 PM	SM 5310 B
Phosphorus, Total	0.14		mg/L as P	0.006	0.024	8/26/2021	9:05 AM	EPA 365.1
Total Suspended Solids	1.90	I	mg/L	0.6	2.4	8/19/2021	10:12 AM	SM 2540 D
Turbidity (Nephelometric)	1.97		NTU	0.2	0.8	8/19/2021	8:42 AM	EPA 180.1

Laboratory ID	AE96352	Collection date and time	8/18/2021 1:00 PM
Location Code	CRNEP_EQ	Sample Collector	REISTADT/JAEGER
Sample Description	EB Site #		

Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Chlorophyll a - corrected for Pheophytin	0.50	U	mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Pheophytin	0.50	U	mg/M3	0.5	2.0	8/23/2021	7:43 AM	SM21 10200 H
Biochemical Oxygen Demand 5 day	0.3	U	mg/L	0.3	1.2	8/19/2021	11:39 AM	SM 5210 B
Color	1.25	U	CU	1.25	5.00	8/19/2021	1:33 PM	SM21 2120 C
Enterococci	1	U	MPN/100mL	1		8/18/2021	2:56 PM	Enterolert®
Ammonia	0.014	U	mg/L as N	0.014	0.056	8/20/2021	10:07 AM	EPA 350.1
Nitrite	0.003	U	mg/L as N	0.003	0.012	8/20/2021	10:56 AM	EPA 353.2
Nitrate	0.010	U	mg/L as N	0.01	0.04	8/20/2021	10:56 AM	EPA 353.2

Report Format: NELAC

DOH #E45049



Laboratory ID AE96352
 Location Code CRNEP_EQ
 Sample Description EB Site #

Collection date and time 8/18/2021 1:00 PM
 Sample Collector REISTADT/JAEGER


Analyte Name	Result	Qualifier	Units	MDL	PQL	Analysis Date	Analysis Time	Analysis Method
Nitrate + Nitrite	0.010	U	mg/L as N	0.01	0.04	8/19/2021	12:23 PM	EPA 353.2
Nitrogen, Organic	0.0500	U	mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN - NH3
Phosphorus, Ortho	0.004	U	mg/L as P	0.004	0.016	8/19/2021	3:10 PM	EPA 365.1
Silica, dissolved as SiO2	0.1	U	mg/L as SiO2	0.1	0.4	8/19/2021	1:16 PM	SM4500-SiO2 C
Nitrogen, Kjeldahl, Total	0.05	U	mg/L as N	0.05	0.2	8/26/2021	8:44 AM	EPA 351.2
Nitrogen, Total	0.0500	U	mg/L as N	0.05	0.2	8/26/2021	8:44 AM	TKN + NOX
Total Organic Carbon	1.000	U	mg/L	1	4	8/20/2021	1:18 PM	SM 5310 B
Phosphorus, Total	0.006	U	mg/L as P	0.006	0.024	8/26/2021	9:05 AM	EPA 365.1
Total Suspended Solids	0.6	U	mg/L	0.6	2.4	8/19/2021	10:12 AM	SM 2540 D
Turbidity (Nephelometric)	0.20	U	NTU	0.2	0.8	8/19/2021	8:42 AM	EPA 180.1

Qualifiers:

I The value is less than, or equal to, the laboratory's practical quantitation limit (PQL) and greater than the minimum detection limit (MDL).

U Indicates that the compound was analyzed for but not detected.

Unless noted otherwise, these test results meet all the requirements of the 2016 NELAC/ TNI Standards.
 The results provided herein relate only to the samples cited as they were received by the laboratory. All questions regarding this report should be directed to Rick Armstrong, Laboratory Manager.


 Rick Armstrong
 Lab Manager
 Lee County Environmental Lab



LCEL

Lee County Environmental Laboratory
60 S Danley Dr Unit 2
Fort Myers, FL 33907
Phone: (239) 533-8600

Analysis Request & Chain of Custody Record

Lab Certification: E45049
LCEL F COC 20150828R1

LCEL does not accept any samples used for evidentiary purposes

Report/Result Information

Billing/Invoice Information

Page 1 of 1

Name: FDEP - South		Name: DNRM		Matrix Codes: DW-Drinking water GW- Ground water WW-Waste water SW-Surface water WWS-Wastewater Sludge S-Sediment O-Other		Preservative Codes: NP-No Preservative N-Nitric Acid S-Sulfuric Acid H-Hydrochloric Acid SH-Sodium Hydroxide ST-Sodium Thiosulfate O-Other				
ATTN: Kirby Wolfe		RE: CCHMN-Tidal Caloosa								
Address: 2295 Victoria Ave, Suite 364 PO Box 2549 Ft Myers FL 33901		Address: 1500 Monroe St Ft Myers, FL 33901								
Phone: (239) 344-5719		Phone: (239) 533-8109								
Sample Collector(s) (please print): Nicole Reistadt/Monica Jaeger		Sample Collector Signature: 		Analyses Required \$Chloroa, _prep O-PO4, Color, NOX TOC NH3, TKN, TN, T-PO4, NO3, ONIT Turb, NO2, TSS, Silica, Bod, Bodi Mug2QT, Entero						
Relinquished By: (signature) 	Date 08/18/21	Time 1449	Received By: (signature) 							
Relinquished By: (signature)	Date	Time	Received By: (signature)							
Relinquished By: (signature)	Date	Time	Received By: (signature)							
Sample(s) on ice ☒ Yes or ☐ No? Temperature °C: 4.6°C				NP	NPF	S	S	NP	ST	
Collection Date	Time	Sample Description & Location	Matrix (see codes)	# of Sample Containers Submitted					Lab ID #	
08/18/21	1128	CRNEP_RS #417	SWE	1	1	1	1	2	1	AE96346
08/18/21	0940	CRNEP_RS #326X	SWE	1	1	1	1	2	1	AE96347
08/18/21	1035	CRNEP_RS #404	SWE	1	1	1	1	2	1	AE96348
08/18/21	1045	CRNEP_RSBOT #404 Bottom	SWE	1	1	1	1	2	1	AE96349
08/18/21	1220	CRNEP_RS #435	SWE	1	1	1	1	2	1	AE96350
08/18/21	1150	CRNEP_RS #428	SWE	1	1	1	1	2	1	AE96351
08/18/21	1300	CRNEP_EQ #	SWE	1	1	1	1	2	1	AE96352

**SAMPLES SHOULD BE IN WET ICE & LESS THAN 6° C (42.8°F)
OR THEY MAYBE QUALIFIED***

*Qualified = the data may not be accurate and regulatory agencies may not accept qualified data.