

Banana River

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: CEN-DIST

Requester: Michael Linger

Field Report Prepared By:

Terry Riordan

Project ID: SMP

Collected By:

Terry Riordan / Mike Drennan

Sampling Agency:

21 FLCEW

Location	Banana River equidistant from SR 528 & 520		☐ Comp ☒ Grab		Collection (comp begin or grab)	☒ Eastern ☐ Central	Composite end	Bottle Group(s)
Field ID	G5CE0057 Field ID STORET 27010549		Date		10-24-16	Time	1310	(See pg 2)
STORET #	Date: 10/24/2016 RQ-2016-10-17-64		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C)	22.9	pH	7.0	Sample Depth
				Salinity (ppt)	21.9	Comments		☐ ft ☒ m
				Sp. Conductance (umho/cm)		34803		A

Location			☐ Comp ☐ Grab		Collection (comp begin or grab)	☐ Eastern ☐ Central	Composite end	Bottle Group(s)
Field ID			Date			Time		
STORET #			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C)		pH		Sample Depth
				Salinity (ppt)		Comments		☐ ft ☐ m
				Sp. Conductance (umho/cm)				

Location			☐ Comp ☐ Grab		Collection (comp begin or grab)	☐ Eastern ☐ Central	Composite end	Bottle Group(s)
Field ID			Date			Time		
STORET #			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C)		pH		Sample Depth
				Salinity (ppt)		Comments		☐ ft ☐ m
				Sp. Conductance (umho/cm)				

Location			☐ Comp ☐ Grab		Collection (comp begin or grab)	☐ Eastern ☐ Central	Composite end	Bottle Group(s)
Field ID			Date			Time		
STORET #			Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Temp (C)		pH		Sample Depth
				Salinity (ppt)		Comments		☐ ft ☐ m
				Sp. Conductance (umho/cm)				

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Terry Riordan	10-24-16/1510	FedEx	1	SK	10-25-16/1045

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-F						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP						
	W-ICPMS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						

Date of Request: 29-SEP-2016
 Created By: LINGER_M On: 29-SEP-2016
 Modified By: MATTHEWS_D On: 06-OCT-2016
 Customer: CEN-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Central District
 Sampling Event: Banana River

Send Coolers To:

Phone: 407-897-4180
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 05-OCT-2016
 Biology Request Reviewed By: MATTHEWS_D On: 06-OCT-2016
 Sampling Kit Required: YES Ship on: 13-OCT-2016
 Sampling Kit Shipped: YES On: 12-OCT-2016
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 17-OCT-2016
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Mike Linger

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Nickel		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: ICE-FLTR
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Log-in Checklist

RQ- 2016-10-17-64

Shipping Method: Fedex

Date/Time of Receipt: 10-25-16/10:15

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No	Yes	No		
White	0.6	4		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☒ No ☒ If yes, is it intact? Yes ☒ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: SK

Coolers Unpacked/Checked by: SK Date: 10-25-16

NCRs (Y/N)? N

Event ID: CENSIST-2016-10-25-01

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes ☐ No ☒

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes ☐ No ☐

If no, were samples shipped on dry ice? Yes ☐ No ☐

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes ☐ No ☐

Date and time samples preserved: _____

Additional Comments:

01000

FedEx
ExpressPackage
US AirbillFedEx
Tracking
Number

8099 4720 0155

Form
ID No.

0215

Recipient's Copy

16280

fedex.com 1800.GoFedEx 1800.463.3339

05943033

1 From **[REDACTED]**
Date 10-24-16Sender's Name **Terry Riordan** Phone 407 897-4100Company **FDEP**Address **3319 Maguire Blvd. Suite 232**City **Orlando** State **FL** ZIP **32803**

2 Your Internal Billing Reference

3 To Recipient's Name **SAMPLE RECEIVING** Phone **850 245-8085**Company **FLORIDA DEP/CHEMISTRY SECTION**Address **2600 BLAIRSTONE RD**

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City **TALLAHASSEE** State **FL** ZIP **32399**

0122645602



8099 4720 0155

4 Express Package Service *To most locations.

Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

- ☐ FedEx First Overnight
Earliest next business morning delivery to select locations. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.
- ☒ FedEx Priority Overnight
Next business morning. Friday shipments will be delivered on Monday unless Saturday Delivery is selected.
- ☐ FedEx Standard Overnight
Next business afternoon. Saturday Delivery NOT available.

2 or 3 Business Days

- ☐ FedEx 2Day A.M.
Second business morning. Saturday Delivery NOT available.
- ☐ FedEx 2Day
Second business afternoon. Thursday shipments will be delivered on Monday unless Saturday Delivery is selected.
- ☐ FedEx Express Saver
Third business day. Saturday Delivery NOT available.

5 Packaging *Declared value limit \$500.

- ☐ FedEx Envelope* ☐ FedEx Pak* ☐ FedEx Box ☐ FedEx Tube ☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

- ☐ Saturday Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.
- ☐ No Signature Required
Package may be left without obtaining a signature for delivery.
- ☐ Direct Signature
Someone at recipient's address may sign for delivery.
- ☐ Indirect Signature
If no one is available at recipient's address, someone at a neighboring address may sign for delivery. For residential deliveries only.

Does this shipment contain dangerous goods?

- One box must be checked.
- ☐ No ☐ Yes
As per attached Shipper's Declaration.
- ☐ Yes
Shipper's Declaration not required.
- ☐ Dry Ice
Dry Ice, 9 UN 1845 x kg
- ☐ Cargo Aircraft Only

Restrictions apply for dangerous goods—see the current FedEx Service Guide.

7 Payment Bill to:

- Enter FedEx Acct. No. or Credit Card No. below. Obtain recip. Acct. No. ☐
- ☐ Sender Acct. No. in Section 1 will be billed. ☒ Recipient ☐ Third Party ☐ Credit Card ☐ Cash/Check

Total Packages **1** Total Weight **93** lbs. Credit Card Auth. **[REDACTED]**

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

611

Rev. Date 5/15 • Part #163134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM

fedex.com 1800.GoFedEx 1800.463.3339