

Chemical Analysis Report

CEN-DIST-2016-12-13-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Dora Canal+HA**
Request ID: **RQ-2016-12-05-41**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 23-JAN-2017 09:49

A handwritten signature in black ink, appearing to read "Liang Lin", on a light-colored background.

NON-CONFORMANCE REPORT INCLUDED

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: West Canal 485A

Collection Date/Time: 12/12/2016 11:20

Field ID: G4CE0104

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1857226	EPA 180.1 Rev. 2.0	Turbidity	0.50		NTU	P316713	
	EPA 300.0 Rev. 2.1	Chloride	9.7		mg Cl/L	P317355	
		Sulfate	67		mg SO4/L	P317364	
	SM 2120 B	Color (true)	2.5	U	PCU	P316709	
	SM 2320 B-97	Total Alkalinity	149		mg CaCO3/L	P317055	
	SM 2540 C-97	TDS	258		mg/L	P317406	
	SM 2540 D-97	TSS	2	I	mg/L	P317284	
	SM 4500 F-C-97	Fluoride	0.072	I	mg F/L	P317058	
1857227	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.16	I	mg N/L	P316820	
	SM 5310 B-00	Organic Carbon	0.76	I	mg C/L	P316768	
1857228	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.049		mg P/L	P316716	

Ref. Method and Comment:

SM 2120 B: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Non-Conformance Report

NCR ID: 6211

Event(s)

CEN-DIST-2016-12-13-01

Job(s)

TLH-2016-12-13-54

Sample(s)

1857227

Test(s)

NCR Type: SHIPPING/RECEIVING

NCR Category: Receiving

Observation: Sample was lost, possibly discarded prematurely, before all analyses were completed.

Resolution: Customer was notified (Stephanie Sunderman-Barnes) that TOC and TKN were analyzed, Ammonia, nitrite/nitrate, and TP were not analyzed - tests cancelled.

Authorised by/Date: Colin Wright 1/20/2017

The Non-Conformance Report details exceptions or problems encountered with the events/jobs/samples/test.
 Please address questions to:

Chemistry Colin Wright (850) 245-8085
 Biology Cheryl Swanson (850) 245-8177

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P316713

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P317355

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317364

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P316820

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P316716

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P316709

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P317055

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P317406

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P317284

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P317058

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P316768

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317355

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317364

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	94.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P316820

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P316716

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.2		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P317055

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	99.2		P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P317058

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	100		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P316768

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	100		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317355

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857490	Chloride	99.4		P	90 - 110
1857497	Chloride	99.6		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317364

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857490	Sulfate	94.3		P	90 - 110
1857497	Sulfate	93.6		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P316820

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857227	Kjeldahl Nitrogen	101	93.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P316716

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857376	O-Phosphate-P	96.4	98.1	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P317058

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1857125	Fluoride	101	102	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P316768

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1856734	Organic Carbon	104		P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P316713

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857175	Turbidity	10.6	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317355

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857490	Chloride	0.175	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P317364

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857490	Sulfate	0.106	Sample	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P316820

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857227	Kjeldahl Nitrogen	6.53	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P316716

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857376	O-Phosphate-P	1.56	Spike	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P317055

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857125	Total Alkalinity	0.337	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P317406

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857088	TDS	6.00	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P317058

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1857125	Fluoride	0.470	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P316768

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1856734	Organic Carbon	0.0539	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A73347
Included Lab Sample IDs: 1857226

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	100	99.8	P/P	85 - 115

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A73348

Included Lab Sample IDs: 1857226

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	98.0	98.5	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A73349

Included Lab Sample IDs: 1857228

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.4	99.6	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A73366

Included Lab Sample IDs: 1857227

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.2	97.4	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A73438

Included Lab Sample IDs: 1857227

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	93.0	94.1	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A73482

Included Lab Sample IDs: 1857226

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	97.7	99.1	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A73482

Included Lab Sample IDs: 1857226

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	101	101	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A73576

Included Lab Sample IDs: 1857226

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	103	101	P/P	90 - 110
Sulfate	92.9	95.3	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					10.6	
EPA 300.0 Rev. 2.1	Chloride	101	99.4	99.6		0.175	
	Sulfate	94.4	94.3	93.6		0.106	
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	101	93.7			6.53
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.2	96.4	98.1			1.56
SM 2320 B-97	Total Alkalinity	99.2				0.337	
SM 2540 C-97	TDS					6.00	
SM 4500 F-C-97	Fluoride	100	101	102			0.470
SM 5310 B-00	Organic Carbon	100	104				0.0539

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1857226
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1857226
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1857226
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1857227
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1857228
SM 2120 B / E31780	True Color measured at 450 nm	1857226
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1857226
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1857226
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1857226
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1857226
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1857227

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	12/13/2016	12/15/2016	Adrian Shelby	12/13/2016 19:27	Julie Michelle Frank	1857226
EPA 300.0 Rev. 2.1	12/13/2016			12/22/2016	Ping Hua	1857226
	12/13/2016			12/23/2016	Ping Hua	1857226
EPA 351.2 Rev. 2.0	12/13/2016			12/16/2016	Joseph Suarez	1857227
EPA 365.1 Rev. 2.0 dissolved	12/13/2016			12/13/2016 19:21	Julia Storbeck	1857228
SM 2120 B	12/13/2016			12/13/2016 19:01	Jared I. Manley	1857226
SM 2320 B-97	12/13/2016			12/16/2016	Dale L. Simmons	1857226
SM 2540 C-97	12/13/2016			12/15/2016	Yijie Li	1857226
SM 2540 D-97	12/13/2016			12/15/2016	Yijie Li	1857226
SM 4500 F-C-97	12/13/2016			12/16/2016	Dale L. Simmons	1857226
SM 5310 B-00	12/13/2016			12/13/2016	Julie Michelle Frank	1857227