

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: NW-DIST

Project ID: SMP

Requester: Michael King

Field Report Prepared By:

Collected By:

Sampling Agency:

Location:	Location: MAGNOLIA CREEK		G3NW0099	☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s) (See pg 2)
Field ID	Owls Head Rd			☒ Grab	Date	Central	Date	
STORE	RQ-2016-10-17-22(WBID 557)	Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L	Total Res. Chlorine	
Date: 10/27/14		STORET		Temp (C) 18.8	pH 5.4	☒ % sat	(mg/L)	
Time: 1100 CST			G3NW0099		Sample Depth 0.2	☐ ft	Sp. Conductance	
Latitude	☐ dd	Longitude		☐ dms	Salinity (ppt) 0.0	Comments	(umho/cm) 18	
	☐ dms			☐ dms				
Location:	Location: MAGNOLIA CREEK		G3NW0100	☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field	American farms			☒ Grab	Date	Central	Date	
STO	RQ-2016-10-17-22(WBID 557)	Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L	Total Res. Chlorine	
Date: 10/27		STORET		Temp (C) 18.6	pH 5.2	☒ % sat	(mg/L)	
Time: 1115 CST			G3NW0100		Sample Depth 0.2	☐ ft	Sp. Conductance	
Latitude	☐ dd	Longitude		☐ dms	Salinity (ppt) 0.0	Comments	(umho/cm) 16	
	☐ dms			☐ dms				
Location:	Location: LAFAYETTE CREEK		G3NW0118	☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field	Hwy 20			☒ Grab	Date	Central	Date	
STOI	RQ-2016-10-17-22(WBID 646)	Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L	Total Res. Chlorine	
Date: 10/27		STORET		Temp (C) 18.9	pH 5.7	☒ % sat	(mg/L)	
Time: 1140 CST			302935708607321		Sample Depth 0.2	☐ ft	Sp. Conductance	
Latitude	☐ dd	Longitude		☐ dms	Salinity (ppt) 0.0	Comments	(umho/cm) 29	
	☐ dms			☐ dms				
Location:	Location: FOURMILE CREEK		G3NW0112	☐ Comp	Collection (comp begin or grab)	Eastern	Composite end	Bottle Group(s)
Field ID	SR-20			☒ Grab	Date	Central	Date	
STORET	RQ-2016-10-17-22(WBID 567)	Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L	Total Res. Chlorine	
Date: 10/27		STORET		Temp (C) 18.3	pH 5.5	☒ % sat	(mg/L)	
Time: 1150 CST			32010016		Sample Depth 0.2	☐ ft	Sp. Conductance	
Latitude	☐ dd	Longitude		☐ dms	Salinity (ppt) 0.0	Comments	(umho/cm) 18	
	☐ dms			☐ dms				

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
	10/27/14 1600	FEDX	2	JAR	10/28/14 1030

Group: A	Bottle Type:	P-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 7	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	4
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 7	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	4
	W-PO4-F						

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Customer: NW-DIST

Requester: Michael King

Field Report Prepared By:

MIKE KING

Project ID: SMP

Collected By:

MIKE KING / Nathan Mulvey

Sampling Agency:

FDEP NW DIST

Location: Seven Runs end of Dead River Rd RQ-2016-10-17-22(WBID 570) Date: 10/27 Time: 1210 CST	G3NW0115 Field ID ↑ STORET ↓	☐ Comp ☒ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 95	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
			Temp (C) 18.5	pH 5.8	Sample Depth 0.2	Sp. Conductance (umho/cm) 19
		☐ dd ☐ dms	Salinity (ppt) 0.0	Comments		
Location: Seven Runs Hwy 81 RQ-2016-10-17-22(WBID 570) Date: 10/27 Time: 1245 CST	G3NW0116 Field ID ↑ STORET ↓	☐ Comp ☒ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 73	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
			Temp (C) 18.5	pH 5.8	Sample Depth 0.2	Sp. Conductance (umho/cm) 19
		☐ dd ☐ dms	Salinity (ppt) 0.0	Comments		
Location: Seven Runs Hwy 81 RQ-2016-10-17-22(WBID 570) Date: 10/27 Time: 1250 CST	G3NW0116 DUPLICATE Field ID ↑ STORET ↓	☐ Comp ☒ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
			Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)
		☐ dd ☐ dms	Salinity (ppt)	Comments		
Location: _____		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
			Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
			Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)
		☐ dd ☐ dms	Salinity (ppt)	Comments		

Relinquished By: _____	Date/Time 10/27/16 1600	Shipping Method FEDEX	Number of Coolers Shipped: 2	Received By: _____	Date/Time 10/28/16, 10:30
------------------------	----------------------------	--------------------------	---------------------------------	--------------------	------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 7	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 7	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 7	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	3
	W-PO4-F						

Date of Request: 22-SEP-2016
 Created By: KING_M On: 22-SEP-2016
 Modified By: MATTHEWS_D On: 28-SEP-2016
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Sampling Event: WBID 567 646 557 371 570

Send Coolers To:

Phone: SC-695-0605
 160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Program Module Number: 1306
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 27-SEP-2016
 Biology Request Reviewed By: MATTHEWS_D On: 28-SEP-2016
 Sampling Kit Required: YES Ship on: 07-OCT-2016
 Sampling Kit Shipped: YES On: 10-OCT-2016
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 17-OCT-2016
 Received By:

Send Final Report To:

160 W Government St
 Suite 208A
 Pensacola, FL 32502-5794
 Attn: Michael King

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Freeport Run

Bottle Group A (Water) With 7 Samples:

Bottle Type: P-1L	Number of Bottles: 7	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 7	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 7	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 7	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ- 2016-10-17-22

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 10/28/16, 10:30

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	0.4°C	16					8100 1918 1214
Red	0.5°C	12					8104 1261 1376

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes No

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes No If yes, is it intact? Yes No

****Caps on tight?** Yes No ****Containers intact?** Yes No

****Sufficient Sample Volume:** Yes No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

****Acid Preserved Samples:** pH ≤ 2.0? Yes No NA Init:

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes No NA Init:

Coolers Unpacked/Checked by: Date: 10/28/16

NCRs (Y/N)?

Event ID: NW-DIST-2016-10-28-01

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments: