RQ-2016-12-05-15

Date of Request: 18-OCT-2016
Created By: KING_M On: 18-OCT-2016
Modified By: MATTHEWS_D On: 17-NOV-2016
Customer: NW-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: Northwest District
Sampling Event: Holmes WBID 49 49F

Send Coolers To:

Phone: SC-695-0605
160 W Government St
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

Send Final Report To:

160 W Government St
Suite 208A
Pensacola, FL 32502-5794
Attn: Michael King

Program Module Number: 1306
Priority: 3
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 16-NOV-2016
Biology Request Reviewed By: MATTHEWS_D On: 17-NOV-2016
Sampling Kit Required: YES Ship on: 07-DEC-2016
Sampling Kit Shipped: YES On: 06-DEC-2016
Sampling Kit Packed By: COBB_D
Preservatives Needed: NO
Date to Receive Samples: 05-DEC-2016
Received By: KITCHEN_S On: 30-DEC-2016

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments:

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-1L Number of Bottles: 5 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		

Bottle Type: BP-1L Number of Bottles: 5 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Chlorophyll/Phaeophytin Ratio		
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		

Bottle Type: P-500ML Number of Bottles: 5 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
Ammonia-N		
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-500ML Number of Bottles: 5 Preserved With: ICE And H2SO4

W-NO2NO3 Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N

W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
Total-P

W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen

W-TOC Template: DEFAULT (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon

Bottle Type: P-125ML Number of Bottles: 5 Preserved With: ICE-FLTR

W-PO4-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P