

Chemical Analysis Report

SW-DIST-2016-08-05-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Reference Lake**
Request ID: **RQ-2016-08-01-33**
Customer: **SW-DIST**
Project ID: **LAKESREF**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Judy Ashton

For additional information please contact
Timothy W. Fitzpatrick
Liang-Tsair Lin, Ph.D.
Colin Wright, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator Date Certified: 25-AUG-2016 10:50



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: HAMMOCK LAKE

Collection Date/Time: 08/04/2016 12:50

Field ID: Hammock

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1822305	EPA 300.0	Bromide**	0.080		mg Br/L	P310191	
	EPA 300.0 Rev. 2.1	Chloride	26		mg Cl/L	P309376	
		Sulfate	2.5		mg SO4/L	P309381	
	SM 2120 B	Color (true)	80	A	PCU	P309288	
	SM 2320 B-97	Total Alkalinity	6.0		mg CaCO3/L	P309385	
	SM 4500 F-C-97	Fluoride	0.22		mg F/L	P309386	
1822306	EPA 350.1 Rev. 2.0	Ammonia-N	0.002	U	mg N/L	P309356	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P309739	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P309669	
	EPA 365.1 Rev. 2.0	Total-P	0.048		mg P/L	P309653	
1822307	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P309260	
1822319	EPA 200.7 Rev. 4.4	Calcium	3.29		mg/L	P309366	
		Iron	240		ug/L	P309366	
		Magnesium	2.91		mg/L	P309366	
		Potassium	2.4		mg/L	P309366	
		Sodium	14.6		mg/L	P309366	
		Zinc	5.0	U	ug/L	P309366	
	EPA 200.8 Rev. 5.4	Arsenic	0.52		ug/L	P309366	
		Cadmium	0.020	U	ug/L	P309366	
		Chromium	0.13	I	ug/L	P309366	
		Copper	0.32	I	ug/L	P309366	
		Lead	0.066	I	ug/L	P309366	
		Nickel	0.071	I	ug/L	P309366	
		Silver	0.0050	U	ug/L	P309366	

Ref. Method and Comment:

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P309366

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P309366

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.050	U	ug/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P309366

Component	Result	Code	Units
Copper	0.10	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.050	U	ug/L
Silver	0.0050	U	ug/L

Reference Method: EPA 300.0
Batch ID: P310191

Component	Result	Code	Units
Bromide	0.016	U	mg Br/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P309376

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P309381

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P309356

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P309739

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P309669

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P309653

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P309260

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2120 B
Batch ID: P309288

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P309385

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 4500 F-C-97
Batch ID: P309386

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P309366

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	108		P	85 - 115
Iron	111		P	85 - 115
Magnesium	107		P	85 - 115
Potassium	103		P	85 - 115
Sodium	104		P	85 - 115
Zinc	102		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P309366

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	92.7		P	85 - 115
Cadmium	97.7		P	85 - 115
Chromium	104		P	85 - 115
Copper	92.0		P	85 - 115
Lead	95.3		P	85 - 115
Nickel	93.8		P	85 - 115
Silver	98.1		P	85 - 115

Reference Method: EPA 300.0
Batch ID: P310191

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Bromide	103		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P309376

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.9		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P309381

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	92.1		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P309356

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	96.0		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P309739

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	108		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P309669

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P309653

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P309260

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	100		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P309385

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P309386

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.2		P	92 - 103

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P309366

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P309366

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1822248	Calcium	101		P	80 - 120
1822248	Iron	107	106	P/P	80 - 120
1822248	Magnesium	103		P	80 - 120
1822248	Potassium	98.1		P	80 - 120
1822248	Sodium	99.4		P	80 - 120
1822248	Zinc	97.7	100	P/P	80 - 120
1822319	Calcium	101		P	80 - 120
1822319	Iron	105		P	80 - 120
1822319	Magnesium	102		P	80 - 120
1822319	Potassium	96.5		P	80 - 120
1822319	Sodium	101		P	80 - 120
1822319	Zinc	103		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P309366

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1822248	Arsenic	99.6	100	P/P	80 - 120
1822248	Cadmium	101	104	P/P	80 - 120
1822248	Chromium	109	110	P/P	80 - 120
1822248	Copper	94.2	94.6	P/P	80 - 120
1822248	Lead	102	102	P/P	80 - 120
1822248	Nickel	95.8	96.1	P/P	80 - 120
1822248	Silver	102	103	P/P	80 - 120
1822319	Arsenic	97.9		P	80 - 120
1822319	Cadmium	99.4		P	80 - 120
1822319	Chromium	108		P	80 - 120
1822319	Copper	92.2		P	80 - 120
1822319	Lead	99.4		P	80 - 120
1822319	Nickel	93.3		P	80 - 120
1822319	Silver	99.3		P	80 - 120

Reference Method: EPA 300.0
Batch ID: P310191

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1825042	Bromide	103	104	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P309376

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1819651	Chloride	98.1		P	90 - 110
1822305	Chloride	95.4	95.4	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P309381

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1819651	Sulfate	94.4		P	90 - 110
1822305	Sulfate	96.1	96.1	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P309356

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1821877	Ammonia-N	97.6	95.9	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P309669

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1822097	NO2NO3-N	100	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P309653

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1822306	Total-P	101	99.3	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P309260

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1822237	O-Phosphate-P	97.7	99.0	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P309386

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1822094	Fluoride	99.5	99.5	P/P	91 - 105

Quality Assurance Report Precision

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P309366

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822248	Calcium	0.540	Spike	P	0 - 20
1822248	Iron	1.05	Spike	P	0 - 20
1822248	Magnesium	0.641	Spike	P	0 - 20
1822248	Potassium	0.216	Spike	P	0 - 20
1822248	Sodium	0.756	Spike	P	0 - 20
1822248	Zinc	2.30	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P309366

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822248	Arsenic	0.876	Spike	P	0 - 20
1822248	Cadmium	3.14	Spike	P	0 - 20
1822248	Chromium	1.37	Spike	P	0 - 20
1822248	Copper	0.457	Spike	P	0 - 20
1822248	Lead	0.358	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P309366

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822248	Nickel	0.246	Spike	P	0 - 20
1822248	Silver	1.40	Spike	P	0 - 20

Reference Method: EPA 300.0
Batch ID: P310191

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1825042	Bromide	1.37	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P309376

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822305	Chloride	0.0134	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P309381

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822305	Sulfate	0.00800	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P309356

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1821877	Ammonia-N	1.81	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P309739

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822325	Kjeldahl Nitrogen	3.02	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P309669

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822097	NO2NO3-N	0.982	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P309653

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822306	Total-P	1.53	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P309260

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822237	O-Phosphate-P	0.722	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P309288

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822305	Color (true)	0.515	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P309385

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822094	Total Alkalinity	0.198	Sample	P	0 - 4.8

Reference Method: SM 4500 F-C-97
Batch ID: P309386

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1822094	Fluoride	0.0	Spike	P	0 - 3.0

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A70885
Included Lab Sample IDs: 1822305

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	99.6	P/P	90 - 110
Sulfate	101	96.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A70962
Included Lab Sample IDs: 1822307

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	98.1	99.8	P/P	90 - 110

Reference Method: SM 2120 B
Run ID: A70969
Included Lab Sample IDs: 1822305

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	98.4	99.9	P/P	85 - 115

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A70996

Included Lab Sample IDs: 1822306

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	95.3	96.9	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A71002

Included Lab Sample IDs: 1822305

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A71002

Included Lab Sample IDs: 1822305

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	101	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A71038

Included Lab Sample IDs: 1822319

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	96.9	95.1	P/P	90 - 110
Cadmium	99.0	96.8	P/P	90 - 110
Chromium	107	106	P/P	90 - 110
Lead	96.3	94.6	P/P	90 - 110
Silver	99.6	98.5	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A71073

Included Lab Sample IDs: 1822319

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Copper	92.9	91.7	P/P	90 - 110
Nickel	93.4	92.7	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A71097

Included Lab Sample IDs: 1822306

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	99.0	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A71150

Included Lab Sample IDs: 1822306

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.0	99.5	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A71170

Included Lab Sample IDs: 1822306

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	95.6	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A71239

Included Lab Sample IDs: 1822319

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	99.4	98.9	P/P	90 - 110
Iron	99.5	98.1	P/P	90 - 110
Magnesium	101	99.0	P/P	90 - 110
Potassium	99.4	98.1	P/P	90 - 110
Sodium	99.1	97.5	P/P	90 - 110
Zinc	97.2	96.4	P/P	90 - 110

Reference Method: EPA 300.0

Run ID: A71280

Included Lab Sample IDs: 1822305

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Bromide	97.1	97.9	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS	MS	MS		
EPA 200.7 Rev. 4.4	Calcium	108	101	101			0.540
	Iron	111	107	106	105		1.05
	Magnesium	107	103	102			0.641
	Potassium	103	98.1	96.5			0.216
	Sodium	104	99.4	101			0.756
	Zinc	102	97.7	100	103		2.30
EPA 200.8 Rev. 5.4	Arsenic	92.7	99.6	100	97.9		0.876
	Cadmium	97.7	101	104	99.4		3.14
	Chromium	104	109	110	108		1.37
	Copper	92.0	94.2	94.6	92.2		0.457
	Lead	95.3	102	102	99.4		0.358
	Nickel	93.8	95.8	96.1	93.3		0.246
	Silver	98.1	102	103	99.3		1.40
EPA 300.0	Bromide	103	103	104			1.37
EPA 300.0 Rev. 2.1	Chloride	97.9	95.4	95.4	98.1		0.0134
	Sulfate	92.1	96.1	96.1	94.4		0.0080
EPA 350.1 Rev. 2.0	Ammonia-N	96.0	97.6	95.9			1.81
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	108					3.02
EPA 353.2 Rev. 2.0	NO2NO3-N	102	100	102			0.982
EPA 365.1 Rev. 2.0	Total-P	104	101	99.3			1.53

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	100	97.7 99.0			0.722
SM 2120 B	Color (true)				0.515	
SM 2320 B-97	Total Alkalinity	103			0.198	
SM 4500 F-C-97	Fluoride	97.2	99.5 99.5			0.0

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	1822319
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	1822319
EPA 300.0 / E31780	Bromide in aqueous matrices	1822305
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1822305
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1822305
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1822306
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1822306
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1822306
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1822306
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1822307
SM 2120 B / E31780	True Color measured at 450 nm	1822305
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1822305
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1822305

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 200.7 Rev. 4.4	08/05/2016	08/08/2016	Elliott D. Healy	08/19/2016	Joshua Ayres	1822319
EPA 200.8 Rev. 5.4	08/05/2016	08/08/2016	Elliott D. Healy	08/10/2016	Charles J. Peterson	1822319
EPA 300.0	08/05/2016			08/23/2016	Ping Hua	1822305
EPA 300.0 Rev. 2.1	08/05/2016			08/05/2016	Ping Hua	1822305
EPA 350.1 Rev. 2.0	08/05/2016			08/08/2016	Julie Michelle Frank	1822306
EPA 351.2 Rev. 2.0	08/05/2016	08/15/2016	Sofia Elnemr	08/16/2016	Virginia P. Brown	1822306
EPA 353.2 Rev. 2.0	08/05/2016			08/11/2016	Peter D. Kaus	1822306
EPA 365.1 Rev. 2.0	08/05/2016	08/12/2016	Vijayalakshmi Reddy	08/16/2016	Lipi Saha	1822306
EPA 365.1 Rev. 2.0 dissolved	08/05/2016			08/05/2016 11:43	Julia Storbeck	1822307
SM 2120 B	08/05/2016			08/05/2016 13:53	Blanca Fach	1822305
SM 2320 B-97	08/05/2016			08/09/2016	Dale L. Simmons	1822305
SM 4500 F-C-97	08/05/2016			08/09/2016	Dale L. Simmons	1822305