

Date of Request: 22-SEP-2016  
 Created By: ASHTON\_J On: 22-SEP-2016  
 Modified By: MATTHEWS\_D On: 27-SEP-2016  
 Customer: SW-DIST  
 Project: SMP  
 Division:  
 District: Southwest District  
 Sampling Event: RUN 1A

**Send Coolers To:**

Phone: 813-470-5951  
 FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Judy Ashton

Program Module Number:  
 Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 23-SEP-2016  
 Biology Request Reviewed By: MATTHEWS\_D On: 27-SEP-2016  
 Sampling Kit Required: NO Ship on:  
 Sampling Kit Shipped:  
 Sampling Kit Packed By:  
 Preservatives Needed: NO  
 Date to Receive Samples: 26-SEP-2016  
 Received By: BOWDEN\_M On: 27-SEP-2016

**Send Final Report To:**

FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Judy Ashton

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments:

**Bottle Group A (Water) With 3 Samples:**

|                               |                      |                                                                                                                    |
|-------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L             | Number of Bottles: 3 | Preserved With: ICE                                                                                                |
| ALKALINITY                    | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                        |
| Total Alkalinity              |                      |                                                                                                                    |
| TURBIDITY                     | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                                 |
| Turbidity                     |                      |                                                                                                                    |
| W-CL-IC                       | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                                  |
| Chloride                      |                      |                                                                                                                    |
| W-COLOR                       | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                          |
| Color (true)                  |                      |                                                                                                                    |
| W-F                           | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)               |
| Fluoride                      |                      |                                                                                                                    |
| W-SO4-IC                      | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                                   |
| Sulfate                       |                      |                                                                                                                    |
| W-TDS                         | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                          |
| TDS                           |                      |                                                                                                                    |
| W-TSS                         | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                          |
| TSS                           |                      |                                                                                                                    |
| Bottle Type: BP-1L            | Number of Bottles: 3 | Preserved With: ICE                                                                                                |
| CHLSUITE-W                    | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry |
| Chlorophyll/Phaeophytin Ratio |                      |                                                                                                                    |
| Chlorophyll-a, Corrected      |                      |                                                                                                                    |
| Chlorophyll-a, Uncorrected    |                      |                                                                                                                    |
| Phaeophytin-a                 |                      |                                                                                                                    |
| Bottle Type: P-500ML          | Number of Bottles: 3 | Preserved With: ICE And H2SO4                                                                                      |
| W-NH3                         | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                         |
| Ammonia-N                     |                      |                                                                                                                    |
| W-NO2NO3                      | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                                 |

**Bottle Group A (Water) With 3 Samples:**

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-500ML | Number of Bottles: 3 | Preserved With: ICE And H2SO4                                                            |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                       |
| NO2NO3-N             |                      |                                                                                          |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                      |
| Total-P              |                      |                                                                                          |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                         |
| Kjeldahl Nitrogen    |                      |                                                                                          |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                           |
| Organic Carbon       |                      |                                                                                          |
| Bottle Type: P-125ML | Number of Bottles: 3 | Preserved With: ICE-FLTR                                                                 |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |
| O-Phosphate-P        |                      |                                                                                          |