

RUN 1

Customer: SW-DIST

Requester: Judy Ashton

Field Report Prepared By: Judy Ashton

Project ID: SMP

Collected By: Judy Ashton, S. ChangmanSampling Agency: FDEP

Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>10-3-16</u> Time <u>13:00</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID RQ-2016-10-03-39 Date: 10/3/16 Time: STORET # Cockroach Creek Hills County	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>6.8</u> <u>82</u>	☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
Field ID G1SW0047 Field ID STORET 2739390823006	Temp (C) <u>24.7</u>	pH <u>6.7</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>629</u>
Latitude	☐ dd ☐ dms	Salinity (ppt) <u>0.3</u>	Comments		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>10-3-16</u> Time <u>14:35</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID RQ-2016-10-03-39 Date: 10/3/16 Time: STORET # Delany Creek Hills County	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen <u>9.1</u> <u>113</u>	☒ mg/L ☒ % sat	Total Res. Chlorine (mg/L)
Field ID G1SW0046 Field ID STORET 24040082	Temp (C) <u>26.9</u>	pH <u>6.9</u>	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>299</u>
Latitude	☐ dd ☐ dms	Salinity (ppt) <u>0.14</u>	Comments <u>collection time taken from containers</u>		
Location	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>10-3-16</u> Time <u>14:40</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID RQ-2016-10-03-39 Date: 10/3/16 Time: STORET # Delany Creek Duplicate G1SW0046	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field ID DUPLICATE Field ID STORET 24040082	Temp (C)	pH	Sample Depth <u>0.3</u>	☐ ft ☒ m	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Salinity (ppt)	Comments <u>collection time taken from containers</u>		
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date <u>10-3-16</u> Time <u>14:45</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID RQ-2016-10-03-39 Date: 10/3/16 Time: STORET # FIELD BLANK	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Field ID BLANK Field ID STORET BLANK	Temp (C)	pH <u>DI</u>	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Salinity (ppt)	Comments <u>collection time taken from containers</u>		

Relinquished By: <u>Judy Ashton</u>	Date/Time <u>10-3-16 5:00</u>	Shipping Method <u>Fed Ex</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>JR</u>	Date/Time <u>10/4/16 10:10</u>
--	----------------------------------	----------------------------------	--	---------------------------	-----------------------------------

Date of Request: 13-SEP-2016
 Created By: ASHTON_J On: 13-SEP-2016
 Modified By: MATTHEWS_D On: 20-SEP-2016
 Customer: SW-DIST
 Project: SMP
 Division:
 District: Southwest District
 Sampling Event: RUN 1

Send Coolers To:

Phone: 813-470-5951
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 15-SEP-2016
 Biology Request Reviewed By: MATTHEWS_D On: 20-SEP-2016
 Sampling Kit Required: YES Ship on: 23-SEP-2016
 Sampling Kit Shipped: YES On: 21-SEP-2016
 Sampling Kit Packed By: RAKESTRA_M
 Preservatives Needed: NO
 Date to Receive Samples: 04-OCT-2016
 Received By:

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Judy Ashton

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

RQ- 2016-10-03-39

Log-in Checklist

Shipping Method: FedexDate/Time of Receipt: 10/4/16, 10:10

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape		Tracking # (fill out only if waybill copy is damaged)	
			Present? Yes No	*Intact? Yes No		
<u>Red</u> Red	<u>2.6°C</u>	<u>16</u>		☒		<u>8100 1818 3640</u> 8100 1818 3640

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☐ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: MR

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: MR

Coolers Unpacked/Checked by: MR Date: 10/4/16 NCRs (Y/N)? n

Event ID: SW-D157-2016-10-04-01 NCR #