

Big Cypress Branch, Coon Creek and Soapstone Branch

Central Laboratory Submittal Form

last revised Nov 10, 2015

Customer: WQAP

Requester: Benjamin Ralys

Field Report Prepared By: Ben Ralys

Project ID: SMP

Collected By: Justin Wallheiser, Ben Ralys

Sampling Agency: FDEP

Location Coon Creek 100 meters upstream of CR 69		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 5/12/16 5/12/16 Time 11:15 am Eastern Central		Composite end Date — Time —	Bottle Group(s) (See pg 2)
Field ID G2WA0005		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 6.42	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
STORET # G2WA0005		Temp (C) 20.23	pH 5.33	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 35
Latitude 30.3929	☒ dd ☐ dms	Longitude -85.0625	☒ dd ☐ dms	Salinity (ppt) 0.1	Comments	
Location Big Cypress Branch 100 meters upstream of CR 67		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 5/12/16 5/12/16 Time 2:05 pm Eastern Central		Composite end Date — Time —	Bottle Group(s)
Field ID G1WA0031		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen 7.15	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
STORET # G1WA0031		Temp (C) 19.62	pH 7.34	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 524
Latitude	☒ dd ☐ dms	Longitude	☒ dd ☐ dms	Salinity (ppt) 2.5	Comments	
Location Soapstone Branch 100 meters upstream of SR 375		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 5/12/16 5/12/16 Time — Eastern Central		Composite end Date — Time —	Bottle Group(s)
Field ID G1WA0012		Matrix (type, e.g., Salt, Fresh, etc) Fresh		Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) —
STORET # G1WA0012		Temp (C)	pH	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)
Latitude 30.38625	☒ dd ☐ dms	Longitude -84.6355	☒ dd ☐ dms	Salinity (ppt)	Comments Did not sample due to low water conditions	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date — Time — Eastern Central		Composite end Date — Time —	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
STORET #		Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	

Relinquished By: Ben Ralys	Date/Time 5/12/16 5/12/16	Shipping Method hand delivered	Received By:	Date/Time	Relinquished By:	Date/Time	Received By: SK	Date/Time 5.12.16/3:39
-------------------------------	---	-----------------------------------	--------------	-----------	------------------	-----------	--------------------	---------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>22</u>
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-NO2						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>22</u>
	BOD-UNIN						
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>22</u>
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>22</u>
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	<u>22</u>
	W-PO4-F						
Group: B	Bottle Type:	PJ-2L	# of Bottles: 2	Preservative:	Formalin	Enter Number of Bottles Sent to Lab	<u>2</u>
	MI-FW-QLDC						
Group: C	Bottle Type:	PT-50ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>21</u>
	ALGAL_ID						

Date of Request: 21-MAR-2016
 Created By: RALYS_B On: 21-MAR-2016
 Modified By: WATTS_J On: 15-APR-2016
 Customer: WQAP
 Project: SMP
 Division:
 District:
 Sampling Event: Big Cypress Branch, Coon Creek and Soapstone Branch

Send Coolers To:

Phone: 850-245-8443
 2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Benjamin Ralys

Program Module Number:

Priority: 3
 Event Status: A
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 31-MAR-2016
 Biology Request Reviewed By: WATTS_J On: 31-MAR-2016
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 30-MAR-2016
 Sampling Kit Packed By: LASHLEY_C
 Preservatives Needed: NO
 Date to Receive Samples: 09-MAY-2016
 Received By:

Send Final Report To:

2600 Blair Stone Rd
 MS #3560
 Tallahassee, FL 32399-2400
 Attn: Katrina Sanders

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 3 Samples:**

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
BOD-UNIN	Template: DEFAULT	(SM 5210 B) BOD, NOT nitrogen-inhibited
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, phaeophytin and ratio by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: ICE-FLTR
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Biological) With 1 Samples:

Bottle Type: PJ-2L Number of Bottles: 2 Preserved With: Formalin
 MI-FW-QLDC Template: DEFAULT (SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

Bottle Group C (Biological) With 2 Samples:

Bottle Type: PT-50ML Number of Bottles: 2 Preserved With: ICE

Bottle Group C (Biological) With 2 Samples:

Bottle Type: PT-50ML Number of Bottles: 2 Preserved With: ICE
ALGAL_ID Template: DEFAULT (SOP-AB05) Qualitative assessment of algal taxa present without counts

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ: 2016-04-11-34

Shipping Method: Fedex

Date/Time of Receipt: 5-12-16/3:39

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	2.1	11		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R					

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: SK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☒ Init: SK

Coolers Unpacked/Checked by: SK Date: 5-12-16

NCRs (Y/N)? N

Event ID: WQAP-2016-05-12-02

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Additional Comments: