

Chemical Analysis Report

NE-DIST-2017-03-08-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Suwannee North**
Request ID: **RQ-2017-02-27-25**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way W
Suite 100
Jacksonville, FL 32256-7577
Attn: Nicole Frederick

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator Date Certified: 05-APR-2017 14:48



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Suwannee River @ Cone Bridge Rd

Collection Date/Time: 03/07/2017 10:30

Field ID: G1NE0238 03072017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1878350	EPA 180.1 Rev. 2.0	Turbidity	4.0		NTU	P321194	
	EPA 300.0 Rev. 2.1	Chloride	7.9		mg Cl/L	P321784	
		Sulfate	0.38	I	mg SO4/L	P321788	
	SM 2120 B	Color (true)	420		PCU	P321188	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P321424	
	SM 2540 C-97	TDS	82		mg/L	P321886	
	SM 2540 D-97	TSS	2	I	mg/L	P321818	
	SM 4500 F-C-97	Fluoride	0.051	I	mg F/L	P322079	
1878353	EPA 350.1 Rev. 2.0	Ammonia-N	0.010		mg N/L	P321448	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.3		mg N/L	P321479	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.006	I	mg N/L	P321590	
	EPA 365.1 Rev. 2.0	Total-P	0.099		mg P/L	P321372	
	SM 5310 B-00	Organic Carbon	56		mg C/L	P321339	
1878356	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.084		mg P/L	P321184	
1878362	EPA 200.7 Rev. 4.4	Calcium	2.14		mg/L	P321458	
		Iron	790		ug/L	P321458	
		Magnesium	1.31		mg/L	P321458	
		Potassium	0.38	I	mg/L	P321458	
		Sodium	5.1		mg/L	P321458	
		Zinc	5.0	U	ug/L	P321458	
	EPA 200.8 Rev. 5.4	Arsenic	0.48		ug/L	P321458	
		Cadmium	0.024	I	ug/L	P321458	
		Chromium	0.71	I	ug/L	P321458	
		Copper	0.24	I	ug/L	P321458	
		Lead	0.56		ug/L	P321458	
		Nickel	0.84		ug/L	P321458	
		Silver	0.010	U	ug/L	P321458	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Sulfate: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 200.8 Rev. 5.4: The lead result was confirmed on 03/30/2017.

Sample Location: Suwannee River @ Turner Boat Ramp

Collection Date/Time: 03/07/2017 13:10

Field ID: G1NE0471 03072017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1878351	EPA 180.1 Rev. 2.0	Turbidity	2.2		NTU	P321194	
	EPA 300.0 Rev. 2.1	Chloride	8.0	A	mg Cl/L	P321784	
		Sulfate	0.38	I	mg SO4/L	P321788	
	SM 2120 B	Color (true)	400		PCU	P321188	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P321424	
	SM 2540 C-97	TDS	71		mg/L	P321886	
	SM 2540 D-97	TSS	5	I	mg/L	P321818	
	SM 4500 F-C-97	Fluoride	0.041	I	mg F/L	P322079	
1878354	EPA 350.1 Rev. 2.0	Ammonia-N	0.009		mg N/L	P321448	

Field ID: G1NE0471 03072017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1878354	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.3		mg N/L	P321479	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P321590	
	EPA 365.1 Rev. 2.0	Total-P	0.056		mg P/L	P321372	
	SM 5310 B-00	Organic Carbon	56		mg C/L	P321339	
1878357	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.043		mg P/L	P321184	
1878363	EPA 200.7 Rev. 4.4	Calcium	1.69		mg/L	P321458	
		Iron	760		ug/L	P321458	
		Magnesium	1.14		mg/L	P321458	
		Potassium	0.32	I	mg/L	P321458	
		Sodium	5.0		mg/L	P321458	
		Zinc	5.0	U	ug/L	P321458	
	EPA 200.8 Rev. 5.4	Arsenic	0.46		ug/L	P321458	
		Cadmium	0.020	U	ug/L	P321458	
		Chromium	0.68	I	ug/L	P321458	
		Copper	0.24	I	ug/L	P321458	
		Lead	0.54		ug/L	P321458	
		Nickel	0.80		ug/L	P321458	
		Silver	0.010	U	ug/L	P321458	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Sulfate: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 200.8 Rev. 5.4: The lead result was confirmed on 03/30/2017.

Sample Location: Suwannee River @ SR 6

Collection Date/Time: 03/07/2017 11:05

Field ID: G1NE0460 03072017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1878352	EPA 180.1 Rev. 2.0	Turbidity	1.6		NTU	P321194	
	EPA 300.0 Rev. 2.1	Chloride	8.1		mg Cl/L	P321784	
		Sulfate	0.38	I	mg SO4/L	P321788	
	SM 2120 B	Color (true)	420		PCU	P321188	
	SM 2320 B-97	Total Alkalinity	0.65	U	mg CaCO3/L	P321424	
	SM 2540 C-97	TDS	138		mg/L	P321886	
	SM 2540 D-97	TSS	4	I	mg/L	P321818	
	SM 4500 F-C-97	Fluoride	0.044	I	mg F/L	P322079	
1878355	EPA 350.1 Rev. 2.0	Ammonia-N	0.011		mg N/L	P321448	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P321479	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P321591	
	EPA 365.1 Rev. 2.0	Total-P	0.065		mg P/L	P321372	
	SM 5310 B-00	Organic Carbon	56		mg C/L	P321339	
1878358	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.047		mg P/L	P321184	
1878364	EPA 200.7 Rev. 4.4	Calcium	1.74		mg/L	P321458	
		Iron	770		ug/L	P321458	
		Magnesium	1.17		mg/L	P321458	
		Potassium	0.36	I	mg/L	P321458	
		Sodium	5.1		mg/L	P321458	

Field ID: G1NE0460 03072017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1878364	EPA 200.7 Rev. 4.4	Zinc	5.0	U	ug/L	P321458	
	EPA 200.8 Rev. 5.4	Arsenic	0.46		ug/L	P321458	
		Cadmium	0.021	I	ug/L	P321458	
		Chromium	0.72	I	ug/L	P321458	
		Copper	0.22	I	ug/L	P321458	
		Lead	0.56		ug/L	P321458	
		Nickel	0.81		ug/L	P321458	
		Silver	0.010	U	ug/L	P321458	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Sulfate: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 200.8 Rev. 5.4: The lead result was confirmed on 03/30/2017.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P321194

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P321458

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P321458

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.20	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.20	U	ug/L
Silver	0.010	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P321784

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P321788

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321448

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P321479

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321590

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321591

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321372

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P321184

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P321188

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P321424

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2540 C-97
Batch ID: P321886

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P321818

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P322079

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P321339

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P321458

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	103		P	85 - 115
Iron	104		P	85 - 115
Magnesium	103		P	85 - 115
Potassium	101		P	85 - 115
Sodium	105		P	85 - 115
Zinc	102		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P321458

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	104		P	85 - 115
Cadmium	102		P	85 - 115
Chromium	105		P	85 - 115
Copper	102		P	85 - 115
Lead	89.8		P	85 - 115
Nickel	104		P	85 - 115
Silver	105		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P321784

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	103		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P321788

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321448

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P321479

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321590

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321591

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321372

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P321184

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	104		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P321424

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	105		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P322079

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.4		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
Batch ID: P321339

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.6		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P321458

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878250	Calcium	105		P	80 - 120
1878250	Iron	103		P	80 - 120
1878250	Magnesium	100		P	80 - 120
1878250	Potassium	99.2		P	80 - 120
1878250	Sodium	102		P	80 - 120
1878250	Zinc	99.5		P	80 - 120
1878643	Calcium	103		P	80 - 120
1878643	Iron	105	103	P/P	80 - 120
1878643	Magnesium	102		P	80 - 120
1878643	Potassium	102	102	P/P	80 - 120
1878643	Sodium	104		P	80 - 120
1878643	Zinc	99.8	97.8	P/P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P321458

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878250	Arsenic	91.0		P	80 - 120
1878250	Cadmium	88.6		P	80 - 120
1878250	Chromium	86.9		P	80 - 120
1878250	Copper	87.5		P	80 - 120
1878250	Lead	89.4		P	80 - 120
1878250	Nickel	88.4		P	80 - 120
1878250	Silver	87.8		P	80 - 120
1878643	Arsenic	91.3	93.3	P/P	80 - 120
1878643	Cadmium	88.3	91.8	P/P	80 - 120
1878643	Chromium	88.4	91.3	P/P	80 - 120
1878643	Copper	87.2	89.6	P/P	80 - 120
1878643	Lead	90.5	89.5	P/P	80 - 120
1878643	Nickel	88.4	90.8	P/P	80 - 120
1878643	Silver	89.1	91.9	P/P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P321784

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878351	Chloride	104		P	90 - 110
1878455	Chloride	104		P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P321788

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878351	Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321448

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878353	Ammonia-N	98.0	98.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P321479

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878456	Kjeldahl Nitrogen	97.5	98.5	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321590

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878305	NO2NO3-N	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321591

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878406	NO2NO3-N	102	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321372

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878416	Total-P	98.1	98.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P321184

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878341	O-Phosphate-P	104	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P322079

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1881033	Fluoride	97.2	98.3	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P321339

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878634	Organic Carbon	90.1	90.8	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P321194

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878300	Turbidity	5.36	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P321458

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878643	Calcium	3.07	Spike	P	0 - 20
1878643	Iron	2.35	Spike	P	0 - 20
1878643	Magnesium	2.38	Spike	P	0 - 20
1878643	Potassium	0.197	Spike	P	0 - 20
1878643	Sodium	2.51	Spike	P	0 - 20
1878643	Zinc	2.05	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P321458

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878643	Arsenic	2.13	Spike	P	0 - 20
1878643	Cadmium	3.91	Spike	P	0 - 20
1878643	Chromium	3.06	Spike	P	0 - 20
1878643	Copper	2.68	Spike	P	0 - 20
1878643	Lead	1.08	Spike	P	0 - 20
1878643	Nickel	2.60	Spike	P	0 - 20
1878643	Silver	3.08	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P321784

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878351	Chloride	2.19	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321448

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878353	Ammonia-N	0.540	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P321479

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878456	Kjeldahl Nitrogen	0.840	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321590

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878305	NO2NO3-N	0.463	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321591

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878406	NO2NO3-N	2.41	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321372

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878416	Total-P	0.219	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P321184

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878341	O-Phosphate-P	2.10	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P321188

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878337	Color (true)	4.51	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P321424

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878144	Total Alkalinity	3.30	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P321886

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878335	TDS	5.66	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P322079

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1881033	Fluoride	1.00	Spike	P	0 - 3.0

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P321339

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878634	Organic Carbon	0.777	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Run ID: A74969
Included Lab Sample IDs: 1878356, 1878357, 1878358

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.6	P/P	90 - 110

Reference Method: SM 2120 B
Run ID: A74970
Included Lab Sample IDs: 1878350, 1878351, 1878352

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	97.9	95.7	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A74972
Included Lab Sample IDs: 1878350, 1878351, 1878352

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	100	P/P	95 - 105

Reference Method: SM 5310 B-00
Run ID: A75012
Included Lab Sample IDs: 1878353, 1878354, 1878355

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	95.8	95.0	P/P	90 - 110

Reference Method: SM 2320 B-97
Run ID: A75050
Included Lab Sample IDs: 1878350, 1878351, 1878352

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	105	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A75054
Included Lab Sample IDs: 1878353, 1878354, 1878355

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.8	99.7	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A75079

Included Lab Sample IDs: 1878353, 1878354, 1878355

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	96.5	97.0	P/P	90 - 110
Total-P	98.2	96.5	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A75109

Included Lab Sample IDs: 1878362, 1878363, 1878364

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	102	102	P/P	90 - 110
Iron	102	102	P/P	90 - 110
Magnesium	102	102	P/P	90 - 110
Potassium	103	103	P/P	90 - 110
Sodium	102	102	P/P	90 - 110
Zinc	99.4	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A75112

Included Lab Sample IDs: 1878353, 1878354, 1878355

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	101	P/P	90 - 110
NO2NO3-N	101	100	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A75117

Included Lab Sample IDs: 1878353, 1878354, 1878355

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	99.3	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A75123

Included Lab Sample IDs: 1878350, 1878351, 1878352

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	103	105	P/P	90 - 110
Chloride	104	103	P/P	90 - 110
Sulfate	102	106	P/P	90 - 110
Sulfate	106	102	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A75125

Included Lab Sample IDs: 1878362, 1878363, 1878364

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	99.1	98.2	P/P	90 - 110
Cadmium	95.1	96.2	P/P	90 - 110
Chromium	98.2	98.2	P/P	90 - 110
Copper	100	99.8	P/P	90 - 110
Nickel	101	99.2	P/P	90 - 110
Silver	96.5	96.6	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A75188

Included Lab Sample IDs: 1878362, 1878363, 1878364

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Cadmium	103	102	P/P	90 - 110
Lead	92.1	92.6	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A75310

Included Lab Sample IDs: 1878350, 1878351, 1878352

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	100	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						5.36	
EPA 200.7 Rev. 4.4	Calcium	103	105	103				3.07
	Iron	104	103	105	103			2.35
	Magnesium	103	100	102				2.38
	Potassium	101	99.2	102	102			0.197
	Sodium	105	102	104				2.51
	Zinc	102	99.5	99.8	97.8			2.05
EPA 200.8 Rev. 5.4	Arsenic	104	91.0	91.3	93.3			2.13
	Cadmium	102	88.6	88.3	91.8			3.91
	Chromium	105	86.9	88.4	91.3			3.06
	Copper	102	87.5	87.2	89.6			2.68
	Lead	89.8	89.4	90.5	89.5			1.08
	Nickel	104	88.4	88.4	90.8			2.60
	Silver	105	87.8	89.1	91.9			3.08
EPA 300.0 Rev. 2.1	Chloride	103	104	104			2.19	
	Sulfate	99.5	101					
EPA 350.1 Rev. 2.0	Ammonia-N	104	98.0	98.6				0.540
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	97.5	98.5				0.840
EPA 353.2 Rev. 2.0	NO2NO3-N	102	101					0.463
	NO2NO3-N	104	102	105				2.41
EPA 365.1 Rev. 2.0	Total-P	96.2	98.1	98.4				0.219
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	104	104	101				2.10
SM 2120 B	Color (true)						4.51	
SM 2320 B-97	Total Alkalinity	105					3.30	
SM 2540 C-97	TDS						5.66	
SM 4500 F-C-97	Fluoride	97.4	97.2	98.3				1.00
SM 5310 B-00	Organic Carbon	95.6	90.1	90.8				0.777

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1878350, 1878351, 1878352
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	1878362, 1878363, 1878364
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	1878362, 1878363, 1878364
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1878350, 1878351, 1878352
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1878350, 1878351, 1878352
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1878353, 1878354, 1878355
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1878353, 1878354, 1878355
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1878353, 1878354, 1878355
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1878353, 1878354, 1878355
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1878356, 1878357, 1878358
SM 2120 B / E31780	True Color measured at 450 nm	1878350, 1878351, 1878352
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1878350, 1878351, 1878352
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1878350, 1878351, 1878352
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1878350, 1878351, 1878352
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1878350, 1878351, 1878352
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1878353, 1878354, 1878355

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	03/08/2017			03/08/2017 16:09	Sima Feizi	1878350, 1878351, 1878352
EPA 200.7 Rev. 4.4	03/08/2017	03/13/2017	Elliott D. Healy	03/14/2017	Martin Acosta	1878362, 1878363, 1878364
EPA 200.8 Rev. 5.4	03/08/2017	03/13/2017	Elliott D. Healy	03/15/2017	Betina Topolski	1878362, 1878363, 1878364
	03/08/2017	03/13/2017	Elliott D. Healy	03/17/2017	Betina Topolski	1878362, 1878363, 1878364
EPA 300.0 Rev. 2.1	03/08/2017			03/17/2017	Elisa J Lutz	1878350, 1878351, 1878352
EPA 350.1 Rev. 2.0	03/08/2017			03/10/2017	Julie Michelle Frank	1878353, 1878354, 1878355
EPA 351.2 Rev. 2.0	03/08/2017	03/14/2017	Adrian Shelby	03/15/2017	Joseph Suarez	1878353, 1878354, 1878355
EPA 353.2 Rev. 2.0	03/08/2017			03/15/2017	Beverly Y. Sanders	1878353, 1878354, 1878355
EPA 365.1 Rev. 2.0	03/08/2017	03/10/2017	Vijayalakshmi Reddy	03/13/2017	Lipi Saha	1878353, 1878354, 1878355
EPA 365.1 Rev. 2.0 dissolved	03/08/2017			03/08/2017 15:18	Lipi Saha	1878356
	03/08/2017			03/08/2017 15:19	Lipi Saha	1878357
	03/08/2017			03/08/2017 15:20	Lipi Saha	1878358
SM 2120 B	03/08/2017			03/08/2017 16:01	Julie Michelle Frank	1878350
	03/08/2017			03/08/2017 16:02	Julie Michelle Frank	1878351, 1878352
SM 2320 B-97	03/08/2017			03/11/2017	Dale L. Simmons	1878350, 1878351, 1878352
SM 2540 C-97	03/08/2017			03/10/2017	Yijie Li	1878350, 1878351, 1878352
SM 2540 D-97	03/08/2017			03/10/2017	Yijie Li	1878350, 1878351, 1878352
SM 4500 F-C-97	03/08/2017			03/23/2017	Dale L. Simmons	1878350, 1878351, 1878352
SM 5310 B-00	03/08/2017			03/09/2017	Julie Michelle Frank	1878353, 1878354, 1878355