

Chemical Analysis Report

NE-DIST-2017-04-13-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Nassau West**
Request ID: **RQ-2017-04-10-27**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
NE ROC
8800 Baymeadows Way W
Suite 100
Jacksonville, FL 32256-7577
Attn: Nicole Frederick

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 10-MAY-2017 15:31

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Calkins Creek trib @ Hamp Register Rd.

Collection Date/Time: 04/12/2017 10:15

Field ID: G4NE0050 04122017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1888661	EPA 180.1 Rev. 2.0	Turbidity	0.90		NTU	P323527	
	EPA 300.0 Rev. 2.1	Chloride	8.2	A	mg Cl/L	P323860	
		Sulfate	1.1	A	mg SO4/L	P323864	
	SM 2120 B	Color (true)	85		PCU	P323336	
	SM 2320 B-97	Total Alkalinity	30		mg CaCO3/L	P323889	
	SM 2540 C-97	TDS	70		mg/L	P324099	
	SM 2540 D-97	TSS	2	U	mg/L	P323932	
	SM 4500 F-C-97	Fluoride	0.058	I	mg F/L	P324403	
1888663	EPA 350.1 Rev. 2.0	Ammonia-N	0.028		mg N/L	P323348	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.37		mg N/L	P323501	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.052		mg N/L	P323700	
	EPA 365.1 Rev. 2.0	Total-P	0.021		mg P/L	P323511	
	SM 5310 B-00	Organic Carbon	7.0		mg C/L	P323470	
1888665	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.01	I	mg P/L	P323342	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Unnamed Br @ CR 125

Collection Date/Time: 04/12/2017 10:40

Field ID: G4NE0131 04122017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1888662	EPA 180.1 Rev. 2.0	Turbidity	1.9		NTU	P323527	
	EPA 300.0 Rev. 2.1	Chloride	9.6	A	mg Cl/L	P324107	
		Sulfate	1.3		mg SO4/L	P323864	
	SM 2120 B	Color (true)	300		PCU	P323336	
	SM 2320 B-97	Total Alkalinity	8.2		mg CaCO3/L	P323889	
	SM 2540 C-97	TDS	75		mg/L	P324099	
	SM 2540 D-97	TSS	3	I	mg/L	P323932	
	SM 4500 F-C-97	Fluoride	0.035	U	mg F/L	P324403	
1888664	EPA 350.1 Rev. 2.0	Ammonia-N	0.036		mg N/L	P323348	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.93		mg N/L	P323501	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.030		mg N/L	P323700	
	EPA 365.1 Rev. 2.0	Total-P	0.083		mg P/L	P323511	
	SM 5310 B-00	Organic Carbon	31		mg C/L	P323470	
1888666	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.048		mg P/L	P323342	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 351.2 Rev. 2.0: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P323527

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P323860

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P323864

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P324107

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P323348

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P323501

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P323700

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P323511

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P323342

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: SM 2120 B
Batch ID: P323336

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P323889

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P324099

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P323932

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P324403

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P323470

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P323860

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P323864

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	97.4		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P324107

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P324107

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P323348

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P323501

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P323700

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	96.0		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P323511

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P323342

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	96.9		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P323889

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	105		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P324403

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	94.7		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P323470

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	105		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P323860

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1888661	Chloride	102		P	90 - 110
1888829	Chloride	106		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P323864

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1888661	Sulfate	100		P	90 - 110
1888829	Sulfate	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P324107

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1888662	Chloride	102		P	90 - 110
1888828	Chloride	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P323348

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1888663	Ammonia-N	98.5	96.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P323700

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1888663	NO2NO3-N	97.5	97.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P323511

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1888668	Total-P	102	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P323342

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1888665	O-Phosphate-P	95.9	96.9	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P324403

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1888726	Fluoride	104	103	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P323470

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1888031	Organic Carbon	104	104	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P323527

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888542	Turbidity	6.74	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P323860

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888661	Chloride	0.176	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P323864

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888661	Sulfate	3.13	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P324107

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888662	Chloride	0.262	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P323348

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888663	Ammonia-N	1.51	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P323501

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888500	Kjeldahl Nitrogen	1.96	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P323700

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888663	NO2NO3-N	0.406	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P323511

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888668	Total-P	1.48	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P323342

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888665	O-Phosphate-P	0.943	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P323336

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888542	Color (true)	1.04	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P323889

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888726	Total Alkalinity	0.299	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P324099

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888519	TDS	3.13	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P324403

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888726	Fluoride	0.558	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P323470

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1888031	Organic Carbon	0.462	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A75770
Included Lab Sample IDs: 1888661, 1888662

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	101	98.8	P/P	85 - 115
Color (true)	98.7	99.5	P/P	85 - 115

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A75771

Included Lab Sample IDs: 1888665, 1888666

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	96.9	97.1	P/P	90 - 110
O-Phosphate-P	97.8	96.9	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A75772

Included Lab Sample IDs: 1888663, 1888664

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	102	101	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A75802

Included Lab Sample IDs: 1888663, 1888664

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	103	104	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A75831

Included Lab Sample IDs: 1888661, 1888662

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	99.0	P/P	95 - 105

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A75853

Included Lab Sample IDs: 1888663, 1888664

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	97.0	94.6	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A75856

Included Lab Sample IDs: 1888664

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	106	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A75873

Included Lab Sample IDs: 1888663

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.8	100	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A75875

Included Lab Sample IDs: 1888663, 1888664

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	94.5	94.0	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A75903

Included Lab Sample IDs: 1888661

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	100	106	P/P	90 - 110
Sulfate	101	108	P/P	90 - 110
Sulfate	98.2	101	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A75952

Included Lab Sample IDs: 1888661, 1888662

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	105	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A75999

Included Lab Sample IDs: 1888662

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A76126

Included Lab Sample IDs: 1888661, 1888662

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.5	99.0	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity					6.74	
EPA 300.0 Rev. 2.1	Chloride	101	102	106		0.176	
	Chloride	101	102	102		0.262	
	Sulfate	97.4	100	102		3.13	
EPA 350.1 Rev. 2.0	Ammonia-N	100	98.5	96.2			1.51
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	103					1.96
EPA 353.2 Rev. 2.0	NO2NO3-N	96.0	97.5	97.0			0.406
EPA 365.1 Rev. 2.0	Total-P	104	102	104			1.48
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	96.9	95.9	96.9			0.943
SM 2120 B	Color (true)					1.04	
SM 2320 B-97	Total Alkalinity	105				0.299	
SM 2540 C-97	TDS					3.13	
SM 4500 F-C-97	Fluoride	94.7	104	103			0.558
SM 5310 B-00	Organic Carbon	105	104	104			0.462

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1888661, 1888662
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1888661, 1888662
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1888661, 1888662
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1888663, 1888664
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1888663, 1888664
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1888663, 1888664
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1888663, 1888664
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1888665, 1888666
SM 2120 B / E31780	True Color measured at 450 nm	1888661, 1888662
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1888661, 1888662
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1888661, 1888662
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1888661, 1888662
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1888661, 1888662
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1888663, 1888664

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	04/13/2017			04/13/2017 16:21	Sima Feizi	1888661, 1888662
EPA 300.0 Rev. 2.1	04/13/2017			04/20/2017	Ping Hua	1888661, 1888662
	04/13/2017			04/26/2017	Ping Hua	1888662
EPA 350.1 Rev. 2.0	04/13/2017			04/13/2017	Julie Michelle Frank	1888663, 1888664
EPA 351.2 Rev. 2.0	04/13/2017	04/17/2017	Adrian Shelby	04/18/2017	Joseph Suarez	1888663, 1888664
EPA 353.2 Rev. 2.0	04/13/2017			04/19/2017	Beverly Y. Sanders	1888663, 1888664
EPA 365.1 Rev. 2.0	04/13/2017	04/17/2017	Vijayalakshmi Reddy	04/18/2017	Lipi Saha	1888664
	04/13/2017	04/17/2017	Vijayalakshmi Reddy	04/19/2017	Lipi Saha	1888663
EPA 365.1 Rev. 2.0 dissolved	04/13/2017			04/13/2017 13:40	Anthony C. Onicha	1888665
	04/13/2017			04/13/2017 13:47	Anthony C. Onicha	1888666
SM 2120 B	04/13/2017			04/13/2017 14:59	Julia Storbeck	1888661
	04/13/2017			04/13/2017 15:34	Julia Storbeck	1888662
SM 2320 B-97	04/13/2017			04/22/2017	Dale L. Simmons	1888661, 1888662
SM 2540 C-97	04/13/2017			04/17/2017	Sima Feizi	1888661, 1888662
SM 2540 D-97	04/13/2017			04/17/2017	Sima Feizi	1888661, 1888662
SM 4500 F-C-97	04/13/2017			05/01/2017	Dale L. Simmons	1888661, 1888662
SM 5310 B-00	04/13/2017			04/14/2017	Julie Michelle Frank	1888663, 1888664