



Advanced Environmental Laboratories, Inc.
4965 SW 41st Bl Gainesville, FL 32608
Payments: P.O. Box 551580 Jacksonville, FL 32255-1580
Phone: (352) 377-2349
Fax: (352) 395-6639

August 16, 2017

Frances Moore
Florida DEP - Bureau of Labs-Biology Section
Twin Towers/LAB Complex A
2600 Blair Stone Rd
Tallahassee, FL 32399

RE: Workorder: G1706826 SUWANNEE SPRINGS

Dear Frances Moore:

Enclosed are the analytical results for sample(s) received by the laboratory on Monday, August 14, 2017. Results reported herein conform to the most current NELAC standards, where applicable, unless otherwise narrated in the body of the report. The analytical results for the samples contained in this report were submitted for analysis as outlined by the Chain of Custody and results pertain only to these samples.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink, appearing to read 'JB', is positioned above the printed name and email address.

Jessica Bunnell - Project Manager
JBunnell@AELLab.com

Enclosures

Report ID: 503621 - 1037963

Page 1 of 6

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..



SAMPLE SUMMARY

Workorder: G1706826 SUWANNEE SPRINGS

Lab ID	Sample ID	Matrix	Date Collected	Date Received
G1706826001	GINE056508142017	Water	8/14/2017 10:35	8/14/2017 14:25

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..



ANALYTICAL RESULTS

Workorder: G1706826 SUWANNEE SPRINGS

Lab ID: **G1706826001**
 Sample ID: **GINE056508142017**

Date Received: 08/14/17 14:25 Matrix: Water
 Date Collected: 08/14/17 10:35

Sample Description:

Location:

Parameters	Results	Qual	Units	DF	Adjusted PQL	Adjusted MDL	Analyzed	Lab
Microbiology								
Analysis Desc: Escherichia Coli,EPA 1603,Water			Analytical Method: EPA 1603					
E. Coli	30	B	#/100 mL	10	10	10	8/14/2017 15:08	G

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
 without the written consent of Advanced Environmental Laboratories, Inc..



ANALYTICAL RESULTS QUALIFIERS

Workorder: G1706826 SUWANNEE SPRINGS

PARAMETER QUALIFIERS

- U The compound was analyzed for but not detected.
- I The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- B Results based upon colony counts outside the acceptable range.

LAB QUALIFIERS

- G DOH Certification #E82001(AEL-G)(FL NELAC Certification)

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..



QUALITY CONTROL DATA

Workorder: G1706826 SUWANNEE SPRINGS

QC Batch:	MICg/2707	Analysis Method:	EPA 1603
QC Batch Method:	EPA 1603	Prepared:	
Associated Lab Samples:	G1706826001		

METHOD BLANK: 2438382

Parameter	Units	Blank Result	Reporting Limit Qualifiers
Microbiology			
E. Coli	#/100 mL	1	1 U

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..



QUALITY CONTROL DATA CROSS REFERENCE TABLE

Workorder: G1706826 SUWANNEE SPRINGS

Lab ID	Sample ID	Prep Method	Prep Batch	Analysis Method	Analysis Batch
G1706826001	GINE056508142017			EPA 1603	MICg/2707

CERTIFICATE OF ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Advanced Environmental Laboratories, Inc..





☒	Altamonte Springs: 380 Northlake Blvd., Suite 1048 • Altamonte Springs, FL 32701 • 407.937.1594 • Fax 407.937.1597
☒	Gainesville: 4965 SW 41st Blvd. • Gainesville, FL 32608 • 352.377.2349 • Fax 352.395.6639
☐	Jacksonville: 6681 Southpoint Pkwy. • Jacksonville, FL 32216 • 904.363.9350 • Fax 904.363.9354
☐	Miramar: 10200 USA Today Way • Miramar, FL 33025 • 954.889.2288 • Fax 954.889.2281
☐	Tallahassee: 2639 North Monroe Street, Suite D • Tallahassee, FL 32303 • 850.219.6274 • Fax 850.219.6275
☐	Tampa: 9610 Princess Palm Ave. • Tampa, FL 33619 • 813.630.9616 • Fax 813.630.4327

Client Name:						Project Name:																	
Address:						P.O. Number or Project Number:																	
Phone:						FDEP Facility No.																	
FAX:						Special Instructions:																	
Contact:																							
Sampled By:																							
Turn Around Time:																							
Page:																							
SAMPLE ID	SAMPLE DESCRIPTION					Grab Comp	SAMPLING DATE TIME		MATRIX	NO. COUNT	BOTTLE SIZE & TYPE	ANALYSIS REQUIRED										LABORATORY I.D. NUMBER	
	GINE 056508142017					1	08-14-17	1035	SWF	1	I	E Coli											
Matrix Code: WW = wastewater SW = surface water GW = ground water DW = drinking water O = oil A = air SO = soil SL = sludge Preservation Code: I = ice H=(HCl) S= (H2SO4) N= (HNO3) T= (Sodium Thiosulfate)																							
Received on Ice Yes No Temp taken from sample Temp from blank Where required, pH checked Temperature when received 3.1 (in degrees celcius)																							
DCN: AD-051 Form last revised 04/30/2015 Device used for measuring Temp by unique identifier (circle IR temp gun used) J: 9A G: LT-1 LT-2 T: 10A A: 3A M: 3A S: 1V																							
Relinquished by:						Date	Time	Received by:						Date	Time	FOR DRINKING WATER USE:							
1	P.O'Connor					08-14-17	1420	[Signature]						8/14/17	1425	PWS ID:							
2																Contact Person:							
3																Supplier of Water:							
4																Site Address:							