

LSJR Coast

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: NE-DIST

Requester: Jeremy M. Parrish



Field Report Prepared By: N. Fredrick

Project ID: SMP

Collected By: N. Fredrick / J. Parrish

Sampling Agency: NE DOC

Loc	Field ID:  G2NE1137 10112017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/12/17 Time 0900	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
File	Greenfield Creek @ Wonderwood	Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 4.82	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
ST	STORET G2NE1137	Temp (C) 27.34	pH 7.01	Sample Depth 0.30	Sp. Conductance (umho/cm) 9,234	
Latitude	30.3581 ☒ dd ☐ dms	Longitude	81.4601 ☒ dd ☐ dms	Salinity (ppt) 5.15	Comments	
Field ID:	 G2NE1141 10112017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/12/17 Time 0920	Eastern Central	Composite end Date Time	Bottle Group(s)
File	Sherman Creek @ A1A bridge	Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 3.77	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
ST	STORET 27010002	Temp (C) 27.30	pH 7.12	Sample Depth 0.30	Sp. Conductance (umho/cm) 11,072	
Latitude	30.3715 ☒ dd ☐ dms	Longitude	81.4325 ☒ dd ☐ dms	Salinity (ppt) 10.26	Comments	
Field ID:	 G2NE0745 10112017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/12/17 Time 0935	Eastern Central	Composite end Date Time	Bottle Group(s)
File	St Johns R @ Little Jetties Pier	Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 6.49	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C, E
ST	STORET 20030737	Temp (C) 27.45	pH 7.46	Sample Depth 0.25	Sp. Conductance (umho/cm) 8,654	
Latitude	30.3797 ☒ dd ☐ dms	Longitude	81.444 ☒ dd ☐ dms	Salinity (ppt) 4.79	Comments	
Field ID:	 G2NE0766 10112017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 10/12/17 Time 1015	Eastern Central	Composite end Date Time	Bottle Group(s)
File	Hopkins Creek @ Kings Rd	Matrix (type, e.g., Salt, Fresh, etc) Salt	Diss. Oxygen 3.12	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	D
ST	STORET 20030758	Temp (C) 26.35	pH 6.87	Sample Depth 0.30	Sp. Conductance (umho/cm) 7345	
Latitude	30.3052 ☒ dd ☐ dms	Longitude	81.4169 ☒ dd ☐ dms	Salinity (ppt) 4.04	Comments: Enter only - Sent to ALS	

Relinquished By: 	Date/Time: 10/12/17 @ 1200	Shipping Method: FEDEX	Number of Coolers Shipped: 3	Received By: 	Date/Time: 10-13-17 / 10:14
---	----------------------------	------------------------	------------------------------	--	-----------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-F W-SO4-IC W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	Sent to ALS
	NED-COL-EN						
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	PCR-FILTER						
Group: A	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-AHERB-AA W-SUC-AA-R W-UHERB-AA						
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	ALKALINITY TURBIDITY W-F W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	3
	CHLSUITE-W						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	

LSJR Coast

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By:

N. Frederick

Project ID: SMP

Collected By:

J. Parrish / N. Frederick

Sampling Agency:

NR ROC

Field ID:



G2NE1136 10112017

ICW @ Isle of Palms
Boat Ramp

STORET

G2NE1136

☒ Comp ☒ Grab	Collection (comp begin or grab) Date 10/12/17 Time 10:35	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Matrix (type, e.g., Salt, Fresh, etc) Salt		Diss. Oxygen 4.64	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) 28.19	pH 7.03	Sample Depth 0.30	☐ ft ☒ m	Sp. Conductance (umho/cm)
Comments				

Latitude

30.2897

☒ dd
☐ dms

Longitude

81.4205

☒ dd
☐ dmsSalinity
(ppt) 6.44

Comments

Location

☐ Comp
☒ Grab

Collection (comp begin or grab)
Date 10/12/17 Time 1:50

Eastern
Central

Composite end
Date Time

Bottle Group(s)

Matrix (type, e.g., Salt, Fresh, etc)
Fresh

Diss. Oxygen
5.22

☐ mg/L
☐ % sat

Total Res. Chlorine
(mg/L)

B

Temp
(C) 26.38

pH 6.79

Sample Depth 0.15

☐ ft
☒ m

Sp. Conductance
(umho/cm) 429

☒ dd
☐ dms

Salinity
(ppt) 6.20

Comments

Location

30.2701

81.4409

Field ID

STORET #

Latitude

☐ dd
☐ dms

Longitude

☐ dd
☐ dms

Salinity
(ppt)

Comments

Location

☐ Comp
☐ Grab

Collection (comp begin or grab)
Date Time

Eastern
Central

Composite end
Date Time

Bottle Group(s)

Matrix (type, e.g., Salt, Fresh, etc)

Diss. Oxygen

☐ mg/L
☐ % sat

Total Res. Chlorine
(mg/L)

Temp
(C)

pH

Sample Depth

☐ ft
☐ m

Sp. Conductance
(umho/cm)

Latitude

☐ dd
☐ dms

Longitude

☐ dd
☐ dms

Salinity
(ppt)

Comments

Relinquished By:

Date/Time

10/12/17
1200

Shipping Method

FEDEX

Number of Coolers Shipped

3

Received By:

AFB

Date/Time

10-17-17 / 10:14

Group: A	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-F W-SO4-IC W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	NED-COL-EN					
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: A	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-AHERB-AA W-SUC-AA-R W-UHERB-AA					
Group: A	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	ICE-FLTR	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-F W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____

Group: B	Bottle Type: P-120ML-WC-THI NED-COL-EN	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	Sent to ALS
Group: B	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 3	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	3
Group: B	Bottle Type: P-125ML W-PO4-F	# of Bottles: 3	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	3
Group: C	Bottle Type: P-1L ALKALINITY TURBIDITY W-F W-TSS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: BP-1L CHLSUITE-W	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: P-500ML W-ICP W-ICPMS	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: P-125ML W-PO4-F	# of Bottles: 1	Preservative: ICE-FLTR	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type: P-120ML-WC-THI NED-COL-EN	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: E	Bottle Type: BG-1L W-AHERB-AA	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2

Group: E	Bottle Type:	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>2</u>
	W-GLYPH						
	W-PYR-AA-R						
	W-SUC-AA-R						
	W-UHERB-AA						

Group: E	Bottle Type:	BG-500ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>4</u>
	W-CT-CI-R						
	W-PCL-SQ-R						

Group: E	Bottle Type:	BG-1L	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>4</u>
	W-PSNP-TQ						

Date of Request: 29-AUG-2017
 Created By: PARRISH_J On: 29-AUG-2017
 Modified By: SWANSON_C On: 28-SEP-2017
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: LSJR Coast

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Send Final Report To:

8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 26-SEP-2017
 Biology Request Reviewed By: SWANSON_C On: 28-SEP-2017
 Sampling Kit Required: YES Ship on: 03-OCT-2017
 Sampling Kit Shipped: YES On: 03-OCT-2017
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 16-OCT-2017
 Received By: SHAIK_A On: 13-OCT-2017

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 1 Samples:**

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
NED-COL-EN	Template: DEFAULT	(ASTM D6503-99) Enterococci by MPN by ALS Environmental Overflow Laboratory for NED
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 3 Samples:

Bottle Type:	Number of Bottles: 3	Preserved With: ICE
NED-COL-EN	Template: DEFAULT	(ASTM D6503-99) Enterococci by MPN by ALS Environmental Overflow Laboratory for NED

Bottle Group B (Water) With 3 Samples:

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Nickel		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
NED-COL-EN	Template: DEFAULT	(ASTM D6503-99) Enterococci by MPN by ALS Environmental Overflow Laboratory for NED

Bottle Group E (Water) With 1 Samples:

Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-AHERB-AA	Template:	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-GLYPH	Template: DEFAULT	(EPA 8321B) Glyphosate in water matrices by HPLC/MS/MS
W-PYR-AA-R	Template: DEFAULT	(EPA 8321B) Pyraclostrobin in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE

Bottle Group E (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ-2017-10-16-10

Shipping Method: Fed Exp

Date/Time of Receipt: 10-13-17/10.14

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
BLUE	2.1C	11		/			
Red	2.5C	13		//			
Red	1.4C	10		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

****Chain of Custody/ Field Sheet(s) Included?** Yes ☒ No ☐

CONTAINER CHECK

****Evidence Tape on Bottles?** Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

****Caps on tight?** Yes ☒ No ☐ ****Containers intact?** Yes ☒ No ☐

****Sufficient Sample Volume:** Yes ☐ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-Cl-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV.")

****Acid Preserved Samples:** pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: AB

****W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?** Yes ☐ No ☒ NA ☐ Init: ()

Coolers Unpacked/Checked by: AB Date: 10-13-17 NCRs (Y/N)? Y

Event ID: LSJR Coast
NE-DIST-2017-10-13-01 (SMP)

NCR #

Date Received: 13-OCT-2017 10:14

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:



0127481333

TALLAHASSEE FL ZIP 32399-6542

2500 BLAIRSTONE RD
FLORIDA DEP/CHEMISTRY SECTION
Phone 850 245-8085

850 245-8085
Jax
8502 Baymeadows Way W.
Ft. ZIP 32256

Internal Billing Reference
Jax
850 245-8085
Ft. ZIP 32256

10/12/17
Jax
850 245-8085
Ft. ZIP 32256

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

US Airbill
8119 7780 5650
8119 3898 9268

Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Total Packages 3
Total Weight 26.2
Order Card Ref. 262

Payment Bill to: Recipient
FedEx Account No. or Credit Card No. below

Special Handling and Delivery Signature Options
FedEx Signature
FedEx Signature

Packaging
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

Express Package Service
FedEx Signature
FedEx Signature

[illegible]