

Chemical Analysis Report

NE-DIST-2017-11-17-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **LSJR SOUTH 2**
Request ID: **RQ-2017-11-13-48**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way W
Suite 100
Jacksonville, FL 32256-7577
Attn: nicole frederick

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Thekkekalathil Chandrasekhar, Chemist Administrator Date Certified: 11-DEC-2017 15:31



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Craig Cr @ Hendricks Ave

Collection Date/Time: 11/16/2017 13:00

Field ID: G2NE0801 11162017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1947501	EPA 180.1 Rev. 2.0	Turbidity	9.1		NTU	P335565	
	EPA 300.0 Rev. 2.1	Chloride	36		mg Cl/L	P336016	
		Sulfate	43		mg SO4/L	P336018	
	SM 2120 B	Color (true)	80		PCU	P335551	
	SM 2320 B-97	Total Alkalinity	161		mg CaCO3/L	P335850	
	SM 2540 C-97	TDS	331	A	mg/L	P335834	
	SM 2540 D-97	TSS	3	IA	mg/L	P335841	
	SM 4500 F-C-97	Fluoride	0.15		mg F/L	P335853	RPD
1947502	EPA 350.1 Rev. 2.0	Ammonia-N	0.087		mg N/L	P336255	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.67		mg N/L	P336128	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.26		mg N/L	P335939	
	EPA 365.1 Rev. 2.0	Total-P	0.062		mg P/L	P335977	
	SM 5310 B-00	Organic Carbon	11		mg C/L	P336100	
1947503	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.018		mg P/L	P335555	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 4500 F-C-97: Batch matrix spike recoveries are unavailable because of high analyte concentration in the QC sample.

Sample Location: Craig Cr @ Hendricks Ave

Collection Date/Time: 11/16/2017 13:00

Field ID: G2NE0801 11162017

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1947511	EPA 8321B	Sucralose**	2.6		ug/L	P335633	
	USGS O-2060-01	2,4-D	0.0020	UQ	ug/L	P335859	
		Diuron	0.0041		ug/L	P335611	
		Fenuron	0.0080	U	ug/L	P335611	
		Imidacloprid	0.052		ug/L	P335611	
		Bentazon	0.022	Q	ug/L	P335859	
		Linuron	0.0040	U	ug/L	P335611	
		Acetaminophen**	0.0080	U	ug/L	P335611	
		MCPD	0.0020	UQ	ug/L	P335859	
		Carbamazepine**	0.0012	I	ug/L	P335611	
		Triclopyr**	0.0040	UQ	ug/L	P335859	
		Primidone**	0.0040	U	ug/L	P335611	
		Fluridone**	0.021		ug/L	P335611	

Ref. Method and Comment:

USGS O-2060-01: Sample required re-extraction beyond normal holding time due to reagent performance inconsistencies.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P335565

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Quality Assurance Report Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336016

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336018

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336255

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P336128

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P335939

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P335977

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335555

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8321B
Batch ID: P335633

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: SM 2120 B
Batch ID: P335551

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Quality Assurance Report Method Blank Results

Reference Method: SM 2320 B-97
Batch ID: P335850

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P335834

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P335841

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P335853

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P336100

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Reference Method: USGS O-2060-01
Batch ID: P335611

Component	Result	Code	Units
Acetaminophen	0.0080	U	ug/L
Carbamazepine	4.0E-04	U	ug/L
Diuron	8.0E-04	U	ug/L
Fenuron	0.0080	U	ug/L
Fluridone	4.0E-04	U	ug/L
Imidacloprid	8.0E-04	U	ug/L
Linuron	0.0040	U	ug/L
Primidone	0.0040	U	ug/L

Reference Method: USGS O-2060-01
Batch ID: P335859

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
MCPP	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336016

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	93.2		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336018

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	93.6		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336255

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P336128

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	99.5		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P335939

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P335977

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	105		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335555

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	102		P	90 - 110

Reference Method: EPA 8321B
Batch ID: P335633

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sucralose	100		P	40 - 150

Reference Method: SM 2320 B-97
Batch ID: P335850

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	95 - 108

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P335853

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.5		P	92 - 103

Reference Method: SM 5310 B-00
Batch ID: P336100

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.0		P	85 - 115

Reference Method: USGS O-2060-01
Batch ID: P335611

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acetaminophen	87.8		P	30 - 150
Carbamazepine	104		P	40 - 150
Diuron	90.0		P	40 - 150
Fenuron	80.4		P	40 - 150
Fluridone	91.1		P	40 - 150
Imidacloprid	76.7		P	40 - 160
Linuron	78.4		P	40 - 150
Primidone	85.0		P	40 - 150

Reference Method: USGS O-2060-01
Batch ID: P335859

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	84.9		P	40 - 150
Bentazon	83.3		P	30 - 150
MCP	77.4		P	40 - 150
Triclopyr	71.9		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336016

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947744	Chloride	94.2		P	90 - 110
1947759	Chloride	94.3		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336018

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947744	Sulfate	95.0		P	90 - 110
1947759	Sulfate	94.7		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336255

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336255

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947554	Ammonia-N	99.3	98.5	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P336128

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947516	Kjeldahl Nitrogen	104	103	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P335939

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947450	NO2NO3-N	102	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P335977

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947502	Total-P	101	99.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335555

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947503	O-Phosphate-P	100	97.5	P/P	90 - 110

Reference Method: EPA 8321B
Batch ID: P335633

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947274	Sucralose	55.4	114	P/P	40 - 150

Reference Method: SM 5310 B-00
Batch ID: P336100

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947375	Organic Carbon	95.0	94.4	P/P	85 - 115

Reference Method: USGS O-2060-01
Batch ID: P335611

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947128	Acetaminophen	53.2	60.5	P/P	30 - 150
1947128	Carbamazepine	90.9	101	P/P	40 - 150
1947128	Diuron	50.7	51.1	P/P	40 - 150
1947128	Fenuron	71.9	80.3	P/P	40 - 150
1947128	Fluridone	72.0	76.4	P/P	40 - 150
1947128	Imidacloprid	123	138	P/P	40 - 160
1947128	Linuron	86.0	94.6	P/P	40 - 150
1947128	Primidone	79.2	86.7	P/P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: USGS O-2060-01
Batch ID: P335859

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1947131	2,4-D	97.5	88.0	P/P	40 - 150
1947131	Bentazon	79.0	75.5	P/P	30 - 150
1947131	MCP	70.8	63.9	P/P	40 - 150
1947131	Triclopyr	67.4	59.9	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P335565

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947497	Turbidity	1.58	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336016

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947759	Chloride	1.75	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P336018

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947759	Sulfate	1.66	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P336255

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947554	Ammonia-N	0.592	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P336128

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947516	Kjeldahl Nitrogen	1.16	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P335939

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947450	NO ₂ NO ₃ -N	0.619	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P335977

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947502	Total-P	1.40	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P335555

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947503	O-Phosphate-P	2.31	Spike	P	0 - 20

Reference Method: EPA 8321B
Batch ID: P335633

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947274	Sucralose	27.9	Spike	P	0 - 30

Reference Method: SM 2120 B
Batch ID: P335551

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947514	Color (true)	0.635	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P335850

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947553	Total Alkalinity	0.418	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97
Batch ID: P335834

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947501	TDS	3.02	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P335853

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947553	Fluoride	11.5	Spike	F	0 - 3.0

Reference Method: SM 5310 B-00
Batch ID: P336100

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947375	Organic Carbon	0.577	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: USGS O-2060-01
Batch ID: P335611

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947128	Acetaminophen	8.55	Spike	P	0 - 30
1947128	Carbamazepine	10.6	Spike	P	0 - 30
1947128	Diuron	0.747	Spike	P	0 - 30
1947128	Fenuron	11.0	Spike	P	0 - 30
1947128	Fluridone	5.95	Spike	P	0 - 30
1947128	Imidacloprid	11.5	Spike	P	0 - 30
1947128	Linuron	9.63	Spike	P	0 - 30
1947128	Primidone	9.02	Spike	P	0 - 30

Reference Method: USGS O-2060-01
Batch ID: P335859

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1947131	2,4-D	10.2	Spike	P	0 - 30
1947131	Bentazon	4.27	Spike	P	0 - 30
1947131	MCP	10.2	Spike	P	0 - 30
1947131	Triclopyr	11.7	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Surrogates

Lab Sample ID: 1947511
Field Sample ID: G2NE0801 11162017

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	Acetaminophen-d4	83.5	P	30 - 160
EPA 8321B	Carbamazepine-d10	71.2	P	30 - 160
EPA 8321B	Diuron-d6	57.3	P	30 - 160
EPA 8321B	Primidone-d5	82.4	P	30 - 160
EPA 8321B	Sucralose-d6	118	P	40 - 160
USGS O-2060-01	2,4-D-d3	73.7	P	30 - 160
USGS O-2060-01	Acetaminophen-d4	83.5	P	30 - 160
USGS O-2060-01	Carbamazepine-d10	71.2	P	30 - 160
USGS O-2060-01	Diuron-d6	57.3	P	30 - 160
USGS O-2060-01	Primidone-d5	82.4	P	30 - 160
USGS O-2060-01	Sucralose-d6	118	P	40 - 160

Quality Assurance Report Calibration Verification

Reference Method: SM 2120 B
Run ID: A80364
Included Lab Sample IDs: 1947501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	103	105	P/P	85 - 115

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A80365

Included Lab Sample IDs: 1947503

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	100	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A80367

Included Lab Sample IDs: 1947501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	101	101	P/P	95 - 105

Reference Method: USGS O-2060-01

Run ID: A80455

Included Lab Sample IDs: 1947511

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acetaminophen	98.1	99.3	P/P	60 - 150
Carbamazepine	102	102	P/P	60 - 150
Diuron	103	104	P/P	60 - 150
Fenuron	104	106	P/P	60 - 150
Fluridone	106	111	P/P	60 - 160
Imidacloprid	93.4	92.2	P/P	60 - 150
Linuron	113	103	P/P	60 - 150
Primidone	104	101	P/P	60 - 150

Reference Method: SM 2320 B-97

Run ID: A80493

Included Lab Sample IDs: 1947501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	100	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A80493

Included Lab Sample IDs: 1947501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	101	P/P	90 - 110

Reference Method: USGS O-2060-01

Run ID: A80527

Included Lab Sample IDs: 1947511

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	80.8	81.6	P/P	50 - 150
Bentazon	122	120	P/P	50 - 150
MCP	84.3	80.9	P/P	50 - 150
Triclopyr	78.9	75.1	P/P	50 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B
Run ID: A80536
Included Lab Sample IDs: 1947511

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Sucralose	73.0	73.7	P/P	60 - 150

Reference Method: EPA 353.2 Rev. 2.0
Run ID: A80537
Included Lab Sample IDs: 1947502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	100	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Run ID: A80566
Included Lab Sample IDs: 1947501

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	102	P/P	90 - 110
Sulfate	101	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A80579
Included Lab Sample IDs: 1947502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	104	102	P/P	90 - 110

Reference Method: SM 5310 B-00
Run ID: A80598
Included Lab Sample IDs: 1947502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.4	97.6	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A80655
Included Lab Sample IDs: 1947502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	103	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A80675
Included Lab Sample IDs: 1947502

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	90.0	93.2	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
EPA 180.1 Rev. 2.0	Turbidity				1.58	
EPA 300.0 Rev. 2.1	Chloride	93.2	94.3	94.2	1.75	
	Sulfate	93.6	94.7	95.0	1.66	
EPA 350.1 Rev. 2.0	Ammonia-N	101	99.3	98.5		0.592
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	99.5	104	103		1.16
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	104	102	102		0.619
EPA 365.1 Rev. 2.0	Total-P	105	101	99.5		1.40
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	102	100	97.5		2.31
EPA 8321B	Sucralose	100	55.4	114		27.9
SM 2120 B	Color (true)				0.635	
SM 2320 B-97	Total Alkalinity	103			0.418	
SM 2540 C-97	TDS				3.02	
SM 4500 F-C-97	Fluoride	97.5				11.5
SM 5310 B-00	Organic Carbon	95.0	95.0	94.4		0.577
USGS O-2060-01	2,4-D	84.9	97.5	88.0		10.2
	Acetaminophen	87.8	53.2	60.5		8.55
	Bentazon	83.3	75.5	79.0		4.27
	Carbamazepine	104	90.9	101		10.6
	Diuron	90.0	50.7	51.1		0.747
	Fenuron	80.4	71.9	80.3		11.0
	Fluridone	91.1	72.0	76.4		5.95
	Imidacloprid	76.7	123	138		11.5
	Linuron	78.4	86.0	94.6		9.63
	MCPP	77.4	70.8	63.9		10.2
	Primidone	85.0	79.2	86.7		9.02
	Tricopyr	71.9	67.4	59.9		11.7

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1947501
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1947501
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1947501
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1947502
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1947502
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1947502
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1947502
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1947503
EPA 8321B / E31780	Analysis of sucralose in water matrices by HPLC/MS/MS	1947511
SM 2120 B / E31780	True Color measured at 450 nm	1947501
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1947501
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1947501
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1947501
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1947501
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1947502
USGS O-2060-01 / E31780	Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	1947511
USGS O-2060-01 / E31780	Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	1947511

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	11/17/2017			11/17/2017 16:59	Tanya Welborn	1947501
EPA 300.0 Rev. 2.1	11/17/2017			11/28/2017	Julia Storbeck	1947501
EPA 350.1 Rev. 2.0	11/17/2017			12/01/2017	Sofia Elnemr	1947502
EPA 351.2 Rev. 2.0	11/17/2017	11/30/2017	Adrian Shelby	12/04/2017	Tanya Welborn	1947502
EPA 353.2 Rev. 2.0	11/17/2017			11/28/2017	Beverly Y. Sanders	1947502
EPA 365.1 Rev. 2.0	11/17/2017	11/28/2017	Sima Feizi	11/29/2017	Lipi Saha	1947502
EPA 365.1 Rev. 2.0 dissolved	11/17/2017			11/17/2017 15:03	Megan Treadwell	1947503
EPA 8321B	11/17/2017	11/22/2017	Mohammad Ghaffari	11/24/2017	Mohammad Ghaffari	1947511
SM 2120 B	11/17/2017			11/17/2017 15:23	Tanya Welborn	1947501
SM 2320 B-97	11/17/2017			11/23/2017	Dale L. Simmons	1947501
SM 2540 C-97	11/17/2017			11/20/2017	Yijie Li	1947501
SM 2540 D-97	11/17/2017			11/20/2017	Yijie Li	1947501
SM 4500 F-C-97	11/17/2017			11/23/2017	Dale L. Simmr	1947501
SM 5310 B-00	11/17/2017			11/29/2017	Ping Hua	1947502
USGS O-2060-01	11/17/2017	11/20/2017	Hoor Shaik	11/22/2017	Julie Michelle Frank	1947511
	11/17/2017	11/27/2017	Hoor Shaik	11/30/2017	Julie Michelle Frank	1947511