

Log-in Checklist

RQ- 2017-12-18-10

Shipping Method: Fed Ex

Date/Time of Receipt: 12/20/17 10:00

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
RED	2.0°C	14		☒			
RED	2.2°C	18		☒			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX		☒	W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: JD

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☒ Init: JD

Coolers Unpacked/Checked by: JD Date: 12/20/17 NCRs (Y/N)? ☐

Event ID: UE-DIST-2017-12-28-01 NCR # ☐

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No ✓

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Additional Comments:

LSJR Bmap 2

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By: B. K.

Project ID: SMP

Collected By: B. K., J. ParrishSampling Agency: DEAR IVE

Location	Field ID:  G2NE095812272017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/27/17</u> Time <u>1040</u>	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID	NW Trib.to Open Danforth	Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>8.0</u>	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A, E
STORET	STORET  20030950	Temp (C) <u>16.3</u>	pH <u>6.67</u>	Sample Depth <u>0.3</u>	Sp. Conductance (umho/cm) <u>386</u>	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) <u>0.19</u>	Comments	
Location	Field ID:  G2NE066012272017	☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>12/27/17</u> Time <u>940</u>	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID	Terrapin at Faye	Matrix (type, e.g., Salt, Fresh, etc) <u>Fresh</u>	Diss. Oxygen <u>8.50</u>	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET	STORET  20030653	Temp (C) <u>13.3</u>	pH <u>5.9</u>	Sample Depth <u>0.1</u>	Sp. Conductance (umho/cm) <u>195</u>	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) <u>0.09</u>	Comments	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #		Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #		Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	

Relinquished By: <u>B. K.</u>	Date/Time: <u>12/27/17 1400</u>	Shipping Method: <u>FEDEX</u>	Number of Coolers Shipped: <u>1</u>	Received By: <u>G. J.</u>	Date/Time: <u>12/28/17 10:00</u>
-------------------------------	---------------------------------	-------------------------------	-------------------------------------	---------------------------	----------------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	NE-ALS-ECQ						
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4 (to ALS)
	PCR-FILTER						
	PCR-HF183						
Group: A	Bottle Type:	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	W-AHERB-AA						
	W-SUC-AA-R						
	W-UHERB-AA						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	NE-ALS-ECQ						
Group: B	Bottle Type:	QPCR-P-250ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	PCR-FILTER						
	PCR-HF183						

Group: D	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: D	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	CHLSUITE-W						
Group: D	Bottle Type:	P-250ML-WI-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	NE-ALS-ECQ						
Group: D	Bottle Type:	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	PCR-FILTER						
	PCR-HF183						
Group: D	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	0
	W-AHERB-AA						
	W-SUC-AA-R						
	W-UHERB-AA						
Group: D	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	0
	W-ICP						
	W-ICPMS						
Group: D	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	0
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: D	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	0
	W-PO4-F						
Group: E	Bottle Type:	PJ-2L	# of Bottles: 4	Preservative:	Formalin	Enter Number of Bottles Sent to Lab	2
	MI-FW-QLDC						

Group: B	Bottle Type: W-AHERB-AA W-SUC-AA-R W-UHERB-AA	BG-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>0</u>
Group: C	Bottle Type: ALKALINITY TURBIDITY W-F W-TSS	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>0</u>
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>0</u>
Group: C	Bottle Type: NE-ALS-ENQ	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>0</u>
Group: C	Bottle Type: PCR-FILTER PCR-HF183	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>0</u>
Group: C	Bottle Type: W-AHERB-AA W-SUC-AA-R W-UHERB-AA	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>0</u>
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	<u>0</u>
Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	<u>0</u>
Group: D	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	<u>0</u>

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By:

Project ID: SMP

Collected By:

Sampling Agency:

Location	Field ID: 	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 12-27-17 Time 1040	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
Field ID	G2NE0323	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	D
STORET #	Moncrief Crk N of 33rd St. Bridge STORET:  20030316	Temp (C) 16.6	pH 7.5	Sample Depth 0.3	Sp. Conductance (umho/cm) 473	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.23	Comments DO% 91.6	
Location	Field ID: 	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 12-27-17 Time 0915	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID	G2NE0130	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C
STORET #	Trout River @ Dinsmore Boat Ramp STORET:  20030123	Temp (C) 15.3	pH 7.4	Sample Depth 0.3	Sp. Conductance (umho/cm) 233	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.11	Comments DO% 37	
Location	Field ID: 	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 12-27-17 Time 0950	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID	G2NE0761	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	B
STORET #	Trout River @ Old Kings Rd. STORET:  20030753	Temp (C) 12.5	pH 7.5	Sample Depth	Sp. Conductance (umho/cm) 135	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.06	Comments DO% 75.6	
Location		☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	Eastern Central	Composite end Date _____ Time _____	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	
STORET #		Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments	

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
P O'Connor	12-27-17 1400	Fed Ex	1 (2 total)	90	12/28/17 10:00

J Parrish shipped
cooler also
140

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	NE-ALS-ECQ					
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
	PCR-HF183					
Group: A	Bottle Type:	BG-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-AHERB-AA					
	W-SUC-AA-R					
	W-UHERB-AA					
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>3</u> <i>As per to ALS JAX</i>
	NE-ALS-ECQ					
Group: B	Bottle Type:	QPCR-P-250ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
	PCR-FILTER					
	PCR-HF183					

Group: B	Bottle Type: W-AHERB-AA W-SUC-AA-R W-UHERB-AA	BG-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: ALKALINITY TURBIDITY W-F W-TSS	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: NE-ALS-ENQ	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>1 to ALS JAY</u>
Group: C	Bottle Type: PCR-FILTER PCR-HF183	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: C	Bottle Type: W-AHERB-AA W-SUC-AA-R W-UHERB-AA	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>1</u>
Group: C	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: D	Bottle Type: ALKALINITY TURBIDITY W-CL-IC W-COLOR	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>1</u>

Group: D	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: D	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: D	Bottle Type:	P-250ML-WI-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1 to AIS JAX
	NE-ALS-ECQ						
Group: D	Bottle Type:	QPCR-P-250ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	PCR-FILTER						
	PCR-HF183						
Group: D	Bottle Type:	BG-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	W-AHERB-AA						
	W-SUC-AA-R						
	W-UHERB-AA						
Group: D	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	Enter Number of Bottles Sent to Lab	1
	W-ICP						
	W-ICPMS						
Group: D	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: D	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: E	Bottle Type:	PJ-2L	# of Bottles: 4	Preservative:	Formalin	Enter Number of Bottles Sent to Lab	0
	MI-FW-QLDC						

Date of Request: 02-NOV-2017
 Created By: PARRISH_J On: 02-NOV-2017
 Modified By: WATTS_J On: 22-DEC-2017
 Customer: NE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northeast District
 Sampling Event: LSJR Bmap 2

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Jeremy.M.Parrish@dep.state.fl.us

Send Final Report To:

8800 Baymeadows Way West
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Program Module Number:

Priority: 3

Event Status: A

Criminal Investigation: NO

Chemistry Request Reviewed By: WATTS_J On: 22-DEC-2017

Biology Request Reviewed By: SWANSON_C On: 20-DEC-2017

Sampling Kit Required: NO Ship on:

Sampling Kit Shipped: YES On: 29-NOV-2017

Sampling Kit Packed By: SHAIK_A

Preservatives Needed: NO

Date to Receive Samples: 18-DEC-2017

Received By:

Report Type: Final Only

FTP Data: NO

QC Report: YES

Date Log: NO

Authorization Log: NO

Comments:

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 2	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 3 Samples:

Bottle Type: BG-1L	Number of Bottles: 3	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type:	Number of Bottles: 3	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 6	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 1	Preserved With: ICE
NE-ALS-ENQ	Template: DEFAULT	(ASTM D6503-99) Enterococci by MPN by ALS Environmental Overflow Laboratory for NED
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Group D (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 2	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-1L	Number of Bottles: 1	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group E (Biological) With 2 Samples:

Bottle Type: PJ-2L	Number of Bottles: 4	Preserved With: Formalin
MI-FW-QLDC	Template: DEFAULT	(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

01000

FedEx
ExpressPackage
US AirbillFedEx
Tracking
Number

8119 3898 7666

fedex.com 1800.GoFedEx 1800.463.3339

1 From

Date 12/21/17

Sender's
Name

Phone

Company

Address

Dept./Floor/Suite/Room

City

State

ZIP

2 Your Internal Billing Reference**3 To**Recipient's
Name

SAMPLE RECEIVING

Phone

850 245-8085

Company

FLORIDA DEP/CHEMISTRY SECTION

Address 2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

TALLAHASSEE

State

FL

ZIP

32399-6342



8119 3898 7666

Form
ID No.

0215

Recipient's Copy

4 Express Package Service

* To most locations.

Packages up to 150 lbs.

For packages over 150 lbs., use the
FedEx Express Freight US Airbill.**Next Business Day**☐ **FedEx First Overnight**
Earliest next business morning delivery to select
locations. Friday shipments will be delivered on
Monday unless Saturday Delivery is selected.☒ **FedEx Priority Overnight**
Next business morning.* Friday shipments will be
delivered on Monday unless Saturday Delivery
is selected.☐ **FedEx Standard Overnight**
Next business afternoon.*
Saturday Delivery NOT available.**2 or 3 Business Days**☐ **FedEx 2Day A.M.**
Second business morning.*
Saturday Delivery NOT available.☐ **FedEx 2Day**
Second business afternoon.* Thursday shipments
will be delivered on Monday unless Saturday
Delivery is selected.☐ **FedEx Express Saver**
Third business day.*
Saturday Delivery NOT available.**5 Packaging**

* Declared value limit \$500.

☐ **FedEx Envelope***☐ **FedEx Pak***☐ **FedEx
Box**☐ **FedEx
Tube**☒ **Other****6 Special Handling and Delivery Signature Options**

Fees may apply. See the FedEx Service Guide.

☐ **Saturday Delivery**

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ **No Signature Required**Package may be left without
obtaining a signature for delivery.☐ **Direct Signature**Someone at recipient's address
may sign for delivery.☐ **Indirect Signature**If no one is available at recipient's
address, someone at a neighboring
address may sign for delivery. For
residential deliveries only.**Does this shipment contain dangerous goods?**

One box must be checked.

☒ **No**☐ **Yes**As per attached
Shipper's Declaration.☐ **Yes**Shipper's Declaration
not required.☐ **Dry Ice**

Dry Ice, 9, UN 1845 x kg

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

☐ **Cargo Aircraft Only****7 Payment Bill to:**

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip.
Acct. No. ☐☐ **Sender**
Acct. No. in Section
1 will be billed.☒ **Recipient**☐ **Third Party**☐ **Credit Card**☐ **Cash/Check**

Total Packages

Total Weight

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. Date 5/15 • Part #163134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SRM

fedex.com 1800.GoFedEx 1800.463.3339

611

01000

FedEx
ExpressPackage
US AirbillFedEx
Tracking
Number

8119 7781 1883

Form
ID No.

0215

Recipient's Copy

1 From

Date 12-27-17

Sender's
Name

P. O'Connor

Phone

904 7057873

Company

DEAR NCO ROC

Address

8800 Baymeadows Way W.

Dept./Floor/Suite/Room

City

JAX

State

FL

ZIP

32250

2 Your Internal Billing Reference

3 To

Recipient's
Name

SAMPLE RECEIVING

Phone

850 245-8085

Company

FLORIDA DEP/CHEMISTRY SECTION

Address

2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Dept./Floor/Suite/Room

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City

TALLAHASSEE

State

FL

ZIP

32399

Hold Weekday
FedEx location address
REQUIRED. NOT available for
FedEx First Overnight.☐Hold Saturday
FedEx location address
REQUIRED. Available ONLY for
FedEx Priority Overnight and
FedEx 2Day to select locations.☐

0127857428



8119 7781 1883

4 Express Package Service

* To most locations.

Packages up to 150 lbs.
For packages over 150 lbs., use the
FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
Earliest next business morning delivery to select
locations. Friday shipments will be delivered on
Monday unless Saturday Delivery is selected.☒ FedEx Priority Overnight
Next business morning.* Friday shipments will be
delivered on Monday unless Saturday Delivery
is selected.☐ FedEx Standard Overnight
Next business afternoon.*
Saturday Delivery NOT available.

2 or 3 Business Days

☐ FedEx 2Day A.M.
Second business morning.*
Saturday Delivery NOT available.☐ FedEx 2Day
Second business afternoon.* Thursday shipments
will be delivered on Monday unless Saturday
Delivery is selected.☐ FedEx Express Saver
Third business day.*
Saturday Delivery NOT available.

5 Packaging

* Declared value limit \$500.

☐ FedEx Envelope*☐ FedEx Pak*☐ FedEx
Box☐ FedEx
Tube☒ Other

6 Special Handling and Delivery Signature Options

Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery

NOT available for FedEx Standard Overnight, FedEx 2Day A.M., or FedEx Express Saver.

☐ No Signature Required
Package may be left without
obtaining a signature for delivery.☐ Direct Signature
Someone at recipient's address
may sign for delivery.☐ Indirect Signature
If no one is available at recipient's
address, someone at a neighboring
address may sign for delivery. For
residential deliveries only.

Does this shipment contain dangerous goods?

One box must be checked.

☒ No☐ Yes
As per attached
Shipper's Declaration.☐ Yes
Shipper's Declaration
not required.☐ Dry Ice
Dry Ice, 9, UN 1845 _____ x _____ kg

Restrictions apply for dangerous goods — see the current FedEx Service Guide.

☐ Cargo Aircraft Only

7 Payment Bill to:

Enter FedEx Acct. No. or Credit Card No. below.

Obtain recip.

Acct. No.

☐ Sender
Acct. No. in Section
1 will be billed.☒ Recipient☐ Third Party☐ Credit Card☐ Cash/Check

Total Packages

Total Weight

Credit Card Auth.

*Our liability is limited to US\$100 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. Date 5/15 • Part #103134 • ©1994-2015 FedEx • PRINTED IN U.S.A. SHM

fedex.com 1800.GoFedEx 1800.463.3339

fedex.com 1800.GoFedEx 1800.463.3339