

Chemical Analysis Report

CEN-DIST-2017-03-08-02

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Silver Lk 2982A/Lk Charm/Noname Lk**
Request ID: **RQ-2017-02-13-57**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Thekkekalathil Chandrasekhar, PhD, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 03-APR-2017 16:13

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Spring Garden Creek @ 200m US of Lake Woodruff

Collection Date/Time: 03/07/2017 12:21

Field ID: G2CE0081

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
1878405	EPA 180.1 Rev. 2.0	Turbidity	8.4		NTU	P321194	
	EPA 300.0 Rev. 2.1	Chloride	250		mg Cl/L	P321784	
		Sulfate	43		mg SO4/L	P321788	
	SM 2120 B	Color (true)	70		PCU	P321189	
	SM 2320 B-97	Total Alkalinity	100		mg CaCO3/L	P321528	
	SM 2540 C-97	TDS	551		mg/L	P321886	
	SM 2540 D-97	TSS	21		mg/L	P321818	
	SM 4500 F-C-97	Fluoride	0.10		mg F/L	P321532	
1878406	EPA 350.1 Rev. 2.0	Ammonia-N	0.008		mg N/L	P321448	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.2		mg N/L	P321479	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P321591	
	EPA 365.1 Rev. 2.0	Total-P	0.081		mg P/L	P321372	
	SM 5310 B-00	Organic Carbon	13		mg C/L	P321338	
1878407	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.004	U	mg P/L	P321184	

Ref. Method and Comment:

EPA 300.0 Rev. 2.1: Sulfate: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report

Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0

Batch ID: P321194

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P321784

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1

Batch ID: P321788

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0

Batch ID: P321448

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0

Batch ID: P321479

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321591

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321372

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P321184

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P321189

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P321528

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P321886

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P321818

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P321532

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P321338

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P321784

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	103		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P321788

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	99.5		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321448

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	104		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P321479

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321591

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	104		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321372

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	96.2		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P321184

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	104		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P321528

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	104		P	95 - 108

Reference Method: SM 4500 F-C-97
Batch ID: P321532

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	97.1		P	92 - 103

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 5310 B-00
 Batch ID: P321338

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.8		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P321784

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878351	Chloride	104		P	90 - 110
1878455	Chloride	104		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
 Batch ID: P321788

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878351	Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
 Batch ID: P321448

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878353	Ammonia-N	98.0	98.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
 Batch ID: P321479

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878456	Kjeldahl Nitrogen	97.5	98.5	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
 Batch ID: P321591

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878406	NO2NO3-N	102	105	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P321372

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878416	Total-P	98.1	98.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P321184

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878341	O-Phosphate-P	104	101	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SM 4500 F-C-97
Batch ID: P321532

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878632	Fluoride	101	100	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P321338

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
1878418	Organic Carbon	91.6	91.0	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P321194

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878300	Turbidity	5.36	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P321784

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878351	Chloride	2.19	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P321448

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878353	Ammonia-N	0.540	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P321479

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878456	Kjeldahl Nitrogen	0.840	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P321591

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878406	NO2NO3-N	2.41	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P321372

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0

Batch ID: P321372

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878416	Total-P	0.219	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Batch ID: P321184

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878341	O-Phosphate-P	2.10	Spike	P	0 - 20

Reference Method: SM 2120 B

Batch ID: P321189

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878412	Color (true)	1.08	Sample	P	0 - 20

Reference Method: SM 2320 B-97

Batch ID: P321528

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878632	Total Alkalinity	0.216	Sample	P	0 - 4.8

Reference Method: SM 2540 C-97

Batch ID: P321886

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878335	TDS	5.66	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97

Batch ID: P321532

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878632	Fluoride	0.480	Spike	P	0 - 3.0

Reference Method: SM 5310 B-00

Batch ID: P321338

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
1878418	Organic Carbon	0.360	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A74969

Included Lab Sample IDs: 1878407

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.6	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A74970

Included Lab Sample IDs: 1878405

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	98.6	97.9	P/P	85 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A74972

Included Lab Sample IDs: 1878405

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.0	100	P/P	95 - 105

Reference Method: SM 5310 B-00

Run ID: A75012

Included Lab Sample IDs: 1878406

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	95.2	95.8	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A75054

Included Lab Sample IDs: 1878406

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.8	99.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A75079

Included Lab Sample IDs: 1878406

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	96.5	97.0	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A75091

Included Lab Sample IDs: 1878405

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	103	101	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A75091

Included Lab Sample IDs: 1878405

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	98.5	101	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A75112

Included Lab Sample IDs: 1878406

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A75117

Included Lab Sample IDs: 1878406

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	99.3	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A75123

Included Lab Sample IDs: 1878405

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	103	105	P/P	90 - 110
Sulfate	106	102	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity				5.36	
EPA 300.0 Rev. 2.1	Chloride	103	104 104		2.19	
	Sulfate	99.5	101			
EPA 350.1 Rev. 2.0	Ammonia-N	104	98.0 98.6			0.540
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	97.5 98.5			0.840
EPA 353.2 Rev. 2.0	NO2NO3-N	104	102 105			2.41
EPA 365.1 Rev. 2.0	Total-P	96.2	98.1 98.4			0.219
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	104	104 101			2.10
SM 2120 B	Color (true)				1.08	
SM 2320 B-97	Total Alkalinity	104			0.216	
SM 2540 C-97	TDS				5.66	
SM 4500 F-C-97	Fluoride	97.1	101 100			0.480
SM 5310 B-00	Organic Carbon	96.8	91.6 91.0			0.360

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	1878405
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	1878405
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	1878405

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	1878406
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	1878406
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	1878406
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	1878406
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	1878407
SM 2120 B / E31780	True Color measured at 450 nm	1878405
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	1878405
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	1878405
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices	1878405
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	1878405
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	1878406

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	03/08/2017			03/08/2017 16:09	Sima Feizi	1878405
EPA 300.0 Rev. 2.1	03/08/2017			03/17/2017	Elisa J Lutz	1878405
EPA 350.1 Rev. 2.0	03/08/2017			03/10/2017	Julie Michelle Frank	1878406
EPA 351.2 Rev. 2.0	03/08/2017	03/14/2017	Adrian Shelby	03/15/2017	Joseph Suarez	1878406
EPA 353.2 Rev. 2.0	03/08/2017			03/15/2017	Beverly Y. Sanders	1878406
EPA 365.1 Rev. 2.0	03/08/2017	03/10/2017	Vijayalakshmi Reddy	03/13/2017	Lipi Saha	1878406
EPA 365.1 Rev. 2.0 dissolved	03/08/2017			03/08/2017 15:20	Lipi Saha	1878407
SM 2120 B	03/08/2017			03/08/2017 15:48	Julie Michelle Frank	1878405
SM 2320 B-97	03/08/2017			03/14/2017	Dale L. Simmons	1878405
SM 2540 C-97	03/08/2017			03/10/2017	Yijie Li	1878405
SM 2540 D-97	03/08/2017			03/10/2017	Yijie Li	1878405
SM 4500 F-C-97	03/08/2017			03/14/2017	Dale L. Simmons	1878405
SM 5310 B-00	03/08/2017			03/09/2017	Julie Michelle Frank	1878406