

Spring Garden Creek / Deep Creek

Florida Department of Environmental Protection  
Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: CEN-DIST

Project ID: SMP

Requester: Michael Linger

Collected By: Leif Boman

Field Report Prepared By:

Mike Drennan

Sampling Agency:

FDEP-CEROC

|                                                             |  |                                                             |  |                                                                           |                                                           |                                                                            |                                  |                                  |
|-------------------------------------------------------------|--|-------------------------------------------------------------|--|---------------------------------------------------------------------------|-----------------------------------------------------------|----------------------------------------------------------------------------|----------------------------------|----------------------------------|
| Location<br>Spring Garden Creek @<br>just DS of Deep Creek  |  | Field ID<br>G2CE0126<br>STORET<br>G2CE0126                  |  | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 7/27/17 Time 1058 | Eastern<br>Central                                                         | Composite end<br>Date Time       | Bottle<br>Group(s)<br>(See pg 2) |
| Date: 07/27/2017<br>RQ-2017-07-24-77                        |  |                                                             |  | Matrix (type, e.g., Salt, Fresh, etc)<br>Fresh                            | Diss. Oxygen<br>7.6                                       | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L)    | A                                |
|                                                             |  |                                                             |  | Temp<br>(C) 30.5                                                          | pH 7.5                                                    | Sample<br>Depth 0.3                                                        | Sp. Conductance<br>(umho/cm) 933 |                                  |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  | <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  | Salinity<br>(ppt) 0.5                                                     | Comments                                                  |                                                                            |                                  |                                  |
| Location<br>Deep Creek @ 170m US<br>of Spring Garden Creek  |  | Field ID<br>G2CE0083<br>STORET<br>G2CE0083                  |  | <input type="checkbox"/> Comp<br><input checked="" type="checkbox"/> Grab | Collection (comp begin or grab)<br>Date 7/27/17 Time 1104 | Eastern<br>Central                                                         | Composite end<br>Date Time       | Bottle<br>Group(s)               |
| Date: 07/27/2017<br>RQ-2017-07-24-77                        |  |                                                             |  | Matrix (type, e.g., Salt, Fresh, etc)<br>Fresh                            | Diss. Oxygen<br>1.5                                       | <input checked="" type="checkbox"/> mg/L<br><input type="checkbox"/> % sat | Total Res. Chlorine<br>(mg/L)    | A                                |
|                                                             |  |                                                             |  | Temp<br>(C) 26.5                                                          | pH 5.0                                                    | Sample<br>Depth 0.3                                                        | Sp. Conductance<br>(umho/cm) 139 |                                  |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  | <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  | Salinity<br>(ppt) 0.1                                                     | Comments                                                  |                                                                            |                                  |                                  |
| Location                                                    |  | Field ID                                                    |  | <input type="checkbox"/> Comp<br><input type="checkbox"/> Grab            | Collection (comp begin or grab)<br>Date Time              | Eastern<br>Central                                                         | Composite end<br>Date Time       | Bottle<br>Group(s)               |
| STORET #                                                    |  |                                                             |  | Matrix (type, e.g., Salt, Fresh, etc)                                     | Diss. Oxygen                                              | <input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat            | Total Res. Chlorine<br>(mg/L)    |                                  |
| Latitude                                                    |  | Longitude                                                   |  | Temp<br>(C)                                                               | pH                                                        | Sample<br>Depth                                                            | Sp. Conductance<br>(umho/cm)     |                                  |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  | <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  | Salinity<br>(ppt)                                                         | Comments                                                  |                                                                            |                                  |                                  |
| Location                                                    |  | Field ID                                                    |  | <input type="checkbox"/> Comp<br><input type="checkbox"/> Grab            | Collection (comp begin or grab)<br>Date Time              | Eastern<br>Central                                                         | Composite end<br>Date Time       | Bottle<br>Group(s)               |
| STORET #                                                    |  |                                                             |  | Matrix (type, e.g., Salt, Fresh, etc)                                     | Diss. Oxygen                                              | <input type="checkbox"/> mg/L<br><input type="checkbox"/> % sat            | Total Res. Chlorine<br>(mg/L)    |                                  |
| Latitude                                                    |  | Longitude                                                   |  | Temp<br>(C)                                                               | pH                                                        | Sample<br>Depth                                                            | Sp. Conductance<br>(umho/cm)     |                                  |
| <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  | <input type="checkbox"/> dd<br><input type="checkbox"/> dms |  | Salinity<br>(ppt)                                                         | Comments                                                  |                                                                            |                                  |                                  |

|                                  |                      |                          |                                 |                                |                               |
|----------------------------------|----------------------|--------------------------|---------------------------------|--------------------------------|-------------------------------|
| Relinquished By:<br>Mike Drennan | Date/Time<br>7/27/17 | Shipping Method<br>FedEx | Number of Coolers Shipped:<br>1 | Received By:<br>Tyler Reynolds | Date/Time<br>07/28/17 @ 10:05 |
|----------------------------------|----------------------|--------------------------|---------------------------------|--------------------------------|-------------------------------|

---

|          |              |      |                 |               |     |                                     |   |
|----------|--------------|------|-----------------|---------------|-----|-------------------------------------|---|
| Group: A | Bottle Type: | P-1L | # of Bottles: 2 | Preservative: | ICE | Enter Number of Bottles Sent to Lab | 2 |
|----------|--------------|------|-----------------|---------------|-----|-------------------------------------|---|

---

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

---

|          |              |       |                 |               |     |                                     |   |
|----------|--------------|-------|-----------------|---------------|-----|-------------------------------------|---|
| Group: A | Bottle Type: | BP-1L | # of Bottles: 2 | Preservative: | ICE | Enter Number of Bottles Sent to Lab | 2 |
|----------|--------------|-------|-----------------|---------------|-----|-------------------------------------|---|

---

CHLSUITE-W

---

|          |              |         |                 |               |               |                                     |   |
|----------|--------------|---------|-----------------|---------------|---------------|-------------------------------------|---|
| Group: A | Bottle Type: | P-500ML | # of Bottles: 2 | Preservative: | ICE And H2SO4 | Enter Number of Bottles Sent to Lab | 2 |
|----------|--------------|---------|-----------------|---------------|---------------|-------------------------------------|---|

---

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

---

|          |              |         |                 |               |          |                                     |   |
|----------|--------------|---------|-----------------|---------------|----------|-------------------------------------|---|
| Group: A | Bottle Type: | P-125ML | # of Bottles: 2 | Preservative: | ICE-FLTR | Enter Number of Bottles Sent to Lab | 2 |
|----------|--------------|---------|-----------------|---------------|----------|-------------------------------------|---|

---

W-PO4-F

Date of Request: 20-JUL-2017  
 Created By: LINGER\_M On: 20-JUL-2017  
 Modified By: SWANSON\_C On: 24-JUL-2017  
 Customer: CEN-DIST  
 Project: SMP  
 Division:  
 District: Central District  
 Sampling Event: Spring Garden Crk / Deep Crk

**Send Coolers To:**

Phone: 407-897-4180  
 FL Dept. of Environmental Protection  
 3319 Maguire Blvd., Suite 232  
 Orlando, FL 32803-3767  
 Attn: Mike Linger

Program Module Number: 1306  
 Priority: 3  
 Event Status: A  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: WATTS\_J On: 20-JUL-2017  
 Biology Request Reviewed By: SWANSON\_C On: 24-JUL-2017  
 Sampling Kit Required: NO Ship on:  
 Sampling Kit Shipped:  
 Sampling Kit Packed By:  
 Preservatives Needed: NO  
 Date to Receive Samples: 24-JUL-2017  
 Received By:

**Send Final Report To:**

FL Dept. of Environmental Protection  
 3319 Maguire Blvd., Suite 232  
 Orlando, FL 32803-3767  
 Attn: Mike Linger

Report Type: Final Only  
 FTP Data: NO  
 QC Report: YES  
 Date Log: NO  
 Authorization Log: NO

Comments:

**Bottle Group A (Water) With 2 Samples:**

|                      |                      |                                                                                                              |
|----------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L    | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| ALKALINITY           | Template: DEFAULT    | (SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L                                                  |
| TURBIDITY            | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| W-CL-IC              | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                            |
| W-COLOR              | Template: DEFAULT    | (SM 2120 B) True Color measured at 450 nm                                                                    |
| Color (true)         |                      |                                                                                                              |
| W-F                  | Template: DEFAULT    | (SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)         |
| W-SO4-IC             | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| W-TDS                | Template: DEFAULT    | (SM 2540 C-97) Total Dissolved Solids in aqueous matrices                                                    |
| W-TSS                | Template: DEFAULT    | (SM 2540 D-97) Total Suspended Solids in aqueous matrices                                                    |
| Bottle Type: BP-1L   | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| CHLSUITE-W           | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Bottle Type: P-500ML | Number of Bottles: 2 | Preserved With: ICE And H2SO4                                                                                |
| W-NH3                | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| W-NO2NO3             | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| W-S-A-TP             | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                          |
| W-TKN                | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                             |
| W-TOC                | Template: DEFAULT    | (SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices                                               |
| Bottle Type: P-125ML | Number of Bottles: 2 | Preserved With: ICE-FLTR                                                                                     |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                     |

# Log-in Checklist

RQ- 2017-07-24-77

Shipping Method: Fedex

Date/Time of Receipt: 07/28/17 @ 10:05 am

| Cooler ID | Cooler Temperature* | No. Sample Containers in Cooler | Evidence Tape |   |          |  | Tracking # (fill out only if waybill copy is damaged) |
|-----------|---------------------|---------------------------------|---------------|---|----------|--|-------------------------------------------------------|
|           |                     |                                 | Present?      |   | *Intact? |  |                                                       |
| Yes       | No                  | Yes                             | No            |   |          |  |                                                       |
| Red       | 1.6°C               | 8                               |               | ✓ |          |  | 811939044610                                          |
|           |                     |                                 |               |   |          |  |                                                       |
|           |                     |                                 |               |   |          |  |                                                       |
|           |                     |                                 |               |   |          |  |                                                       |
|           |                     |                                 |               |   |          |  |                                                       |

\*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**\*\*Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

\*\*Chain of Custody/ Field Sheet(s) Included? Yes ✓ No   

## CONTAINER CHECK

\*\*Evidence Tape on Bottles? Yes    No ✓ If yes, is it intact? Yes    No   

\*\*Caps on tight? Yes ✓ No    \*\*Containers intact? Yes ✓ No   

\*\*Sufficient Sample Volume: Yes ✓ No   

## CHLORINE CHECK (Blue dot on container)

| Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required. |     |    |               |     |    |
|------------------------------------------------------------------------------------------------------|-----|----|---------------|-----|----|
| Analysis                                                                                             | Yes | No | Analysis      | Yes | No |
| W-1,4 DIOX                                                                                           |     |    | W-PC-AA-SF    |     |    |
| W-AHERB-AA (-AHB-AA-R)                                                                               |     |    | W-PCL-SQ (-R) |     |    |
| W-BNA (-625, -R)                                                                                     |     |    | W-PDQUAT      |     |    |
| W-CARB-AA (-CAB-AA-R)                                                                                |     |    | W-PESTNP-R    |     |    |
| W-ENDO-AA                                                                                            |     |    | W-PSCL-TQ     |     |    |
| W-GLYPH                                                                                              |     |    | W-PSNP-TQ     |     |    |
| W-NP-AA-SF                                                                                           |     |    | W-PST-CL-R    |     |    |
| W-PAH (-R)                                                                                           |     |    | W-TR-TQ       |     |    |
| W-PCB-R                                                                                              |     |    | W-CT-CI-R     |     |    |

## PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

\*\*Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No    NA    Init: MR

\*\*W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes    No    NA ✓ Init: MR

Coolers Unpacked/Checked by: MR Date: 07/28/17 NCRs (Y/N)? N

Event ID: CEN-DIST-2017-07-28-01 NCR #

## Log-in Checklist

### Samples with Incorrect pH Preservation or presence of Chlorine

| Field ID | Bottle Test ID(s) | pH / Cl | Action Taken |
|----------|-------------------|---------|--------------|
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |
|          |                   |         |              |

### Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

| Cooler ID | Field ID | Bottle Test ID(s) |
|-----------|----------|-------------------|
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |
|           |          |                   |

### Bottles Not Intact

| Field ID | Bottle Test ID(s) | Loose Cap | Damaged Cap |    | Damaged Container |    | Evidence Tape Not Intact |
|----------|-------------------|-----------|-------------|----|-------------------|----|--------------------------|
|          |                   |           | CK          | BR | CK                | BR |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |
|          |                   |           |             |    |                   |    |                          |

### Samples with Insufficient Volume for Analyses

| Field ID | Bottle Test ID(s) | Action Taken |
|----------|-------------------|--------------|
|          |                   |              |
|          |                   |              |
|          |                   |              |
|          |                   |              |

## ENCORE SAMPLES

**S-VOC-MS samples in Encores must be frozen within 48 hours of collection.**

Were Encore samples received? Yes \_\_\_\_\_ No ✓

Date and time placed in freezer \_\_\_\_\_

Were all samples placed in freezer within 48 hours of collection? Yes \_\_\_\_\_ No \_\_\_\_\_

If no, were samples shipped on dry ice? Yes \_\_\_\_\_ No \_\_\_\_\_

**FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):**

Samples preserved within 48 hours? Yes \_\_\_\_\_ No \_\_\_\_\_

Date and time samples preserved: \_\_\_\_\_

**Additional Comments:**



FedEx Tracking Number 8119 3904 4610

Date 7/27/17

Sender's Name Mike Dinnon

Company FDEP

Phone 407 8974100

Address 3319 Magnific Blvd Suite 232

City Orlando FL ZIP 32803

Dept./Floor/Room

2 Your Internal Billing Reference

3 To Recipient's Name SAMPLE RECEIVING Phone 850 245-8085

Company FLORIDA DEPCHEMISTRY SECTION

Address 2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or F.D. ZIP codes.

Address

Use this line for the HOLD location address or for continuation of your shipping address.

City TALLAHASSEE State FL ZIP 32399-6542

Dept./Floor/Room

0127681333



8119 3904 4610

Form 0215

Recipient's Copy

4 Express Package Service

Next Business Day

FedEx First Overnight

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

FedEx Express Saver

FedEx 2Day AM

FedEx 2Day

FedEx Standard Overnight

fedex.com 1800.GoFedEx 1800.463.3339

fedex.com 1800.GoFedEx 1800.463.3339

671