FLOWERS CHEMICAL LABORATORIES INC.
P.O. Box 150597, Altamonte Springs, FL 32715-0597 Phone: 407-339-5984 E83018 (Main Lab)
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986 Phone: 772-343-8006 E86562 (South Lab)
812 SW Harvey Green Dr, Madison, FL 32340 Phone: 850-973-6878 E82405 (North Lab)
3980 Overseas Hwy, Suite 103, Marathon, FL 33050 Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando
3319 Maguire Blvd.,Suite 232
Orlando,FL 32803

PO #: n/a
Client Project #: SMP
Date Sampled: Dec 28, 2017
Dec 29, 2017; Invoice: 353148

Report Summary

Date Received: Dec 28, 2017 FCL Project Manager: June S. Flowers

Laboratory #	Sample Description	Analysis	Chemist	Location	SampleMatrix
353148SW1	G2CE0072	SM9223B	TRB	Main Lab	Surface Water
353148SW2	G2CE0119	SM9223B	TRB	Main Lab	Surface Water
353148SW3	G2CE0073	SM9223B	TRB	Main Lab	Surface Water

Certificate of Results
Sample integrity was certified prior to analysis. Test results meet all requirements of the NELAC Standards except as noted in the Quality Control Report. Uncertainties for these data are available on request. This report may not be reproduced in part; results relate only to items tested.

Jefferson S. Flowers, Ph.D.
President/Technical Director

FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597 Phone: 407-339-5984 E83018 (Main Lab)
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986 Phone: 772-343-8006 E86562 (South Lab)
812 SW Harvey Green Dr, Madison, FL 32340 Phone: 850-973-6878 E82405 (North Lab)
3980 Overseas Hwy, Suite 103, Marathon, FL 33050 Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando
3319 Maguire Blvd.,Suite 232
Orlando,FL 32803

PO #: n/a
Client Project #: SMP
Date Sampled: Dec 28, 2017
Dec 29, 2017; Invoice: 353148

Analysis Report

Lab #: 353148SW1 **Sampled:** 12/28/17 10:25 AM **Desc:** G2CE0072

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	291	mpn/100mL	1.00	1.00	1.00	10360080	SM9223B		12/28/17	03:03 PM

Lab #: 353148SW2 **Sampled:** 12/28/17 11:23 AM **Desc:** G2CE0119

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	666	mpn/100mL	1.00	1.00	1.00	10360080	SM9223B		12/28/17	03:03 PM

Lab #: 353148SW3 **Sampled:** 12/28/17 12:05 PM **Desc:** G2CE0073

Parameter	Result	Units	DF	MDL	PQL	QC Batch	Method	CAS #	Analyzed	
E. Coli	365	mpn/100mL	1.00	1.00	1.00	10360080	SM9223B		12/28/17	03:03 PM

FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597 Phone: 407-339-5984 E83018 (Main Lab)
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986 Phone: 772-343-8006 E86562 (South Lab)
812 SW Harvey Green Dr, Madison, FL 32340 Phone: 850-973-6878 E82405 (North Lab)
3980 Overseas Hwy, Suite 103, Marathon, FL 33050 Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando
3319 Maguire Blvd.,Suite 232
Orlando,FL 32803

PO #: n/a
Client Project #: SMP
Date Sampled: Dec 28, 2017
Dec 29, 2017; Invoice: 353148

FLOWERS CHEMICAL LABORATORIES INC.

P.O. Box 150597, Altamonte Springs, FL 32715-0597 Phone: 407-339-5984 E83018 (Main Lab)
571 NW Mercantile Pl, Suite 111, Port St. Lucie, FL 34986 Phone: 772-343-8006 E86562 (South Lab)
812 SW Harvey Green Dr, Madison, FL 32340 Phone: 850-973-6878 E82405 (North Lab)
3980 Overseas Hwy, Suite 103, Marathon, FL 33050 Phone: 305-743-8598 E35834 (Keys Lab)

FDEP- Orlando
3319 Maguire Blvd.,Suite 232
Orlando,FL 32803

PO #: n/a
Client Project #: SMP
Date Sampled: Dec 28, 2017
Dec 29, 2017; Invoice: 353148

Narrative Report

Sample Handling
Sample handling and holding time criteria were met for all samples. Samples collected by submitter. No unusual events occurred during analysis. Results were read on 12/29/17 at 12:28pm.

Quality Control
Enclosed analyses met method or FCL criteria, unless otherwise denoted on the sample results. Applied data qualifiers are defined below.

Attachments
Chain of Custody

Qualifier	Meaning
U	Compound was analyzed for but not detected.
J	Estimated value; one or more QC components associated with this data value exceed current QC limits.
Q	Sample held beyond the accepted holding time.
L	Off-scale high; reported concentration exceeds the highest standard.
V	Analyte was detected in both the sample and the associated method blank.
W	The dissolved oxygen blank was above 0.2 mg/L but less than the MDL.
Z	Too numerous to count colonies on plate.
A	Absent
P	Present
T	Value reported is less than the statistical method detection limit. Reported for informational purposes only.
M	Value reported is greater than the statistical method detection limit, but less than the reported MDL.
G	The greatest of the dilutions performed did not yield sufficient oxygen depletion for valid data.
S	The least of the dilutions performed did not yield sufficient oxygen residual for valid data.
O	Result is greater than (over) the specified value.
I	Reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
B	Results based upon colony plate count outside ideal range.
Y	The laboratory analysis was from an improperly preserved sample. The data may not be accurate.