

Log-in Checklist

RQ- 2017-12-04-24

Shipping Method: FedEx

Date/Time of Receipt: 12-12-17 10:25

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
BLU	3.6C	4					

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☐ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☐ No ☐

**Sufficient Sample Volume: Yes ☐ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)			W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: ARP

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☐ NA ☒ Init: ARP

Coolers Unpacked/Checked by: ARP Date: 12-12-17 NCRs (Y/N)? Y

Event ID: SMP - DO Monitoring Retrieval NCR #

SW-DIST-2017-12-12-02 (SMP)

Date Received: 12-DEC-2017 10:25

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No_____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Additional Comments:

SMP - DO Monitoring Retrieval

Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SW-DIST

Requester: Matthew Bearden

Field Report Prepared By:

H. Sprinkle

Project ID: SMP

Collected By: H. Sprinkle/M. Bearden

Sampling Agency:

FDEP

Location RQ-2017-12-04-24		☐ Comp ☒ Grab		Collection (comp begin or grab) Date 12/11/17 Time		☒ Eastern ☐ Central		Composite end Date Time		Bottle Group(s) (See pg 2)	
Field ID Date: 12/11/2017 Time: 1205		Matrix (type, e.g., Salt, Fresh, etc) (S) Fresh salt		Diss. Oxygen 50		☐ mg/L ☒ % sat		Total Res. Chlorine (mg/L)		A	
STORET # G2SW0034		Temp (C) 19.5		pH 7.4		Sample Depth 0.3		Sp. Conductance (umho/cm) 5751			
Latitude ☐ dd ☐ dms		Salinity (ppt) 3.3		Comments							
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					
Location		☐ Comp ☐ Grab		Collection (comp begin or grab) Date Time		☐ Eastern ☐ Central		Composite end Date Time		Bottle Group(s)	
Field ID		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)			
STORET #		Temp (C)		pH		Sample Depth ☐ ft ☐ m		Sp. Conductance (umho/cm)			
Latitude ☐ dd ☐ dms		Longitude ☐ dd ☐ dms		Salinity (ppt)		Comments					

Relinquished By: H. Sprinkle	Date/Time 12/11/17 1400	Shipping Method Fedex	Number of Coolers Shipped: 1	Received By: [Signature]	Date/Time 12-12-17/10:25
---------------------------------	----------------------------	--------------------------	---------------------------------	-----------------------------	-----------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 21	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY						
	TURBIDITY						
	W-GL-16						
	W-GL-16R						
	W-F						
	W-SO4-16						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 21	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: A	Bottle Type:	P-500ML	# of Bottles: 21	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 21	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	1
	W-PO4-F						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	SWD-AEL-EC						

* Samples dropped off @ AEL



Down

CLIENT NAME:	FDEP - SW District	PROJECT NAME:	TWDL / SMP					
ADDRESS:	13051 N. Tuleman Pkwy Tempe Tempe, FL 33317	P.O. NUMBER/PROJECT NUMBER:						
PHONE:	613-470-5700	PROJECT LOCATION:	Florida					
FAX:	613-470-5983	SAMPLED BY:	M. BEARDEN/H. SPRINKLE					
CONTACT:	Matthew Bearden Baron-Ernst	TURN AROUND TIME:	REPAIR/SPECIAL DISTRIBUTION					
STANDARD RISK			PO AF31SE					
Samples are ambient water and not suspected to contain chlorine								
BOTTLE #122 & TYPE	AR NE AQ LU YI SR IE SD	Fecal Coliforms	ENTERO					
Dish Plate Bacto								
L	A	B	N	U	M	B	E	R

[illegible]

Received

revised 1/12

Date of Request: 11-OCT-2017
 Created By: BEARDEN_M On: 11-OCT-2017
 Modified By: WALTERS_J On: 13-NOV-2017
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Sampling Event: SMP - DO Monitoring Retrieval

Send Coolers To:

Phone: 813-470-5951
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Matthew Bearden

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 13-NOV-2017
 Biology Request Reviewed By: WALTERS_J On: 13-NOV-2017
 Sampling Kit Required: YES Ship on: 20-NOV-2017
 Sampling Kit Shipped: YES On: 20-NOV-2017
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 12-DEC-2017
 Received By: SHAIK_A On: 12-DEC-2017

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 2 Samples:**

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE
SWD-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Tampa Lab for SWD

fedex.com 1.800.GoFedEx 1.800.463.3339

000551
01000

FedEx Package
Express US Airbill
FedEx Tracking Number
8119 3903 9894

1 From
Date 1/17

Sender's Name
Company
Address
City
State
ZIP

Company
Address
City
State
ZIP

Address
City
State
ZIP

2 Your Internal Billing Reference

3 To
Recipient's Name
Company
Address
City
State
ZIP

Company
Address
City
State
ZIP

Address
City
State
ZIP

Address
City
State
ZIP

City
State
ZIP



8119 3903 9894

0215
MUR 4

4 Express Package Service

Next Business Day
FedEx First Overnight
FedEx Priority Overnight
FedEx Standard Overnight
FedEx 2Day
FedEx 2Day AM
FedEx 2Day PM
FedEx 2Day Saver

2 or 3 Business Days
FedEx 2Day AM
FedEx 2Day PM
FedEx 2Day Saver

Special Handling and Delivery Signature Options

Signature Required
Signature Required
Signature Required

Signature Required
Signature Required
Signature Required

Signature Required
Signature Required
Signature Required

Signature Required
Signature Required
Signature Required

Signature Required
Signature Required
Signature Required

Signature Required
Signature Required
Signature Required

Signature Required
Signature Required
Signature Required

Signature Required
Signature Required
Signature Required

Signature Required
Signature Required
Signature Required

Signature Required
Signature Required
Signature Required