Request Number: RQ-2017-08-28-31

SMP-Dade Green Run

Florida Department of Environmental Protection
Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SE-DIST

Project ID: SMP

Requester: Matt Sewell

Field Report Prepared By:

Collected By:

Sampling Agency:

Location: C-6 / Miami Canal (west)	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/30/17 Time 1210 Eastern / Central	Composite end Date Time	Bottle Group(s) (See pg 2): B						
Field ID: G4SE0094	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 0.6 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)							
STORET #: G4SE0094	Temp (C) 28.4	pH 7.2	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 578						
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.28	Comments							
Location: C6 @ NW 117th Ave	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/30/17 Time 1230 Eastern / Central	Composite end Date Time	Bottle Group(s): B						
Field ID: G4SE0101	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 0.8 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)							
STORET #: G4SE0101	Temp (C) 28.4	pH 7.2	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 578						
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.28	Comments							
Location: Snake Creek Canal (east)	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/30/17 Time 1315 Eastern / Central	Composite end Date Time	Bottle Group(s): A						
Field ID: 2804038I	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen 2.2 ☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)							
STORET #: 2804038I	Temp (C) 29.6	pH 7.2	Sample Depth 0.3 ☐ ft ☒ m	Sp. Conductance (umho/cm) 463						
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.22	Comments							
Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time Eastern / Central	Composite end Date Time	Bottle Group(s)						
Field ID	Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen ☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)							
STORET #	Temp (C)	pH	Sample Depth ☐ ft ☐ m	Sp. Conductance (umho/cm)						
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt)	Comments							

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
				J.D.	8/31/17 10:15

Group: A	Bottle Type:	P-1L	# of Bottles: 5	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 5	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	CHLSUITE-W						
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 10	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	PCR-FILTER						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 5	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	SE-AEL-EC						
Group: A	Bottle Type:	BG-1L	# of Bottles: 5	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	W-AHERB-AA W-SUC-AA-R W-UHERB-AA						
Group: A	Bottle Type:	P-500ML	# of Bottles: 5	Preservative:	ICE And H2SO4	**Enter Number of Bottles Sent to Lab**	
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 5	Preservative:	ICE-FLTR	**Enter Number of Bottles Sent to Lab**	
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F						

Request Number: RQ-2017-08-28-31

SMP-Dade Green Run

Florida Department of Environmental Protection
Central Laboratory Submittal Form

last revised Apr 7, 2016

Customer: SE-DIST

Project ID: SMP

Requester: Matt Sewell

Collected By: Drew Liddick

Field Report Prepared By: James Pitts

Sampling Agency: 21 FL WPB

Location: C-100/Cutler Drain	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/30/17 Time 1015	Eastern / Central	Composite end Date / Time		Bottle Group(s) (See pg 2)
Field ID: G4SECD09	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 6.0	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET #: G4SECD09	Temp (C) 29.3	pH 7.6	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 496	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.24	Comments			
Location: C-2/Snapper Creek	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/30/17 Time 1100	Eastern / Central	Composite end Date / Time		Bottle Group(s)
Field ID: G4SE0097	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 2.5	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET #: G4SE0097	Temp (C) 27.4	pH 7.2	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 529	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.25	Comments			
Location: C-100/Cutler Drain	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/30/17 Time 1025	Eastern / Central	Composite end Date / Time		Bottle Group(s)
Field ID: G4SECD09_DUP	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen —	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET #: G4SECD09_DUP	Temp (C) —	pH —	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) —	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) —	Comments			
Location: Coral Gables Canal	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 8/30/17 Time 1120	Eastern / Central	Composite end Date / Time		Bottle Group(s)
Field ID: G4SE0096	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen 4.0	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
STORET #: G4SE0096	Temp (C) 28.9	pH 7.1	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 537	
Latitude ☐ dd ☐ dms	Longitude ☐ dd ☐ dms	Salinity (ppt) 0.26	Comments			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
				[signature]	8/31/17 10:15

Group:	Bottle Type:	# of Bottles:	Preservative:	
A	P-1L	5	ICE	Enter Number of Bottles Sent to Lab _____

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group:	Bottle Type:	# of Bottles:	Preservative:	
A	BP-1L	5	ICE	Enter Number of Bottles Sent to Lab _____

CHLSUITE-W

Group:	Bottle Type:	# of Bottles:	Preservative:	
A	QPCR-P-250ML	10	ICE	Enter Number of Bottles Sent to Lab _____

PCR-FILTER

Group:	Bottle Type:	# of Bottles:	Preservative:	
A	P-120ML-WC-THI	5	ICE	Enter Number of Bottles Sent to Lab _____

SE-AEL-EC

Group:	Bottle Type:	# of Bottles:	Preservative:	
A	BG-1L	5	ICE	Enter Number of Bottles Sent to Lab _____

W-AHERB-AA
W-SUC-AA-R
W-UHERB-AA

Group:	Bottle Type:	# of Bottles:	Preservative:	
A	P-500ML	5	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

Group:	Bottle Type:	# of Bottles:	Preservative:	
A	P-125ML	5	ICE-FLTR	Enter Number of Bottles Sent to Lab _____

W-PO4-F

Group:	Bottle Type:	# of Bottles:	Preservative:	
B	P-1L	2	ICE	Enter Number of Bottles Sent to Lab _____

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F

RQ-2017-08-28-31

Date of Request: 14-AUG-2017
Created By: SEWELL_M On: 14-AUG-2017
Modified By: SWANSON_C On: 16-AUG-2017
Customer: SE-DIST
Project: SMP
Division: Division of Environmental Assessment and Restoration
District: Southeast District
Sampling Event: SMP-Dade Green Run

Send Coolers To:

Phone: (772) 448-5883
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

Send Final Report To:

FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Matthew Sewell

Program Module Number: 1306
Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 16-AUG-2017
Biology Request Reviewed By: SWANSON_C On: 16-AUG-2017
Sampling Kit Required: YES Ship on: 17-AUG-2017
Sampling Kit Shipped: YES On: 17-AUG-2017
Sampling Kit Packed By: REAVES_S
Preservatives Needed: NO
Date to Receive Samples: 28-AUG-2017
Received By:

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments: Sampler Comments:
Bottle group A = 3283 3292 3293 3295 DUPE
Bottle group B = 3286A (x2)

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-1L		Number of Bottles: 5	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L	
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices	
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm	
Color (true)			
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices	
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices	
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices	
Bottle Type: BP-1L		Number of Bottles: 5	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	
Bottle Type: QPCR-P-250ML		Number of Bottles: 10	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis	
Bottle Type:		Number of Bottles: 5	Preserved With: ICE
SE-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Miami Overflow Laboratories for SED	
Bottle Type: BG-1L		Number of Bottles: 5	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS	
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	
Bottle Type: P-500ML		Number of Bottles: 5	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: ICE And H2SO4	
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML	Number of Bottles: 5	Preserved With: ICE-FLTR	
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	

Bottle Group B (Water) With 2 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE	
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis	
Bottle Type:	Number of Bottles: 2	Preserved With: ICE	
SE-AEL-EC	Template: DEFAULT	(EPA 1603) Escherichia coli by membrane filter method using modified mTEC by Advanced Environmental Miami Overflow Laboratories for SED	
Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE	
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS	
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS	
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS	
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3	
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	
Calcium			
Chromium			
Iron			
Magnesium			
Nickel			
Potassium			
Sodium			
Zinc			
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	
Arsenic			
Cadmium			
Copper			
Lead			
Selenium			
Silver			
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4	
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: ICE-FLTR	
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE	
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L	
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices	
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm	
Color (true)			
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices	
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices	
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices	
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE	
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Log-in Checklist

RQ-2017-08-28-31

Shipping Method: FedEx Date/Time of Receipt: 8/31/17 10:15

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
RED	1.8°C	15		✓			
RED	1.3°C	15		✓			
RED	1.9°C	21		✓			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes____ No ✓ If yes, is it intact? Yes____ No____

**Caps on tight? Yes ✓ No____ **Containers intact? Yes ✓ No____

**Sufficient Sample Volume: Yes ✓ No____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)		✓	W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-Cl-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No____ NA____ Init: JJ

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes____ No____ NA ✓ Init: J.L.

Coolers Unpacked/Checked by: J.L. Date: 8/31/17 NCRs (Y/N)? ____

Event ID: SE-DIST-2017-08-31-01 NCR # ____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No✓____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ No_____

If no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Additional Comments:

Do Not Lift Using This Tag



ORIGIN ID:FXEA (941) 809-6227
FDEP

2199 S. ROCK RD.

FORT PIERCE, FL 34945
UNITED STATES US

SHIP DATE: 30AUG17
ACTWGT: 65.00 LB
CAD: 006994140/SSFE1802
DIMS: 25x14x14 IN

BILL RECIPIENT

Part # 156297-[illegible] 08/18

TO **SAMPLE RECIEVING**
FLORIDA DEP/ CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399
(850) 245-8085
INV:
PO:
REF:
DEPT:

FedEx Express

E

J172017062901 ov

1 of 3

TRK# 0201 7875 6316 2721

MASTER

36 TLHA

THU - 31 AUG 10:30A
PRIORITY OVERNIGHT

32399
FL-US TLH

FedEx®

Do Not Lift Using This Tag

ORIGIN ID:FXEA (941) 809-6227
FDEP

2199 S. ROCK RD.

FORT PIERCE, FL 34945
UNITED STATES US

SHIP DATE: 30AUG17
ACTWGT: 60.00 LB
CAD: 006994140/SSFE1802
DIMS: 25x16x11 IN

BILL RECIPIENT

TO **SAMPLE RECIEVING**
FLORIDA DEP/ CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8086 REF:
INV:
PO: DEPT:

FedE
Expre

2 of 3

MPS# 0263 7875 6316 2732

Mstr# 7875 6316 2721 0201

36 TLHA

THU - 31 AUG 10:3
PRIORITY OVERNIGH

3239
FL-US TL

Do Not Lift Using This Tag

ORIGIN ID:FXEA (941) 80[illegible]27
FDEP
2199 S. ROCK RD.
FORT PIERCE, FL 34945
UNITED STATES US

SHIP DATE: 30AUG17
ACTWGT: 62.00 LB
CAD: 006994140/SSFE1802
DIMS: 26x16x11 IN
BILL RECIPIENT

TO **SAMPLE RECIEVING**
FLORIDA DEP/ CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399
(850) 245-8085 REF:
INV:
PO: DEPT:

FedEx Express

3 of 3
MPS# 0263 **7875 6316 2743**
Mstr# 7875 6316 2721

0201

THU - 31 AUG 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US **TLH**

Part # 156297-[illegible] 08/18