

Log-in Checklist

RQ- 2018-02-12-18

Shipping Method: FEDEX

Date/Time of Receipt: 02/21/18 09:45a

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	2.2°C	15		X			790772067223
Red	1.8°C	10		X			790772067197
Red	2.0°C	18		X			790772067201

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes ✓ No **Containers intact? Yes ✓ No

**Sufficient Sample Volume: Yes ✓ No

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-AHERB-AA (-AHB-AA-R)		X	W-PCL-SQ (-R)		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PESTNP-R		
W-ENDO-AA			W-PSCL-TQ		
W-GLYPH			W-PSNP-TQ		
W-NP-AA-SF			W-PST-CL-R		
W-PAH (-R)			W-TR-TQ		
W-PCB-R			W-CT-CI-R		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init:

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init:

Coolers Unpacked/Checked by: Tyler L. Date: 02/21/18 NCRs (Y/N)? N

Event ID: LSJR Downtown Fresh 2018
NE-DIST-2018-02-21-02 (SMP) NCR #

Date Received: 21-FEB-2018 09:45

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes____ No____

If no, were samples shipped on dry ice? Yes____ No____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes____ No____

Date and time samples preserved: _____

Additional Comments:

Florida Department of Environmental Protection
Central Laboratory Submittal Form

Customer: NE-DIST




Project ID: SMP

Requester: Nicole Frederick

Field Report Prepared By:

Collected By:

Sampling Agency:

Location	WIN /Field ID:		☐ Comp	Collection (comp begin or grab)	☒ Grab	Date	Time	Eastern	Composite end	Bottle Group(s)
Field ID		20030752				2/20/18	0910	Central	Date	Time
WIN/STORE	TROUT RIVER AT RAMALLAH RD		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L		Total Res. Chlorine (mg/L)	
			Fresh		6.81		☐ % sat			
Latitude	☐ dd	Longitude	☐ dd	Salinity (ppt)	Temp (C)	pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)	
30.3989	☐ dms	81.84154	☐ dms	0.06	17.68	5.97	0.15	☐ m	127	B
Location	WIN /Field ID:		☐ Comp	Collection (comp begin or grab)	☒ Grab	Date	Time	Eastern	Composite end	Bottle Group(s)
Field ID		20030751				2/20/18	0935	Central	Date	Time
WIN/STORE	TROUT RIVER AT GARDEN ST		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L		Total Res. Chlorine (mg/L)	
			Fresh		7.04		☐ % sat			
Latitude	☐ dd	Longitude	☐ dd	Salinity (ppt)	Temp (C)	pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)	
30.40684	☐ dms	81.84210	☐ dms	0.07	18.37	6.52	0.15	☐ m	141	B
Location	WIN /Field ID:		☐ Comp	Collection (comp begin or grab)	☒ Grab	Date	Time	Eastern	Composite end	Bottle Group(s)
Field ID		20030746				2/20/18	1010	Central	Date	Time
WIN/S	BLOCKHOUSE CR @ DUVAL RD		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L		Total Res. Chlorine (mg/L)	
			Fresh		3.42		☐ % sat			
Latitude	☐ dd	Longitude	☐ dd	Salinity (ppt)	Temp (C)	pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)	
30.4444	☐ dms	81.69230	☐ dms	0.13	19.10	6.77	0.15	☐ m	266	C
Location	WIN /Field ID:		☐ Comp	Collection (comp begin or grab)	☒ Grab	Date	Time	Eastern	Composite end	Bottle Group(s)
Field ID		G2NE1159				2/20/17	1020	Central	Date	Time
WIN/STORE	BLOCK HOUSE 100m abv Irma rd.		Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen		☐ mg/L		Total Res. Chlorine (mg/L)	
			Fresh		5.00		☐ % sat			
Latitude	☐ dd	Longitude	☐ dd	Salinity (ppt)	Temp (C)	pH	Sample Depth	☐ ft	Sp. Conductance (umho/cm)	
30.4404	☐ dms	81.69026	☐ dms	0.13	19.55	6.69	0.10	☐ m	272	A

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

Auz

2/20/18 @ 1600

FEDEX

3

Tyler R.

02/21/18 @ 9:45

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	ALKALINITY					2
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	CHLSUITE-W					2
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	NE-ALS-ECQ					2 (ALS)
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	PCR-FILTER					4
Group: A	Bottle Type:	BG-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	W-AHERB-AA					2
	W-SUC-AA-R					
	W-UHERB-AA					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab
	W-NH3					2
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab
	W-PO4-F					2
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
	ALKALINITY					2
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					

Group: B	Bottle Type: W-SO4-IC W-TDS W-TSS	P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: B	Bottle Type: NE-ALS-ECQ	P-250ML-WI-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2 (ALS)
Group: B	Bottle Type: PCR-FILTER	QPCR-P-250ML	# of Bottles: 4	Preservative: ICE	Enter Number of Bottles Sent to Lab	4
Group: B	Bottle Type: W-AHERB-AA W-SUC-AA-R W-UHERB-AA	BG-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: B	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 2	Preservative: HNO3	Enter Number of Bottles Sent to Lab	2
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	2
Group: C	Bottle Type: NE-ALS-ECQ	P-250ML-WI-THI	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3 (ALS)
Group: C	Bottle Type: PCR-FILTER	QPCR-P-250ML	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab	6
Group: C	Bottle Type: W-AHERB-AA W-SUC-AA-R	BG-1L	# of Bottles: 3	Preservative: ICE	Enter Number of Bottles Sent to Lab	3

Group: C

Bottle Type:

BG-1L

of Bottles: 3

Preservative:

ICE

Enter Number of Bottles Sent to Lab

3

W-UHERB-AA

Request Number: RQ-2018-02-12-18

LSJR Downtown Fresh_2018

Florida Department of Environmental Protection

Central Laboratory Submittal Form

5055
Page 4 of 4

last revised Jan 25, 2018

Customer: NE-DIST

Project ID: SMP

Requester: Nicole Frederick

Field Report Prepared By: NE ROC

Collected By: N. Frederick / J. Parrish

Sampling Agency: N. Frederick

Location	WIN /Field ID:  20030729	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2/20/18 Time 1115	Eastern Central	Composite end Date Time	Bottle Group(s) (See pg 2)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C
WIN/STORE	HOGANS CR AT BROAD ST.	Temp (C) 22.83	pH 7.52	Sample Depth 0.15	Sp. Conductance (umho/cm) 538	
Latitude	30.34158 ☒ dd ☐ dms	Longitude	81.66211 ☒ dd ☐ dms	Salinity (ppt) 0.26	Comments	
Location	WIN /Field ID:  20030773	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2/20/18 Time 1135	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/STORE	HOGAN CR @ WASHINGTON ST	Temp (C) 20.87	pH 7.39	Sample Depth 0.30	Sp. Conductance (umho/cm) 5508	
Latitude	30.3300 ☒ dd ☐ dms	Longitude	81.64944 ☒ dd ☐ dms	Salinity (ppt) 2.98	Comments 3F Classification	
Location	WIN /Field ID:  20030792	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 2/20/18 Time 1220	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C/A
WIN/STORE	DEER CR @ TALLEYRAND AVE	Temp (C) 20.31	pH 7.00	Sample Depth 0.15	Sp. Conductance (umho/cm) 5,281	
Latitude	30.5413 ☒ dd ☐ dms	Longitude	81.6297 ☒ dd ☐ dms	Salinity (ppt) 2.87	Comments	
Location	WIN /Field ID:  20030728	☐ Comp ☐ Grab	Collection (comp begin or grab) Date Time	Eastern Central	Composite end Date Time	Bottle Group(s)
Field ID		Matrix (type, e.g., Salt, Fresh, etc)	Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	NO Sample
WIN/STORE	DEER CR 50 FT EAST OF HAINES ST.	Temp (C)	pH	Sample Depth	Sp. Conductance (umho/cm)	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	Comments NO SAMPLE	

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

Nur

2/20/18 @ 1600

Fedex

(3)

Tyr R

02/21/18 @ 9:45

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUITE-W					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	NE-ALS-ECQ					
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 6	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	PCR-FILTER					
Group: A	Bottle Type:	BG-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	W-AHERB-AA W-SUC-AA-R W-UHERB-AA					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F					

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST FORM

9143 Philips Highway, Suite 200 Jacksonville, FL 32256 / Ph(904) 739-2277 / FAX (904) 739-2011

SR #

ALS Contact: Jerry Allen

Page 1 of 1

[illegible]

Date of Request: 08-JAN-2018
 Created By: FREDERIC_N On: 08-JAN-2018
 Modified By: SWANSON_C On: 23-JAN-2018
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: LSJR Downtown Fresh_2018

Send Coolers To:

Phone: 904-807-3300
 8800 Baymeadows Way W
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Nicole Frederick

Send Final Report To:

8800 Baymeadows Way W
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Nicole Frederick

Program Module Number:

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 23-JAN-2018
 Biology Request Reviewed By: SWANSON_C On: 23-JAN-2018
 Sampling Kit Required: YES Ship on: 02-FEB-2018
 Sampling Kit Shipped: YES On: 29-JAN-2018
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 15-FEB-2018
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals; E.coli/Tracers/ PCR-Filter
 Group B: Freshwater Kit With Metals; E.coli
 Group C: E.coli/Tracers/ PCR-Filter

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 3	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 6	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-1L	Number of Bottles: 3	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type:	Number of Bottles: 2	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Group C (Water) With 3 Samples:

Bottle Type:	Number of Bottles: 3	Preserved With: ICE
--------------	----------------------	---------------------

Bottle Group C (Water) With 3 Samples:

Bottle Type:	Number of Bottles: 3	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 6	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-1L	Number of Bottles: 3	Preserved With: ICE
W-AHERB-AA	Template: DEFAULT	(USGS O-2060-01) Chlorinated (phenoxy acid) herbicides in water matrices by HPLC/MS/MS
W-SUC-AA-R	Template: DEFAULT	(EPA 8321B) Analysis of sucralose in water matrices by HPLC/MS/MS
W-UHERB-AA	Template: DEFAULT	(USGS O-2060-01) Urea herbicides and other chemicals in water matrices by HPLC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.