

Log-in Checklist

RQ-2018-02-26-09

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 3-1-18 11:20

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	2.45	16		/			
Red	3.8C	14		/			
Red	2.9C	11		/			

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ☒ No ☐

CONTAINER CHECK

**Evidence Tape on Bottles? Yes ☐ No ☒ If yes, is it intact? Yes ☒ No ☐

**Caps on tight? Yes ☒ No ☐ **Containers intact? Yes ☒ No ☐

**Sufficient Sample Volume: Yes ☒ No ☐

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX		☒	W-PC-AA-SF		
W-E8321-DI, -MS, -21		☒	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ☒ No ☐ NA ☐ Init: AB

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes ☐ No ☒ NA ☐ Init: AB

Coolers Unpacked/Checked by: AB Date: 3-1-18 NCRs (Y/N)? ☐

Event ID: - LSJR East 1 2018 NE-DIST-2018-03-02-01 (SMP) NCR # _____

Date Received: 02-MAR-2018 11:20

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes ☐ No ☐

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes ☐ No ☐

If no, were samples shipped on dry ice? Yes ☐ No ☐

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes ☐ No ☐

Date and time samples preserved: _____

Additional Comments:

Customer: NE-DIST

Project ID: SMP

Requester: Nicole Frederick

Field Report Prepared By:

Collected By:

Sampling Agency:

WIN /Field ID



20030064

BIG POTTSBURG CR AT BELFORT RD

☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>3-1-2018</u> Time <u>1410</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) <u>PO</u>
Matrix (type, e.g., Salt, Fresh, etc) <u>Surface Water Fresh</u>		Diss. Oxygen <u>5.8</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) <u>21.7</u>	pH <u>7.1</u>	Sample Depth <u>0.1</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>364</u>
Salinity (ppt) <u>0.17</u>		Comments <u>DO% 66.0</u>		

Latitude

☐ dd
☐ dms

Longitude

☐ dd
☐ dms

WIN /Field ID



20030068

BIG POTTSBURG CR ~ 200M N BOWDEN RD

☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>03-01-18</u> Time <u>1450</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s) <u>B</u>
Matrix (type, e.g., Salt, Fresh, etc) <u>Surface Water Fresh</u>		Diss. Oxygen <u>5.6</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) <u>21.9</u>	pH <u>7.3</u>	Sample Depth <u>0.1</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>365</u>
Salinity (ppt) <u>0.18</u>		Comments <u>DO% 63.9</u>		

Latitude

☐ dd
☐ dms

Longitude

☐ dd
☐ dms

WIN /Field ID



20030872

NEWCASTLE CR @ FT CAROLINE HILLS RD

☐ Comp ☒ Grab	Collection (comp begin or grab) Date <u>03-01-18</u> Time <u>1155</u>	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s) <u>A</u>
Matrix (type, e.g., Salt, Fresh, etc) <u>Surface Water Fresh</u>		Diss. Oxygen <u>5.73</u>	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C) <u>21.7</u>	pH <u>21.76A</u>	Sample Depth <u>0.1</u>	☐ ft ☒ m	Sp. Conductance (umho/cm) <u>27</u>
Salinity (ppt) <u>0.13</u>		Comments <u>DO% 65.1</u> <u>pH 6.9</u>		

Latitude

☐ dd
☐ dms

Longitude

☐ dd
☐ dms

WIN /Field ID



20030805

NEWCASTLE CR @ MILLCREST DR

☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	<u>Eastern</u> Central	Composite end Date _____ Time _____	Bottle Group(s) <u>C</u>
Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat	Total Res. Chlorine (mg/L)
Temp (C)	pH	Sample Depth	☐ ft ☐ m	Sp. Conductance (umho/cm)
Salinity (ppt)		Comments <u>NO Sample TAKEN</u>		

Latitude

☐ dd
☐ dms

Longitude

☐ dd
☐ dms

Relinquished By:

Date/Time

Shipping Method

Number of Coolers Shipped:

Received By:

Date/Time

PO Connor03-01-18Fed Ex3 to (A1)MS3-1-18 11:52

Florida Department of Environmental Protection

Central Laboratory Submittal Form

Customer: NE-DIST

Project ID: SMP

Requester: Nicole Frederick

Field Report Prepared By: P O'Connor

Collected By: P O'Connor, A Kalmbacher

Sampling Agency: DEAR NED ROC

WIN /Field ID 20030657	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 03-01-18 Time 0930	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2)
GREENFIELD CREEK AT ATLANTIC BLVD.	Matrix (type, e.g., Salt, Fresh, etc) Surface Water Fresh	Diss. Oxygen 3.66	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	Temp (C) 20.6	pH 7.1	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 454
	Salinity (ppt) 0.22	Comments DO% 41.5			
WIN /Field ID G2NE1145	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 03-01-18 Time 1000	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
Greenfield cr.at Hodges rd.	Matrix (type, e.g., Salt, Fresh, etc) Surface Water Fresh	Diss. Oxygen 4.7	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	C
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	Temp (C) 20.2	pH 7.2	Sample Depth 0.1	☐ ft ☒ m	Sp. Conductance (umho/cm) 447
	Salinity (ppt) 0.22	Comments DO% 52.0			
WIN /Field ID 20030867	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 03-01-18 Time 1310	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
PUNCHEON BR @ GATE PKWY N	Matrix (type, e.g., Salt, Fresh, etc) Surface Water Fresh	Diss. Oxygen 4.5	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L) 216.0	D
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	Temp (C) 23.0	pH 6.8	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 216
	Salinity (ppt) 0.10	Comments DO% 53			
WIN /Field ID 20030754	☐ Comp ☒ Grab	Collection (comp begin or grab) Date 03-01-18 Time 1050	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s)
STRAWBERRY CR AT LONE STAR ROAD	Matrix (type, e.g., Salt, Fresh, etc) Surface Water Fresh	Diss. Oxygen 6.9	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	D
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	Temp (C) 21.4	pH 7.2	Sample Depth 0.1	☐ ft ☒ m	Sp. Conductance (umho/cm) 239
	Salinity (ppt) 0.11	Comments DO% 78.2			

Relinquished By: P O'Connor	Date/Time: 03-01-18	Shipping Method: Fed Ex	Number of Coolers Shipped: 3 (total)	Received By: [Signature]	Date/Time: 3-1-18 10:20
-----------------------------	---------------------	-------------------------	--------------------------------------	--------------------------	-------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC W-TDS W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
NE-ALS-ECQ						
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab
PCR-FILTER						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
W-E8321-DI W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab
W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab
W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab
ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO4-IC						

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2 to ALS JAX
	NE-ALS-ECQ						
Group: A	Bottle Type:	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab	4
	PCR-FILTER						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	W-E8321-DI						
	W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						

Group: B	Bottle Type: W-TDS W-TSS	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: CHLSUITE-W	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: NE-ALS-ECQ	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: PCR-FILTER	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>4</u>
Group: B	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: W-ICP W-ICPMS	P-500ML	# of Bottles: 2	Preservative:	HNO3	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: W-PO4-F	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: C	Bottle Type: NE-ALS-ECQ	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>1 & 2 to ALS JAY</u>
Group: C	Bottle Type: PCR-FILTER	QPCR-P-250ML	# of Bottles: 4	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>20 + 2</u>
Group: C	Bottle Type: W-E8321-DI W-E8321-MS	BG-500ML	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>1</u>
Group: D		P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab <u>2</u>

Group: D	Bottle Type: P-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
ALKALINITY					
TURBIDITY					
W-CL-IC					
W-COLOR					
W-F					
W-SO4-IC					
W-TDS					
W-TSS					
Group: D	Bottle Type: BP-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
CHLSUITE-W					
Group: D	Bottle Type: P-250ML-WI-THI	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2 to ALS SAY
NE-ALS-ECQ					
Group: D	Bottle Type: P-500ML	# of Bottles: 2	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
W-NH3					
W-NO2NO3					
W-S-A-TP					
W-TKN					
W-TOC					
Group: D	Bottle Type: P-125ML	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	2
W-PO4-F					

Date of Request: 08-JAN-2018
 Created By: FREDERIC_N On: 08-JAN-2018
 Modified By: SWANSON_C On: 12-FEB-2018
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: LSJR East 1_2018

Send Coolers To:

Phone: 904-807-3300
 8800 Baymeadows Way W
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Nicole Frederick

Send Final Report To:

8800 Baymeadows Way W
 Suite 100
 Jacksonville, FL 32256-7577
 Attn: Nicole Frederick

Program Module Number:
 Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 09-FEB-2018
 Biology Request Reviewed By: SWANSON_C On: 12-FEB-2018
 Sampling Kit Required: YES Ship on: 16-FEB-2018
 Sampling Kit Shipped: YES On: 16-FEB-2018
 Sampling Kit Packed By: SEARSON_C
 Preservatives Needed: NO
 Date to Receive Samples: 28-MAR-2018
 Received By: SHAIK_A On: 02-MAR-2018

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals; E.coli/Tracers/ PCR-Filter
 Group B: Freshwater Kit With Metals; E.coli/Tracers/ PCR-Filter
 Group C: E.coli/Tracers/ PCR-Filter
 Group D: Freshwater Kit, No Metals; E.coli

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 2	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: NE-ALS-ECQ	Number of Bottles: 2	Preserved With: ICE
Template: DEFAULT		(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Group C (Water) With 2 Samples:

Bottle Type: NE-ALS-ECQ	Number of Bottles: 2	Preserved With: ICE
Template: DEFAULT		(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District

Bottle Group C (Water) With 2 Samples:

Bottle Type: QPCR-P-250ML	Number of Bottles: 4	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: SUCRALOSE	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 2 Samples:

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 2	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

00672

01000

FedEx Package
Express US Airbill

FedEx
Tracking
Number

8113 0563 0064

1 From Date 3-1-2018

Sender's Name P.O'Connor Phone 904 256-1700

Company FDEP

Address 8800 Bay Pines Way W

City Jacksonville State FL ZIP 32256

2 Your Internal Billing Reference

3 To Recipient's Name SAMPLE RECEIVING Phone 850 245-2055

Company FLORIDA DEPT/CHEMISTRY SECTION

Address 2600 BLAIRSTONE RD

We cannot deliver to P.O. boxes or P.O. ZIP codes.

Address

Use this line for the return address or for continuation of your shipping address.

City TALLAHASSEE State FL ZIP 92390

0126430402



8113 0563 0064

19280

fedex.com 1800.GoFedEx 1800.463.3339

06435039

fedex.com 1800.GoFedEx 1800.463.3339

NOR 4

0215

4 Express Package Service * To meet deadlines. Packages up to 150 lbs. For packages over 150 lbs, use the FedEx Express Freight US Airbill.

Next Business Day

☐ FedEx First Overnight
FedEx First Overnight delivery to select business locations. Priority shipments will be delivered on Monday unless Saturday Delivery is selected.

☒ FedEx Priority Overnight
Next business day delivery to select business locations. Priority shipments will be delivered on Monday unless Saturday Delivery is selected.

☐ FedEx Standard Overnight
Next business day delivery to select business locations. Priority shipments will be delivered on Monday unless Saturday Delivery is selected.

2 or 3 Business Days

☐ FedEx 2Day AM
FedEx 2Day AM delivery to select business locations. Priority shipments will be delivered on Tuesday unless Saturday Delivery is selected.

☐ FedEx 2Day
FedEx 2Day delivery to select business locations. Priority shipments will be delivered on Tuesday unless Saturday Delivery is selected.

☐ FedEx Express Saver
Next business day delivery to select business locations. Priority shipments will be delivered on Monday unless Saturday Delivery is selected.

5 Packaging * Declared value limit \$500

☐ FedEx Envelope*

☐ FedEx Pak*

☐ FedEx Box

☐ FedEx Tube

☒ Other

6 Special Handling and Delivery Signature Options Fees may apply. See the FedEx Service Guide.

☐ Saturday Delivery
NOT available for FedEx Standard Overnight, FedEx 2Day AM, or FedEx Express Saver.

☐ No Signature Required
No signature is required for delivery.

☐ Direct Signature
Signature is required at recipient's address.

☐ Indirect Signature
Signature is required at recipient's address, someone at a neighboring address may sign for delivery for residential deliveries only.

Does this shipment contain dangerous goods?

☒ No ☐ Yes ☐ Yes, Restricted
One box must be checked. If "Yes" is checked, a Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

☐ Yes, Restricted
Shipper's Declaration is required.

7 Payment Bill to:

Sender ☐ Recipient ☒ Third Party ☐ Credit Card ☐ Cash/Check

Account No. ☐ Obtain receipt ☐

Account No. ☐

Account No. ☐

Account No. ☐

Account No. ☐

Account No. ☐

Account No. ☐

Account No. ☐

Total Packages 3

Total Weight 26.2

Total Weight 26.2

Total Weight 26.2

Total Weight 26.2

Your liability is limited to \$5000 unless you declare a higher value. See the current FedEx Service Guide for details.

Rev. 05/15 • Part 01/01/15 • © 2015 FedEx • A member of the FedEx Corporation

ORIGIN ID:ZYHA (904) 256-1700
NICOLE FREDERICK
8800 BAYMEADOWS WAY SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

SHIP DATE: 16-MAR-18
ACTWGT: 10.00 LB
CAD: 100182098/NE 13980

AMZAD SHAIK

FL DEP

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD

TALLAHASSEE FL 32399
REF: (850) 245-6065

DEPT:

552111ZZD0CA5




RETURNS MON-FRI
PRIORITY OVERNIGHT

FRI - 02 MAR 10:30A
PRIORITY OVERNIGHT

32399

FL-US
TLH

6 TLHA



563967 01MAR18 HRBA 546C1/07F5/8C8A

ORIGIN ID:ZYHA (904) 256-1700
NICOLE FREDERICK
8800 BAYMEADOWS WAY SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

SHIP DATE: 16-MAR-18
ACTWGT: 10.00 LB
CAD: 100182098/NE 13980

AMZAD SHAIK

FL DEP

FL DEP CHEMISTRY SECTION
2600 BLAIR STONE RD

TALLAHASSEE FL 32399
REF: (850) 245-6065

DEPT:

552111ZZD0CA5




RETURNS MON-FRI
PRIORITY OVERNIGHT

FRI - 02 MAR 10:30A
PRIORITY OVERNIGHT

32399

FL-US
TLH

36 TLHA



563967 01MAR18 HRBA 546C1/07F5/8C8A