RQ-2018-03-12-22

Date of Request: 12-FEB-2018
Created By: FREDERIC_N On: 12-FEB-2018
Modified By: SWANSON_C On: 20-FEB-2018
Customer: NE-DIST
Project: SMP
Division:
District: Northeast District
Sampling Event: Nassau West_2018

Send Coolers To:

Phone: 904-256-1541
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256-7577
Attn: Nicole Frederick

Send Final Report To:

8800 Baymeadows Way
Suite 100
Jacksonville, FL 32256-7577
Attn: Nicole Frederick

Program Module Number:
Priority: 3
Event Status: R
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 19-FEB-2018
Biology Request Reviewed By: SWANSON_C On: 20-FEB-2018
Sampling Kit Required: YES Ship on: 02-MAR-2018
Sampling Kit Shipped: YES On: 26-FEB-2018
Sampling Kit Packed By: REAVES_S
Preservatives Needed: NO
Date to Receive Samples: 14-MAR-2018
Received By: REYNOLDS_T On: 07-MAR-2018

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments: Group A: Freshwater Kit, No Metals; Bacteria-AEL

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-1L Number of Bottles: 4 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
Total Alkalinity		
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
Turbidity		
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
Chloride		
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
Fluoride		
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
Sulfate		
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
TDS		
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices
TSS		

Bottle Type: BP-1L Number of Bottles: 4 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Chlorophyll-a, Corrected		
Chlorophyll-a, Uncorrected		
Phaeophytin-a		

Bottle Type: Number of Bottles: 4 Preserved With: ICE

NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Overflow Laboratory for Northeast District
*Escherichia Coli-Quanti-Tray		

Bottle Type: P-500ML Number of Bottles: 4 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L

Bottle Group A (Water) With 4 Samples:

Bottle Type: P-500ML Number of Bottles: 4 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0)	Ammonia in aqueous matrices as mg N/L
Ammonia-N			
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0)	Nitrite/Nitrate in aqueous matrices as mg N/L
NO2NO3-N			
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Total Phosphorus in aqueous matrices as mg P/L
Total-P			
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0)	Total Kjeldahl Nitrogen in aqueous matrices
Kjeldahl Nitrogen			
W-TOC	Template: DEFAULT	(SM 5310 B-00)	Nonpurgeable Organic Carbon in aqueous matrices
Organic Carbon			

Bottle Type: P-125ML Number of Bottles: 4 Preserved With: FILTER-ICE

W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0)	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
O-Phosphate-P			

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.