Log-in Checklist

RQ- 2018-04-23-04 Login Station ID: #5

Shipping Method: FedEx | UPS | HD | Greyhound | _____ Date/Time of Receipt: 04/27/18 @ 10.20

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
			Yes	No	Yes	No	
Red	0.9°C	11		X			790803826491
RED	1.7°C	12		X			790803820480
RED	1.6°C	12		X			790803820517

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____ Date 04/27/18

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No X If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes ✓ No _____ **Containers intact? Yes ✓ No _____

**Sufficient Sample Volume: Yes ✓ No _____

CHLORINE CHECK (Blue dot on container)

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		X	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No _____ NA _____ Init: ~

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA X Init: ~

Coolers Unpacked/Checked by: Tyler R. Date: 04/27/18 NCRs (Y/N)? N

Event LSJR Coast NE-DIST-2018-04-27-02 (SMP) Date Received: 27-APR-2018 10:20 _____ NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Infrared Thermometer ID:	
pH Paper 0.0 – 3.0 Lot #	
pH Paper 0 – 13 Lot #	
Chlorine Test Strips Lot #	

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes_____ No_X_

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes_____ If No_____

no, were samples shipped on dry ice? Yes_____ No_____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes_____ No_____

Date and time samples preserved: _____

Request Number: RQ-2018-04-23-07

LSJR Coast

Florida Department of Environmental Protection
Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Project ID: SMP

Requester: Jeremy M. Parrish

Collected By: JParrish

Field Report Prepared By: JParrish

Sampling Agency: ~~FDEP~~ NERRS

Location WIN / Field ID: G2NE1137

Field ID / **WIN/STORE** Greenfield Creek @ Wonderwood Dr.

Latitude ☐ dd ☐ dms | Longitude ☐ dd ☐ dms

☐ Comp ☒ Grab | Collection (comp begin or grab) Date 4/26/18 Time 1000 Eastern Central | Composite end Date Time | Bottle Group(s) (See pg 2): A

Matrix (type, e.g., Salt, Fresh, etc): SALT | Diss. Oxygen 6.33 6.36 ☒ mg/L ☐ % sat | Total Res. Chlorine (mg/L)

Temp (C) 21.9 21.8 | pH 7.53 7.56 | Sample Depth 0.3 ☐ ft ☒ m | Sp. Conductance (umho/cm) 35,430 35,315

Salinity (ppt) 22.28 | Comments: Orthonot filtered in 15min

Location WIN ID: G2NE1137

Field ID Greenfield Creek at Wonderwood

WIN/STC Field ID: G2NE1137DUP

Latitude ☐ dd ☐ dms | Longitude ☐ dd ☐ dms

☐ Comp ☒ Grab | Collection (comp begin or grab) Date 4/26/18 Time 1010 Eastern Central | Composite end Date Time | Bottle Group(s): A

Matrix (type, e.g., Salt, Fresh, etc) | Diss. Oxygen ☐ mg/L ☐ % sat | Total Res. Chlorine (mg/L)

Temp (C) | pH | Sample Depth ☐ ft ☐ m | Sp. Conductance (umho/cm)

Salinity (ppt) | Comments: Ortho not filt. in 15min

Location WIN /Field ID: G2NE1154

Field ID

WIN/STORET # Greenfield Creek @ end of Buccaneer

Latitude ☐ dd ☐ dms | Longitude ☐ dd ☐ dms

] Comp ☒ Grab | Collection (comp begin or grab) Date 4/26/18 Time 1020 Eastern Central | Composite end Date Time | Bottle Group(s): A

latrix (type, e.g., Salt, Fresh, etc): SALT | Diss. Oxygen 6.37 ☒ mg/L ☐ % sat | Total Res. Chlorine (mg/L)

emp C) 21.9 | pH 7.53 | Sample Depth 0.3 ☐ ft ☒ m | Sp. Conductance (umho/cm) 35,315

Salinity (ppt) 22.28 | Comments: Ortho not filtered in 15min

Location WIN / Field ID: 27010002

Field ID

WIN/STORE SHERMAN CR AT BRIDGE

Latitude ☐ dd ☐ dms | Longitude ☐ dd ☐ dms

☐ Comp ☒ Grab | Collection (comp begin or grab) Date 4/26/18 Time 920 Eastern Central | Composite end Date Time | Bottle Group(s): A

Matrix (type, e.g., Salt, Fresh, etc): SALT | Diss. Oxygen 6.8 ☒ mg/L ☐ % sat | Total Res. Chlorine (mg/L)

Temp (C) 20.97 | pH 7.64 | Sample Depth 0.3 ☐ ft ☒ m | Sp. Conductance (umho/cm) 38135

Salinity (ppt) 24.26 | Comments: Ortho not filtered in 15m

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
Jeremy Parrish	4/26/18 1600	Fedex	5	Tyler R.	04/27/18 0700

Group: A	Bottle Type:	P-1L	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	ALKALINITY TURBIDITY W-F W-SO4-IC W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	CHLSUITE-W						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5 to ALS
	NE-ALS-ENQ						
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	PCR-FILTER						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 5	Preservative:	ICE	Enter Number of Bottles Sent to Lab	5
	W-E8321-DI W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 5	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	5
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 5	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	5
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	ALKALINITY TURBIDITY W-F W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1
	CHLSUITE-W						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	Enter Number of Bottles Sent to Lab	1 to ALS
	NE-ALS-ENQ						

Request Number: RQ-2018-04-23-07

LSJR Coast

Florida Department of Environmental Protection
Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Proiect ID: SMP

Requester: Jeremy M. Parrish

Collected By: JPann

Field Report Prepared By: JPann

Sampling Agency: FDEP NE

Location: Sherman Creek @ confl. Sanpablo

WIN / Field ID: 20030802

Field ID:

WIN/STC:

Latitude ☐ dd ☐ dms

Longitude ☐ dd ☐ dms

☐ Comp ☒ Grab | Collection (comp begin or grab) Date 4/26/18 Time 935 Eastern Central | Composite end Date Time | Bottle Group(s) (See pg 2): A

Matrix (type, e.g., Salt, Fresh, etc): SALT | Diss. Oxygen 6.85 ☒ mg/L ☐ % sat | Total Res. Chlorine (mg/L)

Temp (C) 20.95 | pH 7.66 | Sample Depth 0.3 ☐ ft ☒ m | Sp. Conductance (umho/cm) 38,477

Salinity (ppt) 24.5 | Comments: ortho not filtered in 15 min

Location: Sisters Creek @ Heckscher Dr.

WIN /Field ID: 20030491

Field ID:

WIN/STORI:

Latitude ☐ dd ☐ dms

Longitude ☐ dd ☐ dms

☐ Comp ☒ Grab | Collection (comp begin or grab) Date 4/26/18 Time 1100 Eastern Central | Composite end Date Time | Bottle Group(s): B

Matrix (type, e.g., Salt, Fresh, etc): SALT | Diss. Oxygen 7.1 ☒ mg/L ☐ % sat | Total Res. Chlorine (mg/L)

Temp (C) 21.46 | pH 7.72 | Sample Depth 0.3 ☐ ft ☒ m | Sp. Conductance (umho/cm) 40,130

Salinity (ppt) 25.7 | Comments: ortho not filtered in 15 min

Location

Field ID

WIN/STORET #

Latitude ☐ dd ☐ dms

Longitude ☐ dd ☐ dms

☐ Comp ☐ Grab | Collection (comp begin or grab) Date Time Eastern Central | Composite end Date Time | Bottle Group(s)

Matrix (type, e.g., Salt, Fresh, etc) | Diss. Oxygen ☐ mg/L ☐ % sat | Total Res. Chlorine (mg/L)

Temp (C) | pH | Sample Depth ☐ ft ☐ m | Sp. Conductance (umho/cm)

Salinity (ppt) | Comments

Location

Field ID

WIN/STORET #

Latitude ☐ dd ☐ dms

Longitude ☐ dd ☐ dms

☐ Comp ☐ Grab | Collection (comp begin or grab) Date Time Eastern Central | Composite end Date Time | Bottle Group(s)

Matrix (type, e.g., Salt, Fresh, etc) | Diss. Oxygen ☐ mg/L ☐ % sat | Total Res. Chlorine (mg/L)

Temp (C) | pH | Sample Depth ☐ ft ☐ m | Sp. Conductance (umho/cm)

Salinity (ppt) | Comments

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
JPann	4/26/18 1600	Fed ex	3	Tyler R.	04/27/18 @ 10:20

Group: A	Bottle Type:	P-1L	# of Bottles: 5	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	ALKALINITY TURBIDITY W-F W-SO4-IC W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 5	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	CHLSUITE-W						
Group: A	Bottle Type:	P-120ML-WC-THI	# of Bottles: 5	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	NE-ALS-ENQ						
Group: A	Bottle Type:	QPCR-P-500ML	# of Bottles: 5	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	PCR-FILTER						
Group: A	Bottle Type:	BG-500ML	# of Bottles: 5	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	W-E8321-DI W-E8321-MS						
Group: A	Bottle Type:	P-500ML	# of Bottles: 5	Preservative:	ICE And H2SO4	**Enter Number of Bottles Sent to Lab**	
	W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 5	Preservative:	FILTER-ICE	**Enter Number of Bottles Sent to Lab**	
	W-PO4-F						
Group: B	Bottle Type:	P-1L	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	ALKALINITY TURBIDITY W-F W-TSS						
Group: B	Bottle Type:	BP-1L	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	CHLSUITE-W						
Group: B	Bottle Type:	P-120ML-WC-THI	# of Bottles: 1	Preservative:	ICE	**Enter Number of Bottles Sent to Lab**	
	NE-ALS-ENQ						

Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	HNO3	**Enter Number of Bottles Sent to Lab** 1
	W-ICP					
	W-ICPMS					
Group: B	Bottle Type:	P-500ML	# of Bottles: 1	Preservative:	ICE And H2SO4	**Enter Number of Bottles Sent to Lab** 1
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: B	Bottle Type:	P-125ML	# of Bottles: 1	Preservative:	FILTER-ICE	**Enter Number of Bottles Sent to Lab** 1
	W-PO4-F					

CHAIN OF CUSTODY / LABORATORY ANALYSIS REQUEST FORM

ALS Environmental

9143 Philips Highway, Suite 200 Jacksonville, FL 32256 / Ph(904) 739-2277 / FAX (904) 739-2011

SR #

ALS Contact: Jerry Allen

Client Name	Project Number
FDEP-NE ROC	RQ-2018- 04-23-07
Report To	**Report CC**
Dep-Overflowmicro@dep.state.fl.us	LSJR COAST
Company/Address	
8800 Baymeadows Way W Jacksonville, Fl 32256	
Phone #	**FAX #**
904-256-1541	
Sampler's Signature	**Sampler's Printed Name**
Pat Comer	Pat Comer

ANALYSIS REQUESTED (Include Method Number and Container Preservative)

CLIENT SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	Matrix	NUMBER OF CONTAINERS	Preservat	E.Coli: 0	Enterococci: 0
27010002		4/26/18	920	SW	1			X
20030802			935		1			X
G2NE1137			1000		1			X
G2NE1137 dup			1010		1			X
G2NE 1154			1020		1			X
20030491			1100		1			X

Preservative Key
0. None
1. HCL
2. HNO3
3. H2SO4
4. NaOH
5. Zn. Acetate
6. MeOH
7. NaHSO4
8. Other ICe

REMARKS

0.3

Special Instructions/Comments: Email Report to: Dep-Overflowmicro@dep.state.fl.us

TURNAROUND REQUIREMENTS
- ___ RUSH (SURCHARGES APPLY)
- X STANDARD

REQUESTED FAX DATE
N/A
REQUESTED REPORT DATE
N/A

REPORT REQUIREMENTS
- I. Results Only
- II. Results + QC Summaries (LCS, DUP, MS/MSD as required)
- III. Results + QC and Calibration Summaries
- IV. Data Validation Report with Raw Data

Edata ___ Yes ___ No

INVOICE INFORMATION
P.O. # B10739
Bill to:

Relinquished By	Received By	Relinquished By	Received By	Relinquished By	Received By
Signature: Jeremy Parrish	Signature: Renee Futch	Signature	Signature	Signature	Signature
Printed Name: Jeremy Parrish	Printed Name: Renee Futch	Printed Name	Printed Name	Printed Name	Printed Name
Firm: FDEP NE	Firm: ALS	Firm	Firm	Firm	Firm
Date/Time: 4/26/18 1220	Date/Time: 4/26/18 12:20	Date/Time	Date/Time	Date/Time	Date/Time

RQ-2018-04-23-07

Date of Request: 01-MAR-2018
Created By: PARRISH_J On: 01-MAR-2018
Modified By: SWANSON_C On: 06-APR-2018
Customer: NE-DIST
Project: SMP
Division:
District: Northeast District
Sampling Event: LSJR Coast

Send Coolers To:

Phone: 904-256-1700
8800 Baymeadows Way West

Jacksonville, FL 32256-7577
Attn: Jeremy Parrish

Send Final Report To:

8800 Baymeadows Way West

Jacksonville, FL 32256-7577
Attn: Jeremy Parrish

Program Module Number:
Priority: 3
Event Status: S
Criminal Investigation: NO
Chemistry Request Reviewed By: WATTS_J On: 04-APR-2018
Biology Request Reviewed By: SWANSON_C On: 06-APR-2018
Sampling Kit Required: YES Ship on: 13-APR-2018
Sampling Kit Shipped: YES On: 10-APR-2018
Sampling Kit Packed By: REAVES_S
Preservatives Needed: NO
Date to Receive Samples: 23-APR-2018
Received By:

Report Type: Final Only
FTP Data: NO
QC Report: YES
Date Log: NO
Authorization Log: NO

Comments:

Bottle Group A (Water) With 5 Samples:

Bottle Type: P-1L	Number of Bottles: 5	Preserved With: ICE	
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L	
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices	
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices	
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices	
Bottle Type: BP-1L	Number of Bottles: 5	Preserved With: ICE	
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	
Bottle Type: QPCR-P-500ML	Number of Bottles: 5	Preserved With: ICE	
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis	
Bottle Type: BG-500ML	Number of Bottles: 5	Preserved With: ICE	
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	
W-E8321-MS	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	
Bottle Type: P-500ML	Number of Bottles: 5	Preserved With: ICE And H2SO4	
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L	
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L	
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L	
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices	
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices	
Bottle Type: P-125ML	Number of Bottles: 5	Preserved With: FILTER-ICE	
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	

Bottle Group B (Water) With 1 Samples:

Bottle Type:	Number of Bottles: 1	Preserved With: ICE	
NE-ALS-ENQ	Template: DEFAULT	(ASTM D650399) Enterococci by MPN by ALS Environmental Overflow Laboratory for NED	
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3	
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: HNO3

W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Chromium		
Iron		
Zinc		
W-ICPMS	Template: PRTY	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Nickel		
Silver		

Bottle Type: P-500ML Number of Bottles: 1 Preserved With: ICE And H2SO4

W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 1 Preserved With: FILTER-ICE

W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Type: P-1L Number of Bottles: 1 Preserved With: ICE

ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices

Bottle Type: BP-1L Number of Bottles: 1 Preserved With: ICE

CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.