

Log-in Checklist

RQ- 2018-06-04-23

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound | _____

Date/Time of Receipt: 6/15/18 10:05

Cooler ID	Cooler Temperature*	No. Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
			Present?		*Intact?		
Yes	No	Yes	No				
R50	0.6°C	8					

*If the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged, identify the containers in the affected cooler(s) on back of this form.

**Note: If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No _____ Date _____

CONTAINER CHECK

**Evidence Tape on Bottles? Yes _____ No ✓ If yes, is it intact? Yes _____ No _____

**Caps on tight? Yes ✓ No _____ **Containers intact? Yes ✓ No _____

**Sufficient Sample Volume: Yes ✓ No _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes _____ No ✓ Init: J.A.

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21			W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)			W-PCL-SQ-R		
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		
W-PAH (-R)			W-PSNP-TQ		

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No _____ NA _____ Init: J.A.

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No ✓ NA ✓ Init: J.A.

Coolers Unpacked/Checked by: J.A. Date: 6/15/18 NCRs (Y/N)? _____

Event ID: UE-DIST-2018-06-15-02 NCR # _____

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_04_2018
pH Paper 0.0 – 3.0 Lot #	230515 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:08/15/2019
Chlorine Test Strips Lot #	8062 EXP:12/2020

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check (W-HG-AF; W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Suw 3 SCIs

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: NE-DIST

Requester: Jeremy M. Parrish

Field Report Prepared By:

P. O'Connor

Project ID: SMP

Collected By:

J. Parrish, P. O'Connor

Sampling Agency:

DEAR NED ROC

WIN / Field ID:



G1NE0020

Rocky Creek at 156th av.

☐ Comp ☒ Grab	Collection (comp begin or grab) Date 06-14-18 Time 1135	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) (See pg 2) A	
Matrix (type, e.g., Salt, Fresh, etc) Surface Water Fresh		Diss. Oxygen 6.9	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L) —
Temp (C) 23.9	pH 7.34	Sample Depth 0.3	☐ ft ☒ m		Sp. Conductance (umho/cm) 77
Salinity (ppt) 0.03					Comments DO% 81.5

Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms

WIN / Field ID:



G1NE0919

Five Mile Cr. At SW 150th blvd

☐ Comp ☒ Grab	Collection (comp begin or grab) Date 06-14-18 Time 1210	☒ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) A	
Matrix (type, e.g., Salt, Fresh, etc) Surface Water Fresh		Diss. Oxygen 6.3	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L) —
Temp (C) 24.0	pH 6.65	Sample Depth 0.3	☐ ft ☒ m		Sp. Conductance (umho/cm) 70
Salinity (ppt) 0.03					Comments DO% 75.0

Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms

Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) —	
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments			

Location	☐ Comp ☐ Grab	Collection (comp begin or grab) Date _____ Time _____	☐ Eastern ☐ Central	Composite end Date _____ Time _____	Bottle Group(s) —	
Field ID	Matrix (type, e.g., Salt, Fresh, etc)		Diss. Oxygen	☐ mg/L ☐ % sat		Total Res. Chlorine (mg/L)
WIN/STORET #	Temp (C)	pH	Sample Depth	☐ ft ☐ m		Sp. Conductance (umho/cm)
Latitude ☐ dd ☐ dms Longitude ☐ dd ☐ dms	Salinity (ppt)		Comments			

Relinquished By: P. O'Connor	Date/Time 06-14-18 1430	Shipping Method Fed Ex	Number of Coolers Shipped: 1	Received By: G.2	Date/Time 6/15/18 10:05
---------------------------------	----------------------------	---------------------------	---------------------------------	---------------------	----------------------------

Group: A	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	ALKALINITY						
	TURBIDITY						
	W-CL-IC						
	W-COLOR						
	W-F						
	W-SO4-IC						
	W-TDS						
	W-TSS						
Group: A	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2
	CHLSUITE-W						
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab	2 to ALS JAX
	NE-ALS-ECQ						
Group: A	Bottle Type:	P-500ML	# of Bottles: 2	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab	2
	W-NH3						
	W-NO2NO3						
	W-S-A-TP						
	W-TKN						
	W-TOC						
Group: A	Bottle Type:	P-125ML	# of Bottles: 2	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab	2
	W-PO4-F						
Group: B	Bottle Type:	PJ-2L	# of Bottles: /	Preservative:	Formalin	Enter Number of Bottles Sent to Lab	0
	MI FW QLDG						



9143 Phillips Highway, Ste 200 • Jacksonville, FL 32256 (904) 739-2277 • 800-695-7222 x06 • FAX (904) 739-2011 PAGE 1 OF 1

CAS Contract

Copyright 2017 L. A. R. C.

Date of Request: 27-APR-2018
 Created By: PARRISH_J On: 27-APR-2018
 Modified By: SWANSON_C On: 18-MAY-2018
 Customer: NE-DIST
 Project: SMP
 Division:
 District: Northeast District
 Sampling Event: Suw 3 SCIs

Send Coolers To:

Phone: 904-256-1700
 8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Send Final Report To:

8800 Baymeadows Way West

 Jacksonville, FL 32256-7577
 Attn: Jeremy Parrish

Program Module Number:
 Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 17-MAY-2018
 Biology Request Reviewed By: SWANSON_C On: 18-MAY-2018
 Sampling Kit Required: YES Ship on: 25-MAY-2018
 Sampling Kit Shipped: YES On: 21-MAY-2018
 Sampling Kit Packed By: REYNOLDS_T
 Preservatives Needed: NO
 Date to Receive Samples: 04-JUN-2018
 Received By:

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments:**Bottle Group A (Water) With 2 Samples:**

Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type:	Number of Bottles: 2	Preserved With: ICE
NE-ALS-ECQ	Template: DEFAULT	(SM 9223 B) Escherichia coli by Colilert Quanti-Tray method by ALS Environmental Laboratory
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H ₂ SO ₄
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Biological) With 2 Samples:

Bottle Type: PJ-2L	Number of Bottles: 4	Preserved With: Formalin
MI-FW-QLDC	Template: DEFAULT	(SOP-IZ06) No. Taxa of FW macroinverts, qual samp, 20 dipnets.

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

Do Not Lift Using This

ORIGIN ID: TLHA (904) 807-3300
JEREMY PARRISH
FL DEP NORTHEAST DISTRICT
8800 BAYMEADOWS WAY WEST
SUITE 100
JACKSONVILLE, FL 32256
UNITED STATES US

SHIP DATE: 07MAY18
ACTWGT: 15.00 LB MAN
CAD: 0446970/CAFE3111

TO **JOHN WATTS**
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(850) 245-8077

REF:

DEPT:

RMA: ||| ||| |||

FedEx
Express



FedEx

TRK#
0221 4385 5029 2190

RETURNS MON FR
FRI - 15 JUN 10:30A
PRIORITY OVERNIGHT

36 TLHA

32399
FL-US
TLH



FID 3654280 14JUN18 NRBA 546C1/48E5/0C8A