

Chemical Analysis Report

NE-DIST-2018-10-30-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Nassau East West**
Request ID: **RQ-2018-10-29-15**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Jacksonville, FL 32256-7577
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 20-NOV-2018 12:57

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the "T" and a long horizontal stroke at the end.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: ST MARYS R S PRONG @ SR 125

Collection Date/Time: 10/29/2018 09:30

Field ID: 19010018

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2037227	EPA 180.1 Rev. 2.0	Turbidity	2.5		NTU	P353926	
	EPA 300.0 Rev. 2.1	Chloride	11		mg Cl/L	P354210	
		Sulfate	0.33	I	mg SO4/L	P354212	
	SM 2120 B	Color (true)	300		PCU	P353970	RPD
	SM 2320 B-97	Total Alkalinity	5.7		mg CaCO3/L	P354136	
	SM 2540 C-97	TDS	93		mg/L	P354570	
	SM 2540 D-97	TSS	3	I	mg/L	P354493	
	SM 4500 F-C-97	Fluoride	0.040	I	mg F/L	P354138	
2037230	EPA 350.1 Rev. 2.0	Ammonia-N	0.040		mg N/L	P354177	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.0		mg N/L	P354342	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.23		mg N/L	P354222	
	EPA 365.1 Rev. 2.0	Total-P	0.048		mg P/L	P354061	
	SM 5310 B-00	Organic Carbon	30		mg C/L	P354253	
2037233	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.025		mg P/L	P353929	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: ST MARYS R S PRONG @ US90

Collection Date/Time: 10/29/2018 10:05

Field ID: 19010021

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2037228	EPA 180.1 Rev. 2.0	Turbidity	3.1		NTU	P353926	
	EPA 300.0 Rev. 2.1	Chloride	18		mg Cl/L	P354210	
		Sulfate	5.4		mg SO4/L	P354212	
	SM 2120 B	Color (true)	200		PCU	P353970	RPD
	SM 2320 B-97	Total Alkalinity	24		mg CaCO3/L	P354136	
	SM 2540 C-97	TDS	114		mg/L	P354570	
	SM 2540 D-97	TSS	3	I	mg/L	P354493	
	SM 4500 F-C-97	Fluoride	0.097	I	mg F/L	P354138	
2037231	EPA 350.1 Rev. 2.0	Ammonia-N	0.031		mg N/L	P354177	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.70		mg N/L	P354342	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.48		mg N/L	P354222	
	EPA 365.1 Rev. 2.0	Total-P	0.34		mg P/L	P354061	
	SM 5310 B-00	Organic Carbon	20		mg C/L	P354253	
2037234	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.29		mg P/L	P353929	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: ST MARYS S PRONG @ CR 23C

Collection Date/Time: 10/29/2018 10:35

Field ID: 19010023

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2037229	EPA 180.1 Rev. 2.0	Turbidity	3.0		NTU	P353926	
	EPA 300.0 Rev. 2.1	Chloride	16		mg Cl/L	P354898	MS
		Sulfate	3.8		mg SO4/L	P354901	MS
	SM 2120 B	Color (true)	150		PCU	P353970	RPD
	SM 2320 B-97	Total Alkalinity	29		mg CaCO3/L	P354136	
	SM 2540 C-97	TDS	112		mg/L	P354570	
	SM 2540 D-97	TSS	3	I	mg/L	P354493	
	SM 4500 F-C-97	Fluoride	0.086	I	mg F/L	P354138	
2037232	EPA 350.1 Rev. 2.0	Ammonia-N	0.021		mg N/L	P354177	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.50		mg N/L	P354342	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.49		mg N/L	P354222	
	EPA 365.1 Rev. 2.0	Total-P	0.19		mg P/L	P354061	
	SM 5310 B-00	Organic Carbon	14		mg C/L	P354253	
2037235	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.16		mg P/L	P353929	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P353926

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354210

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354212

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354898

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354901

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P354177

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P354342

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P354222

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P354061

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P353929

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P353970

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P354136

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO ₃ /L

Reference Method: SM 2540 C-97
Batch ID: P354570

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P354493

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P354138

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P354253

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354210

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354212

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354898

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354901

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	98.9		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P354177

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	98.7		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P354342

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P354222

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	102		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P354061

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P353929

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.2		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 2120 B
Batch ID: P353970

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	98.1		P	90 - 110

Reference Method: SM 2320 B-97
Batch ID: P354136

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	101		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P354138

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.5		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P354253

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	99.2		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354210

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2036716	Chloride	99.1		P	90 - 110
2036983	Chloride	99.1		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354212

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2036716	Sulfate	102		P	90 - 110
2036983	Sulfate	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354898

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2037274	Chloride	91.9		P	90 - 110
2037395	Chloride	79.5		F	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354901

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2037274	Sulfate	92.4		P	90 - 110
2037395	Sulfate	84.9		F	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P354177

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2037214	Ammonia-N	95.2	95.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P354342

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2037213	Kjeldahl Nitrogen	99.8	99.2	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P354222

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2037212	NO2NO3-N	104	106	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P354061

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2037261	Total-P	99.8	99.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P353929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P353929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2037215	O-Phosphate-P	98.1	99.0	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P354138

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2037336	Fluoride	98.5	97.9	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P354253

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2036787	Organic Carbon	100	105	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P353926

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037271	Turbidity	0.218	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354210

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2036716	Chloride	0.814	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354212

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2036716	Sulfate	1.29	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354898

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037274	Chloride	0.973	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P354901

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037274	Sulfate	1.21	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P354177

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037214	Ammonia-N	0.252	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P354342

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037213	Kjeldahl Nitrogen	0.426	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P354222

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037212	NO2NO3-N	1.43	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 365.1 Rev. 2.0
 Batch ID: P354061

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037261	Total-P	0.215	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
 Batch ID: P353929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037215	O-Phosphate-P	0.913	Spike	P	0 - 20

Reference Method: SM 2120 B
 Batch ID: P353970

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037251	Color (true)	21.0	Sample	F	0 - 20

Reference Method: SM 2320 B-97
 Batch ID: P354136

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037336	Total Alkalinity	1.08	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
 Batch ID: P354570

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037271	TDS	7.29	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
 Batch ID: P354138

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2037336	Fluoride	0.470	Spike	P	0 - 3.5

Reference Method: SM 5310 B-00
 Batch ID: P354253

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2036787	Organic Carbon	3.04	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
 Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A87368

Included Lab Sample IDs: 2037227, 2037228

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	103	103	P/P	90 - 110
Sulfate	101	101	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A87395

Included Lab Sample IDs: 2037227, 2037228, 2037229

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A87396

Included Lab Sample IDs: 2037233, 2037234, 2037235

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	99.4	99.8	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A87413

Included Lab Sample IDs: 2037227, 2037228, 2037229

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	103	99.6	P/P	85 - 115
Color (true)	99.7	96.9	P/P	85 - 115

Reference Method: SM 2320 B-97

Run ID: A87486

Included Lab Sample IDs: 2037227, 2037228, 2037229

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	99.1	P/P	90 - 110
Total Alkalinity	99.1	103	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A87486

Included Lab Sample IDs: 2037227, 2037228, 2037229

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	99.5	P/P	90 - 110
Fluoride	101	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A87489

Included Lab Sample IDs: 2037230

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.2	99.2	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A87493

Included Lab Sample IDs: 2037231, 2037232

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	102	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A87504

Included Lab Sample IDs: 2037230, 2037231, 2037232

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	101	99.3	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A87529

Included Lab Sample IDs: 2037230, 2037231, 2037232

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	103	103	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A87546

Included Lab Sample IDs: 2037230, 2037231, 2037232

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	97.1	97.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A87646

Included Lab Sample IDs: 2037230, 2037231, 2037232

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	100	101	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A87809

Included Lab Sample IDs: 2037229

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	92.8	95.3	P/P	90 - 110
Sulfate	91.6	93.6	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity					0.218	
EPA 300.0 Rev. 2.1	Chloride	102	99.1	99.1		0.814	
	Chloride	102	91.9	79.5		0.973	
	Sulfate	102	102	102		1.29	
	Sulfate	98.9	92.4	84.9		1.21	
EPA 350.1 Rev. 2.0	Ammonia-N	98.7	95.2	95.0			0.252
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	99.8	99.2			0.426
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	102	104	106			1.43
EPA 365.1 Rev. 2.0	Total-P	101	99.8	99.4			0.215
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.2	98.1	99.0			0.913
SM 2120 B	Color (true)	98.1				21.0	
SM 2320 B-97	Total Alkalinity	101				1.08	
SM 2540 C-97	TDS					7.29	
SM 4500 F-C-97	Fluoride	99.5	98.5	97.9			0.470
SM 5310 B-00	Organic Carbon	99.2	100	105			3.04

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2037227, 2037228, 2037229
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2037227, 2037228, 2037229
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2037227, 2037228, 2037229
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2037230, 2037231, 2037232
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2037230, 2037231, 2037232
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2037230, 2037231, 2037232
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2037230, 2037231, 2037232
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2037233, 2037234, 2037235
SM 2120 B / E31780	True Color measured at 450 nm	2037227, 2037228, 2037229
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2037227, 2037228, 2037229
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2037227, 2037228, 2037229
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2037227, 2037228, 2037229
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2037227, 2037228, 2037229
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2037230, 2037231, 2037232

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	10/30/2018			10/30/2018 14:49	Megan Treadwell	2037227, 2037228, 2037229
EPA 300.0 Rev. 2.1	10/30/2018			11/02/2018 00:00	Lipi Saha	2037227
	10/30/2018			11/02/2018 00:12	Lipi Saha	2037228
	10/30/2018			11/15/2018 18:56	Lipi Saha	2037229
EPA 350.1 Rev. 2.0	10/30/2018			11/02/2018 15:03	Julia Storbeck	2037230
	10/30/2018			11/02/2018 15:05	Julia Storbeck	2037231
	10/30/2018			11/02/2018 15:06	Julia Storbeck	2037232
EPA 351.2 Rev. 2.0	10/30/2018	11/07/2018 11:50	Adrian Shelby	11/08/2018 12:47	Joseph Suarez	2037230
	10/30/2018	11/07/2018 11:50	Adrian Shelby	11/08/2018 12:49	Joseph Suarez	2037231
	10/30/2018	11/07/2018 11:50	Adrian Shelby	11/08/2018 12:51	Joseph Suarez	2037232
EPA 353.2 Rev. 2.0	10/30/2018			11/05/2018 13:04	Lauren Bottorf	2037230
	10/30/2018			11/05/2018 13:05	Lauren Bottorf	2037231
	10/30/2018			11/05/2018 13:06	Lauren Bottorf	2037232
EPA 365.1 Rev. 2.0	10/30/2018	11/01/2018 12:35	Sima Feizi	11/02/2018 10:16	Beverly Y. Sanders	2037231
	10/30/2018	11/01/2018 12:35	Sima Feizi	11/02/2018 10:17	Beverly Y. Sanders	2037232
	10/30/2018	11/01/2018 12:35	Sima Feizi	11/02/2018 12:14	Beverly Y. Sanders	2037230
EPA 365.1 Rev. 2.0 dissolved	10/30/2018			10/30/2018 15:20	Julia Storbeck	2037233
	10/30/2018			10/30/2018 15:21	Julia Storbeck	2037234
	10/30/2018			10/30/2018 15:22	Julia Storbeck	2037235
SM 2120 B	10/30/2018			10/30/2018 16:21	Chelsea Hernandez	2037229
	10/30/2018			10/30/2018 16:56	Chelsea Hernandez	2037227, 2037228
SM 2320 B-97	10/30/2018			11/01/2018 22:54	Dale L. Simmons	2037227
	10/30/2018			11/01/2018 23:30	Dale L. Simmons	2037228
	10/30/2018			11/01/2018 23:40	Dale L. Simmons	2037229
SM 2540 C-97	10/30/2018			11/02/2018 16:03	Yijie Li	2037227, 2037228, 2037229
SM 2540 D-97	10/30/2018			11/02/2018 16:03	Yijie Li	2037227, 2037228, 2037229
SM 4500 F-C-97	10/30/2018			11/01/2018 22:54	Dale L. Simmons	2037227
	10/30/2018			11/01/2018 23:30	Dale L. Simmons	2037228
	10/30/2018			11/01/2018 23:40	Dale L. Simmons	2037229
SM 5310 B-00	10/30/2018			11/05/2018 11:13	Megan Treadwell	2037230
	10/30/2018			11/05/2018 11:26	Megan Treadwell	2037231
	10/30/2018			11/05/2018 11:38	Megan Treadwell	2037232