

Chemical Analysis Report

CEN-DIST-2018-08-21-01

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SJR S of Dexter**
Request ID: **RQ-2018-08-20-23**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Mike Linger

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Kerry Tate, Ph.D., Environmental Administrator

Date Certified: 05-SEP-2018 12:03

A handwritten signature in black ink that reads "Kerry Tate". The signature is written in a cursive, flowing style with a horizontal line above the first name.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: SJR @ 700m South of Lake Dexter

Collection Date/Time: 08/20/2018 09:55

Field ID: G2CE0164

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2018655	EPA 180.1 Rev. 2.0	Turbidity	2.0	A	NTU	P350635	
	EPA 300.0 Rev. 2.1	Chloride	87		mg Cl/L	P350844	
		Sulfate	16		mg SO4/L	P350847	
	SM 2120 B	Color (true)	250		PCU	P350541	
	SM 2320 B-97	Total Alkalinity	54		mg CaCO3/L	P350792	
	SM 2540 C-97	TDS	288		mg/L	P350818	
	SM 2540 D-97	TSS	4	I	mg/L	P350809	
	SM 4500 F-C-97	Fluoride	0.093	I	mg F/L	P350795	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.037		mg N/L	P350718	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.1		mg N/L	P350704	
2018656	EPA 353.2 Rev. 2.0	NO2NO3-N	0.079		mg N/L	P350669	
	EPA 365.1 Rev. 2.0	Total-P	0.13		mg P/L	P350861	
	SM 5310 B-00	Organic Carbon	23		mg C/L	P350674	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.11		mg P/L	P350534	
	EPA 200.7 Rev. 4.4	Calcium	25.9		mg/L	P350545	
2018660		Iron	490		ug/L	P350545	
		Magnesium	7.59		mg/L	P350545	
		Potassium	2.6		mg/L	P350545	
		Sodium	49.1		mg/L	P350545	
		Zinc	6.4	I	ug/L	P350545	
	EPA 200.8 Rev. 5.4	Arsenic	0.80		ug/L	P350545	
		Cadmium	0.020	U	ug/L	P350545	
		Chromium	0.42	I	ug/L	P350545	
		Copper	0.34	I	ug/L	P350545	
		Lead	0.27		ug/L	P350545	
		Nickel	0.26	I	ug/L	P350545	
		Silver	0.010	U	ug/L	P350545	

Ref. Method and Comment:

SM 2540 D-97: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P350635

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P350545

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P350545

Component	Result	Code	Units
Arsenic	0.050	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Copper	0.20	U	ug/L
Lead	0.050	U	ug/L
Nickel	0.20	U	ug/L
Silver	0.010	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350844

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350847

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P350718

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P350704

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P350669

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P350861

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P350534

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2120 B
Batch ID: P350541

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: SM 2320 B-97
Batch ID: P350792

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-97
Batch ID: P350818

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-97
Batch ID: P350809

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500 F-C-97
Batch ID: P350795

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Reference Method: SM 5310 B-00
Batch ID: P350674

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P350545

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	107		P	85 - 115
Iron	105		P	85 - 115
Magnesium	108		P	85 - 115
Potassium	102		P	85 - 115
Sodium	105		P	85 - 115
Zinc	101		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P350545

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Arsenic	99.3		P	85 - 115
Cadmium	104		P	85 - 115
Chromium	97.9		P	85 - 115
Copper	96.1		P	85 - 115
Lead	101		P	85 - 115
Nickel	99.3		P	85 - 115
Silver	99.8		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350844

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350847

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P350718

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	100		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P350704

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	103		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P350669

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	101		P	90 - 110

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P350861

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	99.9		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P350534

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	98.4		P	90 - 110

Reference Method: SM 2120 B
Batch ID: P350541

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	85 - 115

Reference Method: SM 2320 B-97
Batch ID: P350792

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	103		P	98 - 107

Reference Method: SM 4500 F-C-97
Batch ID: P350795

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.6		P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P350674

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	98.0		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P350545

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018099	Calcium	99.4	103	P/P	80 - 120
2018099	Iron	102	105	P/P	80 - 120
2018099	Magnesium	104	108	P/P	80 - 120
2018099	Potassium	102	106	P/P	80 - 120
2018099	Sodium	99.4	102	P/P	80 - 120
2018099	Zinc	103	104	P/P	80 - 120
2018202	Calcium	101		P	80 - 120
2018202	Iron	101		P	80 - 120
2018202	Magnesium	102		P	80 - 120
2018202	Potassium	100		P	80 - 120
2018202	Zinc	98.5		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P350545

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018099	Arsenic	98.5	98.3	P/P	80 - 120
2018099	Cadmium	101	103	P/P	80 - 120
2018099	Chromium	90.9	94.5	P/P	80 - 120
2018099	Copper	96.8	97.2	P/P	80 - 120
2018099	Lead	96.8	98.4	P/P	80 - 120
2018099	Nickel	96.8	97.6	P/P	80 - 120
2018099	Silver	96.1	98.1	P/P	80 - 120
2018202	Arsenic	102		P	80 - 120
2018202	Cadmium	103		P	80 - 120
2018202	Chromium	93.7		P	80 - 120
2018202	Copper	94.8		P	80 - 120
2018202	Lead	101		P	80 - 120
2018202	Nickel	96.5		P	80 - 120
2018202	Silver	97.0		P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350844

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018525	Chloride	92.1		P	90 - 110
2018769	Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350847

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018525	Sulfate	94.3		P	90 - 110
2018769	Sulfate	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P350718

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018767	Ammonia-N	102	101	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P350704

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018611	Kjeldahl Nitrogen	105	108	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P350669

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018621	NO2NO3-N	98.0	100	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P350861

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018672	Total-P	100	97.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P350534

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018547	O-Phosphate-P	98.8	99.3	P/P	90 - 110

Reference Method: SM 4500 F-C-97
Batch ID: P350795

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018523	Fluoride	99.1	98.6	P/P	91 - 105

Reference Method: SM 5310 B-00
Batch ID: P350674

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2018620	Organic Carbon	95.8	96.4	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P350635

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018655	Turbidity	5.05	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P350545

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018099	Calcium	2.31	Spike	P	0 - 20
2018099	Iron	2.65	Spike	P	0 - 20
2018099	Magnesium	2.56	Spike	P	0 - 20
2018099	Potassium	3.80	Spike	P	0 - 20
2018099	Sodium	1.49	Spike	P	0 - 20
2018099	Zinc	0.674	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P350545

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018099	Arsenic	0.215	Spike	P	0 - 20
2018099	Cadmium	1.94	Spike	P	0 - 20
2018099	Chromium	3.65	Spike	P	0 - 20
2018099	Copper	0.513	Spike	P	0 - 20
2018099	Lead	1.63	Spike	P	0 - 20
2018099	Nickel	0.795	Spike	P	0 - 20
2018099	Silver	2.03	Spike	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350844

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018525	Chloride	1.04	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P350847

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018525	Sulfate	1.50	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P350718

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018767	Ammonia-N	0.625	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P350704

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018611	Kjeldahl Nitrogen	1.63	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P350669

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018621	NO2NO3-N	1.57	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P350861

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018672	Total-P	1.75	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P350534

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018547	O-Phosphate-P	0.505	Spike	P	0 - 20

Reference Method: SM 2120 B
Batch ID: P350541

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018508	Color (true)	0.540	Sample	P	0 - 20

Reference Method: SM 2320 B-97
Batch ID: P350792

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018523	Total Alkalinity	0.207	Sample	P	0 - 1.6

Reference Method: SM 2540 C-97
Batch ID: P350818

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018411	TDS	2.82	Sample	P	0 - 10

Reference Method: SM 4500 F-C-97
Batch ID: P350795

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018523	Fluoride	0.484	Spike	P	0 - 3.5

Quality Assurance Report Precision

Reference Method: SM 5310 B-00
Batch ID: P350674

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2018620	Organic Carbon	0.356	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.
Replicate spike precision may be reported when sample results are below quantifiable levels.

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A86033

Included Lab Sample IDs: 2018657

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	100	P/P	90 - 110

Reference Method: SM 2120 B

Run ID: A86034

Included Lab Sample IDs: 2018655

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	99.9	101	P/P	90 - 115

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A86035

Included Lab Sample IDs: 2018655

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	102	102	P/P	95 - 105

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A86049

Included Lab Sample IDs: 2018655

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	102	100	P/P	90 - 110
Sulfate	102	99.7	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A86066

Included Lab Sample IDs: 2018660

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	97.0	98.3	P/P	90 - 110
Iron	98.0	97.9	P/P	90 - 110
Magnesium	97.7	97.3	P/P	90 - 110
Potassium	97.0	96.9	P/P	90 - 110
Sodium	98.0	99.6	P/P	90 - 110
Zinc	99.7	97.5	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A86085

Included Lab Sample IDs: 2018656

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	101	101	P/P	90 - 110

Reference Method: SM 5310 B-00

Run ID: A86088

Included Lab Sample IDs: 2018656

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.3	96.1	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A86114

Included Lab Sample IDs: 2018656

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	103	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A86120

Included Lab Sample IDs: 2018660

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Arsenic	95.2	95.2	P/P	90 - 110
Cadmium	96.9	97.0	P/P	90 - 110
Chromium	92.2	93.0	P/P	90 - 110
Copper	94.2	93.7	P/P	90 - 110
Lead	100	101	P/P	90 - 110
Nickel	94.0	93.5	P/P	90 - 110
Silver	95.2	95.3	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A86128

Included Lab Sample IDs: 2018656

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	101	104	P/P	90 - 110

Reference Method: SM 2320 B-97

Run ID: A86129

Included Lab Sample IDs: 2018655

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	101	104	P/P	90 - 110

Reference Method: SM 4500 F-C-97

Run ID: A86129

Included Lab Sample IDs: 2018655

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	99.0	101	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A86163

Included Lab Sample IDs: 2018656

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.6	101	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements. Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
EPA 180.1 Rev. 2.0	Turbidity						5.05	
EPA 200.7 Rev. 4.4	Calcium	107	99.4	103	101			2.31
	Iron	105	102	105	101			2.65
	Magnesium	108	104	108	102			2.56
	Potassium	102	102	106	100			3.80
	Sodium	105	99.4	102				1.49
	Zinc	101	103	104	98.5			0.674
EPA 200.8 Rev. 5.4	Arsenic	99.3	98.5	98.3	102			0.215
	Cadmium	104	101	103	103			1.94
	Chromium	97.9	90.9	94.5	93.7			3.65
	Copper	96.1	96.8	97.2	94.8			0.513
	Lead	101	96.8	98.4	101			1.63
	Nickel	99.3	96.8	97.6	96.5			0.795
	Silver	99.8	96.1	98.1	97.0			2.03
EPA 300.0 Rev. 2.1	Chloride	102	92.1	102			1.04	
	Sulfate	101	94.3	103			1.50	
EPA 350.1 Rev. 2.0	Ammonia-N	100	102	101				0.625
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	103	105	108				1.63
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	101	98.0	100				1.57
EPA 365.1 Rev. 2.0	Total-P	99.9	100	97.4				1.75
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	98.4	98.8	99.3				0.505
SM 2120 B	Color (true)	101					0.540	
SM 2320 B-97	Total Alkalinity	103					0.207	
SM 2540 C-97	TDS						2.82	
SM 4500 F-C-97	Fluoride	99.6	99.1	98.6				0.484
SM 5310 B-00	Organic Carbon	98.0	95.8	96.4				0.356

Reference Method Descriptions

Method / DoH Cert #	Description	Associated Samples
EPA 180.1 Rev. 2.0 / E31780	Turbidity in aqueous matrices	2018655
EPA 200.7 Rev. 4.4 / E31780	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2018660
EPA 200.8 Rev. 5.4 / E31780	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2018660
EPA 300.0 Rev. 2.1 / E31780	Chloride in aqueous matrices	2018655
EPA 300.0 Rev. 2.1 / E31780	Sulfate in aqueous matrices	2018655
EPA 350.1 Rev. 2.0 / E31780	Ammonia in aqueous matrices as mg N/L	2018656
EPA 351.2 Rev. 2.0 / E31780	Total Kjeldahl Nitrogen in aqueous matrices	2018656
EPA 353.2 Rev. 2.0 / E31780	Nitrite/Nitrate in aqueous matrices as mg N/L	2018656
EPA 365.1 Rev. 2.0 / E31780	Total Phosphorus in aqueous matrices as mg P/L	2018656
EPA 365.1 Rev. 2.0 dissolved / E31780	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2018657
SM 2120 B / E31780	True Color measured at 450 nm	2018655
SM 2320 B-97 / E31780	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2018655
SM 2540 C-97 / E31780	Total Dissolved Solids in aqueous matrices	2018655
SM 2540 D-97 / E31780	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2018655
SM 4500 F-C-97 / E31780	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2018655

Reference Method Descriptions

Method / DoH Cert #	Description	<u>Associated Samples</u>
SM 5310 B-00 / E31780	Nonpurgeable Organic Carbon in aqueous matrices	2018656

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	08/21/2018			08/21/2018 16:11	Megan Treadwell	2018655
EPA 200.7 Rev. 4.4	08/21/2018	08/21/2018 17:45	Elliott D. Healy	08/22/2018 19:20	Betina Topolski	2018660
EPA 200.8 Rev. 5.4	08/21/2018	08/21/2018 17:45	Elliott D. Healy	08/25/2018 00:37	Allison Taylor	2018660
EPA 300.0 Rev. 2.1	08/21/2018			08/23/2018 22:22	Lipi Saha	2018655
EPA 350.1 Rev. 2.0	08/21/2018			08/24/2018 10:58	Ping Hua	2018656
EPA 351.2 Rev. 2.0	08/21/2018	08/24/2018 11:15	Adrian Shelby	08/27/2018 15:26	Joseph Suarez	2018656
EPA 353.2 Rev. 2.0	08/21/2018			08/23/2018 13:56	Lauren Bottorf	2018656
EPA 365.1 Rev. 2.0	08/21/2018	08/28/2018 15:06	Sima Feizi	08/29/2018 08:03	Beverly Y. Sanders	2018656
EPA 365.1 Rev. 2.0 dissolved	08/21/2018			08/21/2018 15:17	Virginia P. Brown	2018657
SM 2120 B	08/21/2018			08/21/2018 16:53	William L. Brown IV	2018655
SM 2320 B-97	08/21/2018			08/25/2018 05:04	Dale L. Simmons	2018655
SM 2540 C-97	08/21/2018			08/22/2018 15:33	Yijie Li	2018655
SM 2540 D-97	08/21/2018			08/22/2018 15:33	Yijie Li	2018655
SM 4500 F-C-97	08/21/2018			08/25/2018 05:04	Dale L. Simmons	2018655
SM 5310 B-00	08/21/2018			08/23/2018 06:21	Megan Treadwell	2018656