



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

April 13, 2018

Arielle Taylor-Manges
DEP-Bureau of Labs-Biology Section
Twin Towers Lab Complex A RM 216 6515
Tallahassee, FL 32399
TEL: (850) 245-8191
FAX:

RE: DEP Fecals

Order No.: 1804329

Dear Arielle Taylor-Manges:

Sanders Laboratories, Inc received 3 sample(s) on 4/9/2018 for the analyses presented in the following report.

These pages may include, but are not limited to: Analytical Data, Chains of Custodies, Subcontracted Data and Case Narratives.

Reports are archived for a minimum of 5 years. Copies of reports are available for a fee of \$50.00. Copies will be provided within 2 weeks of the time of the request.
Laboratory PQL's are available upon request.

Test results meet all the requirements of the NELAP standards, unless otherwise noted.
Nokomis Certificate # E84380 Fort Myers Certificate # E85457

A statement of estimated uncertainty of results is available upon request.
Laboratory report shall not be reproduced except in full, without the written approval of Sanders Laboratories.

Sanders Laboratories follows DEP standard operating procedures for field sampling, unless otherwise noted.

Katie Strothman
Laboratory Director



*Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net*

Definition Only

WO#: 1804329
Date: 4/13/2018

Definitions:

B: Results based upon colony counts outside the acceptable range.

G: Sample value indicates that the analyte was detected at or above the method detection limit in both the sample and the associated field blank, equipment blank, or trip blank, and the blank value was greater than 10% of the associated sample value. The value in the blank shall not be subtracted from associated samples.

I: The reported value is greater than or equal to the laboratory MDL but less than the laboratory PQL.

J: Estimated Value.

J7: Excessive amounts of Sodium Sulfite used to dechlorinate the sample due to high levels of chlorine present.

K: Off scale low, actual value is known to be less than the value given.

L: Off scale high, actual value is known to be greater than the value given.

NC: Not Certified. Parameter was ran but is not covered under laboratory accredited scopes.

Q: Sample held beyond acceptable holding time.

U: The compound was analyzed for, but not detected.

V: Indicates that the analyte was detected at or above the MDL in both the sample and the associated method blank and the value of 10 times the blank value was equal to or greater than the associated sample value.

Y: The laboratory analysis was from an improperly preserved sample.

Z: Too many colonies were present for accurate counting.

Original



Ft. Myers Lab02
10090 Bavaria Rd.
Fort Myers, FL 33913
TEL: (239) 590-0337 FAX: (239) 590-0536
Website: www.sanderslabs.net

Analytical Report

(continuous)

WO#: 1804329

Date Reported: 4/13/2018

CLIENT: DEP-Bureau or Labs-Biology Section

Lab Order: 1804329

Project: DEP Fecals

Lab ID: 1804329-001

Collection Date: 4/9/2018 9:50:00 AM

Client Sample ID: G3SD0068 MYAKKA RIVER (TIDAL) @US 41

Matrix: MARINE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ENTEROCOCCUS

ENTEROLERT

Analyst: TC

Enterococcus	102	10.0		MPN/100mL	10	4/9/2018 2:14:00 PM
--------------	-----	------	--	-----------	----	---------------------

Lab ID: 1804329-002

Collection Date: 4/9/2018 10:20:00 AM

Client Sample ID: G3SD0070 ROCK CREEK@ EISENHOWER DR.

Matrix: MARINE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ENTEROCOCCUS

ENTEROLERT

Analyst: TC

Enterococcus	250	10.0		MPN/100mL	10	4/9/2018 2:14:00 PM
--------------	-----	------	--	-----------	----	---------------------

Lab ID: 1804329-003

Collection Date: 4/9/2018 10:55:00 AM

Client Sample ID: G3SD0069 APOLLO WATERWAY @ BEND

Matrix: MARINE WATER

Analyses	Result	MDL	Qual	Units	DF	Date Analyzed
----------	--------	-----	------	-------	----	---------------

ENTEROCOCCUS

ENTEROLERT

Analyst: TC

Enterococcus	84.0	10.0		MPN/100mL	10	4/9/2018 2:14:00 PM
--------------	------	------	--	-----------	----	---------------------

Qualifiers:

H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
RL	Reporting Detection Limit
W	Sample container temperature is out of limit as specified at testcode

M	Manual Integration used to determine area response
PL	Permit Limit
U	Samples with CalcVal < MDL



CHAIN OF CUSTODY RECORD

Project #
(Lab Use Only)

1804329

Client Florida Dept. of Environmental Protection

Address 2600 Blairstone Rd. Tallahassee, FL 32399

Phone 850-245-8085

Fax

Report To: DEP-OverflowMicro@dep.state.fl.us

Bill to: Carina Tull

P.O. # LAB #039

Preservative: HCL = H, HNO₃ = N, Na₂S₂O₃ = STH₂SO₄ = S, NaOH = SH, NH₄Cl = NH

Project Name:

Myakka Streams - SM

Project Location:

Charlotte, Sarasota County

Customer Type:

FL DEP - S ROC

Kit #:

Requested Due Date:

Sampled By (PRINT)

Maryann Dugan

Sampler Signature

Maryann Dugan

Preservatives

Sample

Matrix	Sample Description	Date	Time	Type	T	S	S	ENTERD	Sample ID # (Lab Use Only)
SW									
Salt	G3SD0068	04/09/18	0950	GRAB	X			X	1A
	Myakka River (Tidal) @ US 41								
Salt	G3SD0070	04/09/18	1020	GRAB	X			X	2A
	Rock Creek @ Eisenhower Dr								
Salt	G3SD0069	04/09/18	1055	GRAB	X			X	3A
	Apollo Waterway @ Bend								

Bottle Lot #	Relinquished By/Affiliation	Date	Time	Accepted By/Affiliation	Date	Time
Samples are ambient water	Maryann Dugan	04/09/18		MA	04/09/18	1233
Client Initial:	FL DEP - S ROC					
RQ-2018-04-09-38						
5.2						
Samples On Ice						
Yes No						

1050 Endeavor Ct, Nokomis, FL 34275-3623 (941) 488-8103 fax(941) 484-6774

10090 Bavaria Rd., Fort Myers, FL 33913 (239) 590-0337 fax (239) 590-0536

Form #: RCF -02 Approved by: KS 7/11/2016