BENCHMARK EA SOUTH

NELAC Certification # E85086

ANALYTICAL TEST REPORT
THESE RESULTS MEET NELAC STANDARDS

Submission Number S 18050315

Florida Dept Of Env Protection
2600 Blair Stone Rd
Tallahasse, FL 32399

Project Name : RQ-2018-05-07-44
Date Received : 05/14/2018
Time Received : 1347

Submission: S 18050315

Sample Number: 001
Sample Date: 05/14/2018
Sample Time: 1015
Sample Description: Phillipi Creek G3SD0091
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date	Preparation Time	Analysis Date	Analysis Time	Analyst
E- COLI BY IDEXX QUANTITRAY	231	#/100ML	10	10	SM9223B	05/14/2018	1517	05/15/2018	15:38	MM

Submission: S 18050315

Sample Number: 002
Sample Date: 05/14/2018
Sample Time: 1045
Sample Description: Matheny Creek G3SD0092
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date	Preparation Time	Analysis Date	Analysis Time	Analyst
E- COLI BY IDEXX QUANTITRAY	8164	#/100ML	10	10	SM9223B	05/14/2018	1517	05/15/2018	15:38	MM

Submission: S 18050315

Sample Number: 003
Sample Date: 05/14/2018
Sample Time: 1115
Sample Description: North Creek Tidal G3SD0089
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date	Preparation Time	Analysis Date	Analysis Time	Analyst
ENTEROCOCCI	697	#/100ML	10	10	ENTEROLERT	05/14/2018	1454	05/15/2018	15:32	MM

BENCHMARK EA SOUTH

ANALYTICAL TEST REPORT

NELAC Certification # E85086

THESE RESULTS MEET NELAC STANDARDS

Submission: S 18050315

Sample Number: 004
Sample Description: North Creek Oak G3SD0064
Sample Date: 05/14/2018
Sample Method: Grab
Sample Time: 1215

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date	Preparation Time	Analysis Date	Analysis Time	Analyst
E- COLI BY IDEXX QUANTITRAY	120	#/100ML	10	10	SM9223B	05/14/2018	1517	05/15/2018	15:38	MM

Submission: S 18050315

Sample Number: 005
Sample Description: South Creek G3SD0090
Sample Date: 05/14/2018
Sample Method: Grab
Sample Time: 1130

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date	Preparation Time	Analysis Date	Analysis Time	Analyst
E- COLI BY IDEXX QUANTITRAY	41	#/100ML	10	10	SM9223B	05/14/2018	1517	05/15/2018	15:38	MM

Melinda Merchant 05/21/2018

Dale D. Dixon / Laboratory Director — Date

Melinda Merchant/ Laboratory Manager

DATA QUALIFIERS THAT MAY APPLY:

A = Value reported is an average of two or more determinations.
B = Results based upon colony counts outside the ideal range.
H = Value based on field kit determination. Results may not be accurate.
I = Reported value is between the laboratory MDL and the PQL.
J0 =All Quanti-Tray wells were positive. Result may be higher than reported.
J1 = Est. value surrogate recovery limits exceeded.
J2 = Est. value. No quality control criteria exists for component.
J3 = Est. value quality control criteria for precision or accuracy not met.
J4 = Est. value. Sample matrix interference suspected.
J5 = Est. value. Data questionable due to improper lab or field protocols
K = Off-scale low. Value is known to be < the value reported.
L = Off-scale high. Value is known to be > the value reported
N = Presumptive evidence of presence of material.
Q = Sample held beyond accepted hold time(15 minutes for pH).
T = Value reported is < MDL. Reported for informational purposes only and shall not be used in statistical analysis.
U = Analyte analyzed but not detected at the value indicated.
V = Analyte detected in sample and method blank.
Y = Analysis performed on an improperly preserved sample. Data may be inaccurate.
Z = Too many colonies were present (TNTC); the numeric value represents the filtration volume.
? = Data rejected and should not be used. Some or all of QC data were outside criteria, and the Presence or absence of the analyte cannot be determined from the data.
! = Data deviate from historically established concentration ranges.
* = Not reported due to interference.

NOTES:

PQL = 4xMDL. Except for Micro PQL=MDL

1 dilution was performed on each sample.

X = Value exceed MCL.

For questions and comments regarding these results, please contact Melinda Merchant at (941) 625-3137

These results relate only to the samples included in this report.

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2018- 05-07-44
Project Run/Location:

Laboratory Submission #: S18050315

Station ID	Surface Water Sample Matrix[2] (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray) E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL			Laboratory Sample #
Phillipi Creek G35D0091	(F) / M / Grab	(E.coli) / Entero / F.coli	Date & Time:	5/14/18 1015	1
Matheny Creek G35D0092	(F) / M / Grab	(E.coli) / Entero / F.coli	Date & Time:	5/14/18 1045	2
North Creek tidal G35D0089	F / (M) / Grab	E.coli / (Entero) / F.coli	Date & Time:	5/14/18 ~~1130~~ 1115	3
North Creek Oak G35D0064	(F) / M / Grab	(E.coli) / Entero / F.coli	Date & Time:	5/14/18 1215	4
South Creek G35D0090	(F) / M / Grab	(E.coli) / Entero / F.coli	Date & Time:	5/14/18 1130	5
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M /Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M/ Grab	E.coli / Entero / F.coli	Date & Time:		
	F / M / Grab	E.coli / Entero / F.coli	Date & Time:		

1 "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2 "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).
3 "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4 Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Laboratory Sample Acceptability:
pH <2 : ☐ BEAS Temperature: 5.6 °C

Instructions:
1. Each bottle has a label identifying sample ID, preMeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1	Collector: Gary Smrelc	Date: 5/14/18	Time: 1347	Received By: J Fisher	Date: 5/14/18	Time: 1347
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: