

RQ- 2018-08-20-11

Log-in Checklist

Login Station ID: # 3Shipping Method: FedEx | UPS | HD | GreyhoundDate/Time of Receipt: 09/05/2018 / 09:20

Cooler Temperature*	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Tracking # (fill out only if waybill copy is damaged)
				Present?		*Intact?		
	HNO ₃	Formalin		Yes	No	Yes	No	
2.4C			14		X			
1.9C			13		X			
2.7C			10		X			
3.6C			14		X			

* HNO₃ and Formalin persevered samples do **NOT** have a temperature requirement. For all others, if the temperature of a cooler is above 6.0 °C (or above 10.0 °C for W-1-4-DIOX), or if Evidence Seal is damaged. Identify the containers in the affected cooler(s) on back of this form.

****Note:** If "No" is checked in any of the fields below, fill out the back of this form with additional details (Field ID, Test IDs, etc.) and generate an NCR.

**Chain of Custody/ Field Sheet(s) Included? Yes ✓ No

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes No ✓ Date

CONTAINER CHECK

**Evidence Tape on Bottles? Yes No X If yes, is it intact? Yes No

**Caps on tight? Yes X No **Containers intact? Yes No

**Sufficient Sample Volume: Yes X No

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes ✓ No Init: **ABS**

Check the Box marked "Yes" or "No" for the Presence of Chlorine. If Cl detected, an NCR is required.					
Analysis	Yes	No	Analysis	Yes	No
W-1,4 DIOX			W-PC-AA-SF		
W-E8321-DI, -MS, -21		<u> </u>	W-NP-AA-SF		
W-BNA (-625, -R)			W-PDQUAT		
W-CARB-AA (-CAB-AA-R)		<u> </u>	W-PCL-SQ-R		<u> </u>
W-U2060-MS			W-TR-TQ		
W-PCB-R			W-CT-CI-R		<u> </u>
W-PAH (-R)			W-PSNP-TQ		<u> </u>

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

Acid Preserved Samples: pH ≤ 2.0? Yes ✓ No NA Init: **ABS

W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes No NA X Init: **ABS

Coolers Unpacked/Checked by: **ABS** Date: 09/05/2018 NCRs (Y/N)?

Event ID: Peace River Streams
SO-DIST-2018-09-05-01 (SMP)

NCR #

Log-in Checklist

Samples with Incorrect pH Preservation or presence of Chlorine

Field ID	Bottle Test ID(s)	pH / Cl	Action Taken

Samples in Coolers with Incorrect Preservation or Damaged Evidence Tape

Cooler ID	Field ID	Bottle Test ID(s)

Bottles Not Intact

Field ID	Bottle Test ID(s)	Loose Cap	Damaged Cap		Damaged Container		Evidence Tape Not Intact
			CK	BR	CK	BR	

Samples with Insufficient Volume for Analyses

Field ID	Bottle Test ID(s)	Action Taken

Additional Comments:

Infrared Thermometer ID:	REC_03_2018
pH Paper 0.0 – 3.0 Lot #	2305 15 EXP:10/30/2018
pH Paper 0 – 13 Lot #	222516 EXP:09/15/2019
Chlorine Test Strips Lot #	7226 EXP:20/20/07

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ No X

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ If No _____

no, were samples shipped on dry ice? Yes _____ No _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

Peace River Streams

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Nicole Reistad

Field Report Prepared By:

NICOLE REISTAD

Project ID: SMP

Collected By:

STEVE COFONE

Sampling Agency:

8052 / FTM SOROC

Location	Field ID/WIN ID	G3SD0067	Barcode	☐ Comp ☒ Grab	Collection (comp begin or grab)	Date 9/4/18	Time 0954	☒ Eastern ☐ Central	Composite end	Date	Time	Bottle Group(s)
Field ID	Location	PrairieCreek@WshngtnLp		Matrix (type, e.g., Salt, Fresh, etc)	FRESH	Diss. Oxygen	6.58	☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		B
WIN/S				Temp (C)	26.98	pH	6.68	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)	340
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	0.16	Comments: ecok to BENCHMARK						
Location	Field ID/WIN ID	G3SD0095	Barcode	☐ Comp ☒ Grab	Collection (comp begin or grab)	Date 9/4/18	Time 1115	☒ Eastern ☐ Central	Composite end	Date	Time	Bottle Group(s)
Field ID	Location	MyrtleSlough@PinelIsland		Matrix (type, e.g., Salt, Fresh, etc)	FRESH	Diss. Oxygen	5.79	☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		C
WIN/S				Temp (C)	25.80	pH	6.24	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)	185
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	0.49	Comments: ecok to BENCHMARK						
Location	Field ID/WIN ID	G3SD0097	Barcode	☐ Comp ☒ Grab	Collection (comp begin or grab)	Date 9/4/18	Time 1145	☒ Eastern ☐ Central	Composite end	Date	Time	Bottle Group(s)
Field ID	Location	Myrtle Slough @ SR 31		Matrix (type, e.g., Salt, Fresh, etc)	FRESH	Diss. Oxygen	5.00	☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		B
WIN/STO				Temp (C)	27.00	pH	6.93	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)	705
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	0.34	Comments: ecok to BENCHMARK						
Location	Field ID	G3SD0097_DUP	Barcode	☐ Comp ☒ Grab	Collection (comp begin or grab)	Date 9/4/18	Time 1150	☒ Eastern ☐ Central	Composite end	Date	Time	Bottle Group(s)
Field ID	Location	Myrtle Slough @ SR 31		Matrix (type, e.g., Salt, Fresh, etc)	FRESH	Diss. Oxygen	5.00	☒ mg/L ☐ % sat	Total Res. Chlorine	(mg/L)		E
WIN/STO	WIN ID	G3SD0097		Temp (C)	27.00	pH	6.93	Sample Depth	0.3	☐ ft ☒ m	Sp. Conductance (umho/cm)	705
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt)	0.34	Comments:						

Relinquished By:

COFONE FTM SOROC

Date/Time

9/4/18 1530

Shipping Method

Fed ex

Number of Coolers Shipped:

4

Received By:

ASB

Date/Time

9-05-18/1920

Group: A	Bottle Type:	P-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: A	Bottle Type:	BP-1L	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUTE-W					
Group: A	Bottle Type:	P-250ML-WI-THI	# of Bottles: 3	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	SD-BES-ECQ					
Group: A	Bottle Type:	P-500ML	# of Bottles: 3	Preservative:	ICE And H2SO4	Enter Number of Bottles Sent to Lab _____
	W-NH3					
	W-NO2NO3					
	W-S-A-TP					
	W-TKN					
	W-TOC					
Group: A	Bottle Type:	P-125ML	# of Bottles: 3	Preservative:	FILTER-ICE	Enter Number of Bottles Sent to Lab _____
	W-PO4-F					
Group: B	Bottle Type:	P-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	ALKALINITY					
	TURBIDITY					
	W-CL-IC					
	W-COLOR					
	W-F					
	W-SO4-IC					
	W-TDS					
	W-TSS					
Group: B	Bottle Type:	BP-1L	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____
	CHLSUTE-W					
Group: B	Bottle Type:	P-250ML-WI-THI	# of Bottles: 2	Preservative:	ICE	Enter Number of Bottles Sent to Lab _____

Group: B	Bottle Type: P-250ML-WI-THI SD-BES-ECQ	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>0</u> (2) SENT TO BENCHMARC
Group: B	Bottle Type: BG-500ML W-CARB-AA	# of Bottles: 2	Preservative: CH ₂ ClCOOH Pre-Preserved	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: BG-500ML W-CT-CI-R W-PCL-SQ-R	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>6</u>
Group: B	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: P-500ML W-ICP W-ICPMS	# of Bottles: 2	Preservative: HNO ₃ NA8080070 EXP: 03/21/19	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: P-500ML W-NH ₃ W-NO ₂ NO ₃ W-S-A-TP W-TKN W-TOC	# of Bottles: 2	Preservative: ICE And H ₂ SO ₄ H ₂ SO ₄ LOT# SA7275010 EXP: 10/02/2018	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: P-125ML W-PO4-F	# of Bottles: 2	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab <u>2</u>
Group: B	Bottle Type: BG-1L W-PSNP-TQ	# of Bottles: 6	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>6</u>
Group: C	Bottle Type: P-1L ALKALINITY TURBIDITY W-CL-IC W-COLOR W-F W-SO ₄ -IC W-TDS W-TSS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab <u>1</u>

Group: C	Bottle Type: BP-1L CHLSUITE-W	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: P-250ML-WI-THI SD-BES-ECQ	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0 (1) ECOLI SENT TO BENCHMARK
Group: C	Bottle Type: P-500ML W-ICP W-ICPMS	# of Bottles: 1	Preservative: HNO3	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: P-500ML W-NH3 W-NO2NO3 W-S-A-TP W-TKN W-TOC	# of Bottles: 1	Preservative: ICE And H2SO4	Enter Number of Bottles Sent to Lab	1
Group: C	Bottle Type: P-125ML W-PO4-F	# of Bottles: 1	Preservative: FILTER-ICE	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type: QPCR-P-500ML PCR-FILTER	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: D	Bottle Type: P-250ML-WI-THI SD-BES-ECQ	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	0 (1) ECOLI SENT TO BENCHMARK
Group: D	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: E	Bottle Type: BG-500ML W-CARB-AA	# of Bottles: 1	Preservative: CH2CICOOH Pre-Preserved	Enter Number of Bottles Sent to Lab	1
Group: E	Bottle Type: BG-500ML W-CT-CI-R W-PCL-SQ-R	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	2
Group: E	Bottle Type: BG-500ML W-E8321-DI W-E8321-MS	# of Bottles: 1	Preservative: ICE	Enter Number of Bottles Sent to Lab	1
Group: E	Bottle Type: BG-1L	# of Bottles: 2	Preservative: ICE	Enter Number of Bottles Sent to Lab	

Peace River Streams

Central Laboratory Submittal Form

last revised Jan 25, 2018

Customer: SO-DIST

Requester: Nicole Reistad

Field Report Prepared By:

NICOLE REISTAD

Project ID: SMP

Collected By:

STEVE COFORZ

Sampling Agency:

8052 Fm Saxe

Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/4/18 Time 1235	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s) (See pg 2)
Field ID	Location	G3SD0096	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 4.59	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/S	Hog Bay @ CR 763		Temp (C) 26.88	pH 6.49	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 436	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.21	Comments ECOLI TO BENCHMARK			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/4/18 Time 1305	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G3SD0011	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 6.75	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	D
WIN/S	HawthorneCrk@ReynoldsSt		Temp (C) 26.41	pH 6.86	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 547	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.26	Comments ECOLI TO BENCHMARK			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/4/18 Time 1340	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G3SD0132	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 7.26	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/S	RunoffPeace River Site3		Temp (C) 27.83	pH 6.37	Sample Depth 0.1	☐ ft ☒ m	Sp. Conductance (umho/cm) 198	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.49	Comments ECOLI TO BENCHMARK			
Location	Field ID/WIN ID		☐ Comp ☒ Grab	Collection (comp begin or grab) Date 9/4/18 Time 1410	☒ Eastern ☐ Central	Composite end Date	Time	Bottle Group(s)
Field ID	Location	G3SD0131	Matrix (type, e.g., Salt, Fresh, etc) FRESH		Diss. Oxygen 6.13	☒ mg/L ☐ % sat	Total Res. Chlorine (mg/L)	A
WIN/S	BobcatCreek in Preserve		Temp (C) 26.93	pH 6.06	Sample Depth 0.3	☐ ft ☒ m	Sp. Conductance (umho/cm) 106	
Latitude	☐ dd ☐ dms	Longitude	☐ dd ☐ dms	Salinity (ppt) 0.65	Comments ECOLI SENT TO BENCHMARK			

Relinquished By:	Date/Time	Shipping Method	Number of Coolers Shipped:	Received By:	Date/Time
COFORZ Fm Saxe	9/4/18 1530	FED EX	4	ABP	9-5-18/1820

Group: A Bottle Type: P-1L # of Bottles: 3 Preservative: ICE Enter Number of Bottles Sent to Lab 3

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: A Bottle Type: BP-1L # of Bottles: 3 Preservative: ICE Enter Number of Bottles Sent to Lab 3

CHLSUITE-W

Group: A Bottle Type: P-250ML-WI-THI # of Bottles: 3 Preservative: ICE Enter Number of Bottles Sent to Lab 0

SD-BES-ECQ

(3) ECOL SENT TO BENCHMARK

Group: A Bottle Type: P-500ML # of Bottles: 3 Preservative: ICE And H2SO4 Enter Number of Bottles Sent to Lab 3

W-NH3
W-NO2NO3
W-S-A-TP
W-TKN
W-TOC

H2SO4
LOT# SA/2/5010
EXP: 10/02/2018

Group: A Bottle Type: P-125ML # of Bottles: 3 Preservative: FILTER-ICE Enter Number of Bottles Sent to Lab 3

W-PO4-F

Group: B Bottle Type: P-1L # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 2

ALKALINITY
TURBIDITY
W-CL-IC
W-COLOR
W-F
W-SO4-IC
W-TDS
W-TSS

Group: B Bottle Type: BP-1L # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 2

CHLSUITE-W

Group: B Bottle Type: P-250ML-WI-THI # of Bottles: 2 Preservative: ICE Enter Number of Bottles Sent to Lab 2

Group: E

Bottle Type:

BG-1L

of Bottles: 2

Preservative:

ICE

Enter Number of Bottles Sent to Lab

2

W-PSNP-TQ

Date of Request: 20-JUL-2018
 Created By: REISTAD_N On: 20-JUL-2018
 Modified By: SWANSON_C On: 01-AUG-2018
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Sampling Event: Peace River Streams

Send Coolers To:

Phone: 239-344-5718
 FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Nicole Reistad

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 364
 Fort Myers, FL 33901
 Attn: Nicole Reistad

Program Module Number:

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: WATTS_J On: 31-JUL-2018
 Biology Request Reviewed By: SWANSON_C On: 01-AUG-2018
 Sampling Kit Required: YES Ship on: 10-AUG-2018
 Sampling Kit Shipped: YES On: 06-AUG-2018
 Sampling Kit Packed By: GREENWOO_J
 Preservatives Needed: NO
 Date to Receive Samples: 20-AUG-2018
 Received By: SHAIK_A On: 05-SEP-2018

Report Type: Final Only
 FTP Data: NO
 QC Report: YES
 Date Log: NO
 Authorization Log: NO

Comments: Group A: (2001,2028,2033) Freshwater Kit, No Metals (Kit A); E.Coli x3
 Group B: (1962,2040) Freshwater Kit With Metals (Kit C); E.Coli, Pesticides x2
 Group C: (1995) Freshwater Kit With Metals (Kit C); E. Coli x1
 Group D: (1997) E. Coli; Markers, Tracers x1
 Group E: Pesticides DUPLICATE

Bottle Group A (Water) With 3 Samples:

Bottle Type: P-1L	Number of Bottles: 3	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 3	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 3	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colifert 18 Quanti-Tray method by Benchmark EA South in North Port
Bottle Type: P-500ML	Number of Bottles: 3	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 3	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: BG-500ML	Number of Bottles: 6	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 2	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L
Bottle Type: BG-1L	Number of Bottles: 6	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270D) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
Bottle Type: P-1L	Number of Bottles: 2	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 2	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colliert 18 Quanti-Tray method by Benchmark EA South in North Port
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-97) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-COLOR	Template: DEFAULT	(SM 2120 B) True Color measured at 450 nm
Color (true)		
W-F	Template: DEFAULT	(SM 4500 F-C-97) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-97) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-97) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Chromium		
Iron		
Magnesium		
Nickel		
Potassium		
Sodium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Arsenic		
Cadmium		
Copper		
Lead		
Silver		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-00) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group D (Water) With 1 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-FILTER	Template: DEFAULT	(SOP-PCR-4.0) Preparation of Samples by Filtration and held for qPCR Analysis
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template:	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group E (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: CH2ClCOOH Pre-Preserved
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 2	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCL-SQ-R	Template: DEFAULT	(EPA 8270D) Organochlorine pesticides in water matrices by GC/MS-SIM
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE

Bottle Group E (Water) With 1 Samples:

Bottle Type: BG-1L
W-PSNP-TQ Template: DEFAULT Number of Bottles: 2 Preserved With: ICE
GC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
SAMPLE SUBMITTAL FORM FOR THE POTABLE WATER MONITORING PROGRAM

DEP REQUEST ID: RQ-2018- 09 - 03 - 41		PROJECT: Tox-HSET	
COLLECTOR (PRINT): Eric Lindner		(SIGNATURE): <i>Eric Lindner</i>	
PHONE: (239) 274-2212		County Health Department: LEE	
SAMPLE INFORMATION Select time zone			
DATE COLLECTED: (MM/DD/YY): 09/04/18		TIME COLLECTED (HH:MM): 14:10	
		Eastern	
PURGE DURATION (MINUTES): SAMPLE LOCATION:			
COMMENTS: TRIP BLANK			
Preservative Sticker 1	Preservative Sticker 2	Preservative Sticker 3	Preservative Sticker 4
SAMPLE TYPE: (CHECK ONLY ONE):		TREATMENT CLASSIFICATION:	
☐ FIRST SAMPLE	☐ PRE-FILTER (DEP)	☐ CHLORINATED	☐ ACTIVATED CARBON
☒ RESAMPLE	☐ MID-FILTER (DEP)	☐ WATER SOFTENER	☐ GREEN SAND FILTER
☐ POST FILTER (PRIVATE)	☐ POST-FILTER (DEP)	☐ AERATED	☐ REVERSE OSMOSIS
		☐ RAW (PRE-TANK)	☐ ION EXCHANGE
		☐ RAW (POST-TANK)	☐ OTHER _____
DRINKING WATER SOURCE/WELL TYPE (CHECK ONLY ONE):			
☐ 40 – COMMUNITY WS (>150,000 GALLONS/DAY)	☐ 45 – NON-TRANSIENT/NON-COMMUNITY WS		
☐ 41 – NON-COMMUNITY WS	☐ 46 – COMMUNITY WS (<150,000 GALLONS/DAY)		
☐ 42 – LIMITED USE PUBLIC WS (64E-8)	☐ 47 – MULTI-FAMILY WELL (3-4 LIVING UNITS)		
☐ 43 – PRIVATE WELL	☐ 70 – NON-WELL (2 ND DISCHARGE/OTHER SOURCE)		
WELL SITE INFORMATION		FLORIDA UNIQUE WELL ID PLACE TAG HERE IF NO TAG AVAILABLE WRITE NUMBER BELOW TRIP BLANK	
SAMPLE/SYSTEM NAME: _____			
STREET: _____			
CITY: _____	COUNTY: _____		
FACILITY #: _____	ZIP: _____		
CONTACT INFORMATION ☐ same as above		☐ OWNER ☐ RESIDENT	
NAME (LAST): _____ (FIRST): _____		☐ BOTH ☐ OTHER _____	
STREET: _____		CITY: _____	
ST: _____ ZIP: _____		PHONE: _____ EMAIL: _____	

Cooler Packing Worksheet for Request: RQ-2018-08-20-11

Peace River Streams

Ship Cooler On: 8/10/2018

Customer/Project: SO-DIST/SMP

Assigned To: GREENWOO_J

Requester: Nicole Reistad

Priority: 3

239-344-5718
FLDEP South District Office
2295 Victoria Ave. Suite 364
Fort Myers, FL 33901

Attn: Nicole Reistad

Please return
packing list with
sample submittal
forms.

Comments:

No preservatives needed.

Group A: (2001,2028,2033) Freshwater Kit, No Metals (Kit A); E.Coli x3

Group B: (1962,2040) Freshwater Kit With Metals (Kit C); E.Coli, Pesticides x2

Group C: (1995) Freshwater Kit With Metals (Kit C); E. Coli x1

Group D: (1997) E. Coli; Markers, Tracers x1

Group E: Pesticides DUPLICATE

Requested Analyses:

Bottle Group: A

of Sites: 3

Container ID: P-1L

Qty: 3 Preservation: ICE

Lot # 00071233

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 3 Preservation: ICE

Lot # 1227219

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-250ML-WI-THI

Qty: 3 Preservation: ICE

Lot # 418005

Description: 250 ml Sterilized with tablet

Analysis

SD-BES-ECQ

Description

Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port

Container ID: P-500ML

Qty: 3 Preservation: ICE And H2SO4

Lot # 00071864

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 3 Preservation: FILTER-ICE

Lot # 00071266

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: B

of Sites: 2

Container ID: P-1L

Qty: 2 Preservation: ICE

Lot # 00071233

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 2 Preservation: ICE

Lot # 1227219

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-250ML-WI-THI

Qty: 2 Preservation: ICE

Lot # U19005

Description: 250 ml Sterilized with tablet

Analysis

SD-BES-ECQ

Description

Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port

Container ID: BG-500ML

Qty: 2 Preservation: CH₂ClCOOH Pre-Preserved

Lot # 00071185

Description: Brown Glass Bottle 500ML

Affix BLUE dot to container.

Analysis

W-CARB-AA

Description

Carbamates in water matrices by HPLC/MS/MS

Container ID: BG-500ML

Qty: 6 Preservation: ICE

Lot # 00071432

Description: Brown Glass Bottle 500ML

Affix BLUE dot to container.

Analysis

W-CT-Cl-R

Description

Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization

W-PCL-SQ-R

Organochlorine pesticides in water matrices by GC/MS-SIM

Container ID: BG-500ML

Qty: 2 Preservation: ICE

Lot # 00071185

Description: Brown Glass Bottle 500ML

Affix BLUE dot to container.

Analysis

W-E8321-DI

Description

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

W-E8321-MS

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Container ID: P-500ML

Qty: 2 Preservation: HNO₃

Lot # 00071864

Description: Plastic Bottle 500 mL

Affix RED nitric acid dot to container.

Analysis

Description

W-ICP

Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

W-ICPMS

Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Container ID: P-500ML

Qty: 2 Preservation: ICE And H2SO4

Lot # 00071864

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 2 Preservation: FILTER-ICE

Lot # 00071266

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Container ID: BG-1L

Qty: 6 Preservation: ICE

Lot # 00071810

Description: Brown Glass Bottle 1L

Affix BLUE dot to container.

Analysis

W-PSNP-TQ

Description

Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Bottle Group: C# of Sites: 1

Container ID: P-1L

Qty: 1 Preservation: ICE

Lot # 00071233

Description: Plastic Bottle 1L

Analysis

ALKALINITY

TURBIDITY

W-CL-IC

W-COLOR

W-F

W-SO4-IC

W-TDS

W-TSS

Description

Alkalinity in aqueous matrices as mg CaCO3/L

Turbidity in aqueous matrices

Chloride in aqueous matrices

True Color measured at 450 nm

Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)

Sulfate in aqueous matrices

Total Dissolved Solids in aqueous matrices

Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Container ID: BP-1L

Qty: 1 Preservation: ICE

Lot # 1227219

Description: Brown Plastic Bottle 1L

Analysis

CHLSUITE-W

Description

Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Container ID: P-250ML-WI-THI

Qty: 1 Preservation: ICE

Lot # 118005

Description: 250 ml Sterilized with tablet

Analysis

SD-BES-ECQ

Description

Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port

Container ID: P-500ML

Qty: 1 Preservation: HNO3

Lot # 00071864

Description: Plastic Bottle 500 mL

Affix RED nitric acid dot to container.

Analysis

W-ICP

W-ICPMS

Description

Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects

Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects

Container ID: P-500ML

Qty: 1 Preservation: ICE And H2SO4

Lot # 00071864

Description: Plastic Bottle 500 mL

Affix YELLOW sulfuric acid dot to container.

Analysis

W-NH3

W-NO2NO3

W-S-A-TP

W-TKN

W-TOC

Description

Ammonia in aqueous matrices as mg N/L

Nitrite/Nitrate in aqueous matrices as mg N/L

Total Phosphorus in aqueous matrices as mg P/L

Total Kjeldahl Nitrogen in aqueous matrices

Nonpurgeable Organic Carbon in aqueous matrices

Container ID: P-125ML

Qty: 1 Preservation: FILTER-ICE

Lot # 00071266

Description: Plastic Bottle 125 mL

Analysis

W-PO4-F

Description

Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group: D# of Sites: 1

Container ID: QPCR-P-500ML
Description: 500ml Sterile Nalgene

Qty: 1 Preservation: ICE
Affix PCR Instruction Label to container

Lot # 00070587

Analysis
PCR-FILTER

Description
Preparation of Samples by Filtration and held for qPCR Analysis

Container ID: P-250ML-WI-THI
Description: 250 ml Sterilized with tablet

Qty: 1 Preservation: ICE

Lot # 418005

Analysis
SD-BES-ECQ

Description
Escherichia coli by Colilert 18 Quanti-Tray method by Benchmark EA South in North Port

Container ID: BG-500ML
Description: Brown Glass Bottle 500ML

Qty: 1 Preservation: ICE
Affix BLUE dot to container.

Lot # 00071185

Analysis
W-E8321-DI
W-E8321-MS

Description
Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group: E

of Sites: 1

Container ID: BG-500ML
Description: Brown Glass Bottle 500ML

Qty: 1 Preservation: CH₂ClCOOH Pre-Preserved
Affix BLUE dot to container.

Lot # 00071185

Analysis
W-CARB-AA

Description
Carbamates in water matrices by HPLC/MS/MS

Container ID: BG-500ML
Description: Brown Glass Bottle 500ML

Qty: 2 Preservation: ICE
Affix BLUE dot to container.

Lot # 00071185

Analysis
W-CT-CI-R
W-PCL-SQ-R

Description
Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
Organochlorine pesticides in water matrices by GC/MS-SIM

Container ID: BG-500ML

Qty: 1 Preservation: ICE

Lot # 00071185

Description: Brown Glass Bottle 500ML

Affix BLUE dot to container.

Analysis

W-E8321-DI

W-E8321-MS

Description

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Container ID: BG-1L

Qty: 2 Preservation: ICE

Lot # 00071810

Description: Brown Glass Bottle 1L

Affix BLUE dot to container.

Analysis

W-PSNP-TQ

Description

Organonitrogen and phosphorus pesticides (ultra trace level) in water matrices by GC/MS/MS

Cooler Packed By: J.A.

Number of Coolers: 6

Date: 8/6/18

Kit must also include:

- ☒ Field Sheets
- ☒ Temperature Control Bottle
- ☒ FedEx Bills, if applicable
- ☒ Plastic Bags/Zip Ties
- ☐ Acid Labels (sets of 24)

If Preservation Included:

ID <u>MCAA Buffer Solution</u>	Exp <u>3/26/19</u>	Lot # <u>91013</u>
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____
ID _____	Exp _____	Lot # _____

PLEASE RETURN ALL COOLERS FOR RQ-2018-08-20-11

ACTIVITY: 15.00 LB FROM

ORIGIN TO: FLA (238) 344-6771
NICOLE REISDAD DISTRICT OFFICE
FL DEP SOUTH AVE SUITE 364
2295 VICTORIA
FORT MYERS, FL 33901

FACTS OF THE CASE: CAFE3214
REF: 0446970/CAFE3214

**UNITED STATES OF
TO JOHN WATTS**

JOHN WATTS
FLORIDA DE/ CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(855) 245-8077

REPLY

पेपलः

一

EXPRESS

J1C111814200137

WED - 05 SEP 10:30A
PRIORITY OVERNIGHT

32398

EL-08 TLF

ХН ТЛНА

XLHA

REFUGEE MAN-1

WED - 05 SEP 10:30
PRIORITY OVERNIGHT

3239

FL-08
TL

FedEx
1-800-477-0670

TRAK# 4385 5032 77/9
10221

3239

FL-08
TL

51C1/3309/104C

FL DEP SOUTH DISTRICT OFFICE
2285 VICTORIA AVE SUITE 384
FORT MYERS, FL 33901
UNITED STATES US

ACTWGT: 15.00 LB MAN
CAD: 0446870/CAF3210

TO JOHN WATTS

FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD


TALLAHASSEE FL 32399

(ISSD) 245-8077
TNO1

REF:

RMA: 01111111

REF:



TRI 0221

FedEx


TRK# 4385 5032 1205

WED - 05 SEP 10:30A
PRIORITY OVERNIGHT

XH TLHA

FL-US TLH

32399



ORIGIN: XH TLHA (239) 344-5716
FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD
FORT MYERS, FL 33901
UNITED STATES US

SHIP DATE: 06AUG
ACTWGT: 15.00 LB
CAD: 0446870/CAF

TO JOHN WATTS


FLORIDA DEP/CHEMISTRY SECTION
2600 BLAIRSTONE RD

TALLAHASSEE FL 32399

(ISSD) 245-8077
TNO1

REF:

RMA: 01111111




FedEx

TRK# 4385 5032 1216

WED - 05 SE
PRIORITY OV

XH TLHA

FL



Part # 156140